

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																
*Algeria, Batna	0.8	(13.0)	0.4	(6.5)	0.1	(1.1)	1.8	(26.1)	0.1	(2.2)	0.3	(4.3)	0.1	(1.1)	3.0	(45.7)
*Algeria, Tizi Ouzou	0.0	(1.1)	–	–	–	–	0.1	(1.1)	–	–	–	–	–	–	5.5	(97.7)
*Benin, Cotonou	0.2	(4.2)	0.2	(8.3)	–	–	1.6	(33.3)	0.1	(4.2)	0.3	(4.2)	–	–	2.2	(45.8)
*France, La Réunion	1.1	(9.4)	1.5	(12.3)	0.1	(1.2)	3.0	(27.9)	0.3	(2.9)	1.6	(13.5)	0.4	(3.3)	3.3	(29.5)
*Kenya, Eldoret	0.2	(3.7)	–	–	–	–	–	–	–	–	–	–	–	–	5.4	(96.3)
*Kenya, Nairobi	1.1	(11.4)	0.2	(2.6)	–	–	0.2	(1.7)	0.1	(0.9)	–	–	–	–	7.9	(83.4)
Mauritius	0.1	(2.0)	0.0	(0.3)	–	–	0.4	(5.4)	0.0	(0.3)	–	–	–	–	6.7	(91.9)
*Morocco, Casablanca	0.2	(4.6)	0.1	(1.8)	0.0	(0.4)	0.1	(1.3)	0.0	(0.9)	0.0	(0.2)	0.0	(0.2)	3.9	(90.5)
*Seychelles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4.6	(100.0)
*South Africa, Eastern Cape	0.1	(12.5)	–	–	–	–	–	–	–	–	–	–	–	–	0.6	(87.5)
*Uganda, Kyadondo County	0.2	(4.0)	0.1	(1.0)	0.1	(1.0)	0.2	(4.0)	0.0	(1.0)	–	–	–	–	5.4	(89.0)
*Uganda, Gulu	–	–	–	–	–	–	–	–	–	–	–	–	0.3	(16.7)	1.2	(83.3)
*Zimbabwe, Bulawayo: African	0.3	(8.7)	0.1	(2.2)	–	–	–	–	–	–	–	–	–	–	5.3	(89.1)
*Zimbabwe, Harare: African	1.2	(6.7)	–	–	–	–	0.2	(1.2)	–	–	–	–	–	–	16.6	(92.1)
Central and South America and the Caribbean																
*Argentina, Entre Ríos Province	0.4	(3.7)	0.3	(2.5)	0.6	(5.8)	0.7	(7.0)	0.1	(1.2)	0.3	(3.3)	0.1	(0.8)	7.8	(75.6)
*Argentina, Mendoza	1.0	(8.2)	0.1	(1.0)	0.5	(3.9)	0.4	(3.8)	0.1	(0.5)	0.1	(0.7)	–	–	9.3	(81.9)
Brazil, Aracaju	1.2	(10.5)	0.2	(1.9)	0.5	(4.8)	1.0	(10.5)	–	–	–	–	–	–	7.3	(72.4)
*Brazil, Barretos	2.2	(19.1)	–	–	1.2	(10.2)	1.6	(14.0)	0.1	(0.6)	0.2	(1.3)	–	–	6.1	(54.8)
Brazil, Belo Horizonte	1.4	(11.6)	0.1	(0.8)	1.0	(8.1)	2.4	(19.5)	0.1	(0.6)	0.1	(1.3)	0.1	(0.9)	6.8	(57.2)
*Brazil, Campinas	1.5	(8.4)	0.2	(1.3)	1.1	(6.1)	1.0	(6.1)	0.1	(0.3)	0.5	(2.6)	0.1	(0.8)	12.3	(74.4)
*Brazil, Curitiba	1.3	(10.2)	0.2	(1.3)	1.1	(8.5)	1.8	(13.3)	0.1	(0.8)	0.5	(3.9)	0.1	(0.4)	8.1	(61.7)
Brazil, Goiânia	1.6	(13.1)	0.2	(2.0)	0.6	(4.9)	1.4	(11.8)	0.2	(1.3)	0.1	(0.7)	–	–	7.8	(66.3)
*Brazil, Jaú	1.8	(12.1)	–	–	3.5	(24.1)	4.4	(36.2)	0.7	(5.2)	0.3	(1.7)	–	–	2.9	(20.7)
Brazil, João Pessoa	0.1	(0.7)	–	–	0.4	(3.0)	0.4	(3.0)	–	–	–	–	–	–	12.5	(93.3)
Brazil, Recife	0.6	(5.8)	–	–	0.3	(2.9)	0.3	(2.5)	0.1	(1.1)	–	–	–	–	10.0	(87.8)
Chile, Region of Antofagasta	2.2	(14.1)	0.1	(0.6)	0.3	(2.5)	0.5	(3.7)	0.1	(0.6)	0.2	(1.2)	0.2	(1.2)	13.3	(76.1)
Chile, Valdivia	7.6	(23.7)	0.6	(2.0)	3.6	(11.5)	3.0	(9.3)	0.2	(0.4)	1.0	(3.1)	0.3	(0.9)	15.1	(49.1)
Colombia, Bucaramanga	2.7	(13.6)	0.5	(2.2)	1.6	(7.5)	3.8	(19.8)	0.9	(4.2)	0.4	(1.8)	0.2	(0.8)	10.0	(50.1)
Colombia, Cali	1.3	(6.5)	0.5	(2.2)	2.2	(10.8)	2.7	(13.1)	0.3	(1.4)	0.2	(1.2)	0.2	(0.8)	13.1	(64.0)
Colombia, Manizales	1.6	(7.8)	0.8	(4.3)	1.8	(9.2)	2.6	(12.4)	0.1	(0.7)	1.1	(5.3)	0.5	(2.1)	11.9	(58.2)
Colombia, Pasto	2.6	(10.9)	0.5	(2.3)	1.7	(6.8)	3.9	(15.0)	0.3	(1.5)	0.6	(2.6)	0.1	(0.4)	14.9	(60.5)
Costa Rica	1.5	(9.2)	0.3	(2.0)	0.9	(6.1)	1.3	(8.5)	0.1	(0.7)	0.1	(0.6)	0.0	(0.2)	11.8	(72.6)
Ecuador, Guayaquil	0.8	(4.9)	0.0	(0.2)	1.0	(6.2)	1.4	(8.1)	0.1	(0.6)	0.2	(1.0)	0.0	(0.3)	13.1	(78.6)
Ecuador, Manabí	0.9	(4.9)	–	–	0.9	(5.5)	2.4	(12.9)	0.1	(0.3)	0.1	(0.8)	0.1	(0.3)	14.0	(75.4)
Ecuador, Quito	1.1	(5.8)	0.1	(0.4)	1.8	(9.0)	3.6	(18.5)	0.3	(1.5)	0.4	(1.9)	0.2	(1.2)	12.0	(61.7)
*France, Guadeloupe	1.0	(7.9)	2.2	(18.2)	0.1	(1.2)	3.9	(29.3)	0.5	(5.0)	1.1	(7.9)	0.9	(6.2)	3.2	(24.4)
*France, Martinique	2.7	(20.0)	1.3	(7.5)	0.5	(3.4)	3.2	(24.9)	0.3	(2.3)	1.1	(8.7)	0.5	(3.8)	3.7	(29.4)
*Peru, Lima	1.2	(5.9)	0.4	(1.9)	2.2	(11.3)	4.0	(20.5)	0.2	(0.8)	0.1	(0.7)	0.1	(0.4)	11.3	(58.4)
*Trinidad and Tobago	0.2	(5.1)	–	–	–	–	0.0	(1.0)	–	–	–	–	–	–	3.8	(93.9)
USA, Puerto Rico	0.8	(14.6)	0.2	(3.6)	0.8	(12.4)	1.1	(20.5)	0.1	(2.2)	0.4	(7.3)	0.2	(4.4)	2.0	(35.0)
*Uruguay	1.6	(12.0)	0.2	(1.6)	1.0	(7.5)	0.6	(4.9)	0.2	(1.4)	0.1	(1.2)	0.1	(0.8)	8.9	(70.7)
North America																
Canada, Alberta	2.3	(40.9)	0.3	(5.4)	0.5	(8.8)	0.8	(14.4)	0.1	(1.4)	0.4	(8.4)	0.2	(3.4)	1.0	(17.4)
Canada, British Columbia	2.4	(44.0)	0.1	(2.0)	0.2	(3.3)	0.6	(11.4)	0.0	(0.9)	0.2	(4.2)	0.1	(1.6)	1.7	(32.6)
*Canada, Manitoba	3.2	(45.2)	0.3	(4.1)	0.5	(8.4)	1.0	(15.3)	0.1	(1.0)	0.6	(8.9)	0.3	(4.3)	0.9	(12.8)
*Canada, New Brunswick	3.7	(43.6)	0.4	(5.2)	0.5	(6.4)	1.4	(19.3)	0.1	(1.2)	0.3	(4.0)	0.2	(2.5)	1.3	(17.8)
*Canada, Newfoundland and Labrador	2.2	(24.1)	0.8	(7.7)	0.5	(5.0)	1.1	(13.4)	0.1	(1.1)	0.5	(5.0)	0.3	(3.8)	3.4	(39.8)
Canada, Ontario	3.1	(41.2)	0.4	(5.1)	0.7	(9.6)	1.2	(16.4)	0.1	(2.0)	0.4	(6.2)	0.2	(2.6)	1.2	(16.9)
*Canada, Prince Edward Island	4.1	(53.6)	0.3	(3.6)	0.3	(5.4)	0.5	(8.9)	0.1	(1.8)	0.8	(7.1)	0.1	(1.8)	1.3	(17.9)
Canada, Quebec	2.3	(34.2)	0.2	(3.0)	0.5	(7.6)	1.0	(15.8)	0.2	(3.1)	0.5	(7.6)	0.2	(2.6)	1.6	(26.3)
Canada, Saskatchewan	3.2	(49.5)	0.3	(5.2)	0.5	(8.6)	0.6	(10.5)	0.2	(2.5)	0.6	(9.8)	0.1	(1.2)	0.8	(12.6)
*Canada, Yukon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1.5	(100.0)
USA	2.3	(40.9)	0.3	(4.5)	0.5	(8.4)	0.7	(12.8)	0.1	(1.7)	0.3	(5.9)	0.2	(3.5)	1.2	(22.3)
USA: White	2.5	(48.1)	0.2	(4.3)	0.4	(7.6)	0.5	(9.9)	0.1	(1.4)	0.3	(5.1)	0.2	(3.2)	1.0	(20.5)
USA: Black	1.2	(14.5)	0.5	(6.0)	0.9	(11.1)	1.8	(21.4)	0.3	(3.2)	0.7	(8.4)	0.4	(5.0)	2.6	(30.4)
USA, NPCR	2.3	(40.8)	0.3	(4.5)	0.5	(8.4)	0.7	(12.8)	0.1	(1.7)	0.3	(5.9)	0.2	(3.5)	1.2	(22.3)
USA, NPCR: White	2.5	(48.1)	0.2	(4.3)	0.4	(7.6)	0.5	(9.9)	0.1	(1.4)	0.3	(5.1)	0.2	(3.2)	1.0	(20.5)
USA, NPCR: Black	1.2	(14.5)	0.5	(6.0)	0.9	(11.1)	1.8	(21.4)	0.3	(3.2)	0.7	(8.4)	0.4	(5.0)	2.6	(30.5)
USA, NPCR: Asian and Pacific Islander	1.4	(17.1)	0.3	(4.0)	0.9	(11.4)	2.1	(27.0)	0.2	(2.7)	0.8	(10.1)	0.3	(3.7)	1.9	(24.1)
USA, NPCR: American Indian	1.2	(29.4)	0.2	(4.4)	0.4	(9.4)	0.6	(14.7)	0.1	(2.5)	0.4	(8.4)	0.2	(5.2)	1.1	(26.0)
*USA, SEER (18 registries)	2.2	(37.7)	0.2	(4.2)	0.5	(9.1)	0.8	(14.2)	0.1	(2.0)	0.4	(6.8)	0.2	(3.7)	1.3	(22.2)
*USA, SEER (18 registries): White	2.5	(45.8)	0.2	(4.1)	0.4	(8.2)	0.6	(10.9)	0.1	(1.5)	0.3	(5.6)	0.2	(3.3)	1.1	(20.5)
*USA, SEER (18 registries): Non-Hispanic White	2.6	(53.6)	0.2	(4.0)	0.3	(6.9)	0.4	(8.7)	0.0	(1.1)	0.2	(4.5)	0.1	(2.8)	0.9	(18.4)
*USA, SEER (18 registries): Hispanic White	1.7	(20.7)	0.4	(4.5)	1.0	(12.6)	1.5	(18.1)	0.2	(2.8)	0.7	(9.1)	0.4	(4.7)	2.2	(27.5)
*USA, SEER (18 registries): Black	1.2	(15.3)	0.4	(5.1)	1.0	(11.6)	1.8	(21.9)	0.3	(3.2)	0.7	(8.9)	0.4	(5.4)	2.3	(28.6)
*USA, SEER (18 registries): Asian and Pacific Islander	1.4	(18.0)	0.3	(3.6)	0.9	(11.5)	1.8	(24.7)	0.2	(3.3)	0.8	(11.1)	0.3	(4.3)	1.8	(23.5)
*USA, SEER (9 registries)	2.3	(41.4)	0.2	(4.3)	0.5	(8.5)	0.7	(13.2)	0.1	(1.9)	0.3	(6.3)	0.2	(3.2)	1.2	(21.2)
*USA, SEER (9 registries): White	2.5	(51.2)	0.2	(4.2)	0.3	(7.2)	0.4	(9.4)	0.1	(1.2)	0.2	(4.9)	0.1	(2.6)	0.9	(19.1)
*USA, SEER (9 registries): Black	1.4	(17.0)	0.4	(5.3)	1.1	(13.2)	1.7	(21.3)	0.2	(2.9)	0.7	(9.0)	0.4	(4.6)	2.1	(26.7)
USA, Alabama	1.9	(33.6)	0.3	(5.4)	0.4	(7.4)	0.7	(13.0)	0.1	(1.7)	0.3	(5.8)	0.2	(3.1)	1.7	(29.9)
USA, Alabama: White	2.1	(43.4)	0.3	(5.9)	0.3	(6.6)	0.4	(9.4)	0.1	(1.2)	0.2	(4.3)	0.1	(2.5)	1.2	(26.8)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, Alabama: Black	1.1	(13.5)	0.4	(4.5)	0.8	(9.6)	1.7	(20.2)	0.2	(2.8)	0.7	(8.4)	0.4	(4.5)	3.2	(36.5)
USA, Alaska	2.2	(32.4)	0.2	(2.8)	0.5	(6.8)	1.1	(17.0)	0.1	(1.7)	0.6	(9.1)	0.4	(5.7)	1.7	(24.4)
*USA, Alaska: Alaska Natives	3.4	(17.7)	0.9	(4.8)	1.9	(9.7)	3.2	(17.7)	0.7	(3.2)	3.1	(16.1)	2.4	(12.9)	3.3	(17.7)
USA, Arizona	1.8	(40.7)	0.2	(4.3)	0.3	(6.3)	0.5	(10.7)	0.1	(2.0)	0.2	(5.8)	0.1	(2.7)	1.2	(27.4)
USA, Arizona: White	1.9	(44.2)	0.2	(4.8)	0.3	(6.2)	0.4	(9.3)	0.1	(1.8)	0.2	(5.0)	0.1	(2.5)	1.1	(26.2)
USA, Arizona: Black	0.7	(11.3)	0.3	(3.2)	0.5	(6.5)	1.5	(22.6)	0.2	(3.2)	0.5	(8.1)	0.3	(4.8)	2.7	(40.3)
*USA, Arizona: Asian and Pacific Islander	1.6	(32.4)	—	—	0.5	(8.1)	0.6	(13.5)	0.3	(5.4)	0.4	(8.1)	0.3	(5.4)	1.3	(27.0)
USA, Arizona: American Indian	0.6	(9.4)	—	—	0.5	(7.8)	1.6	(23.4)	0.2	(3.1)	1.2	(17.2)	0.2	(3.1)	2.4	(35.9)
USA, Arkansas	2.6	(44.0)	0.2	(4.1)	0.4	(6.6)	0.6	(10.4)	0.1	(2.1)	0.3	(4.9)	0.2	(3.0)	1.4	(24.9)
USA, Arkansas: White	2.6	(49.9)	0.2	(4.3)	0.3	(5.2)	0.4	(8.7)	0.1	(1.6)	0.2	(3.5)	0.2	(3.1)	1.2	(23.7)
USA, Arkansas: Black	2.2	(20.7)	0.4	(3.6)	1.3	(12.1)	1.6	(16.4)	0.4	(4.3)	0.9	(9.3)	0.3	(2.9)	3.2	(30.7)
USA, California	2.0	(33.5)	0.2	(4.1)	0.6	(9.9)	0.9	(15.8)	0.1	(2.4)	0.5	(7.9)	0.2	(4.0)	1.4	(22.5)
USA, California: White	2.3	(39.8)	0.2	(4.1)	0.5	(9.4)	0.7	(12.6)	0.1	(1.9)	0.4	(6.7)	0.2	(3.7)	1.3	(21.7)
USA, California: Black	1.2	(16.4)	0.4	(5.4)	0.7	(10.3)	1.5	(21.2)	0.3	(3.8)	0.7	(10.0)	0.4	(5.5)	2.0	(27.5)
USA, California: Asian and Pacific Islander	1.3	(17.1)	0.2	(3.3)	0.8	(11.3)	1.8	(25.5)	0.3	(3.6)	0.8	(11.5)	0.3	(4.6)	1.7	(23.1)
*USA, California, Los Angeles County	1.9	(25.4)	0.3	(4.0)	0.9	(12.1)	1.4	(18.8)	0.2	(3.0)	0.7	(9.1)	0.3	(3.8)	1.8	(23.8)
*USA, California, Los Angeles County: White	2.2	(31.2)	0.3	(4.4)	0.9	(12.1)	1.1	(15.8)	0.2	(2.6)	0.5	(7.2)	0.2	(3.5)	1.6	(23.2)
*USA, California, Los Angeles County: Non-Hispanic White	2.5	(46.0)	0.2	(4.0)	0.5	(9.0)	0.5	(11.3)	0.1	(1.2)	0.3	(5.3)	0.2	(3.3)	1.1	(19.9)
*USA, California, Los Angeles County: Hispanic White	1.7	(19.2)	0.4	(4.7)	1.3	(14.6)	1.7	(19.4)	0.3	(3.8)	0.8	(8.7)	0.3	(3.7)	2.2	(26.0)
*USA, California, Los Angeles County: Black	1.0	(12.6)	0.3	(3.9)	0.8	(12.2)	1.7	(23.2)	0.3	(3.9)	0.7	(9.4)	0.5	(6.7)	2.1	(28.0)
*USA, California, Los Angeles County: Chinese	0.8	(11.1)	0.3	(4.7)	0.9	(13.5)	2.0	(26.3)	0.3	(3.5)	1.2	(17.5)	0.4	(5.3)	1.3	(18.1)
*USA, California, Los Angeles County: Filipino	1.7	(41.1)	0.1	(1.8)	0.2	(3.6)	0.3	(8.9)	0.2	(5.4)	0.4	(8.9)	0.2	(3.6)	1.0	(26.8)
*USA, California, Los Angeles County: Korean	1.2	(7.4)	0.3	(2.1)	2.5	(12.2)	5.8	(31.2)	0.8	(3.7)	3.0	(18.0)	0.7	(3.7)	4.0	(21.7)
*USA, California, Los Angeles County: Asian and Pacific Islander	1.3	(14.3)	0.3	(2.9)	1.0	(11.4)	2.4	(25.4)	0.4	(4.0)	1.3	(14.9)	0.3	(4.0)	2.2	(23.3)
*USA, California, San Francisco Bay Area	1.9	(32.2)	0.3	(4.8)	0.5	(9.0)	0.9	(16.7)	0.1	(2.5)	0.5	(9.4)	0.2	(3.8)	1.2	(21.6)
*USA, California, San Francisco Bay Area: White	2.1	(42.0)	0.2	(4.5)	0.5	(9.2)	0.6	(11.8)	0.1	(1.4)	0.4	(8.2)	0.2	(3.0)	1.0	(19.9)
*USA, California, San Francisco Bay Area: Non-Hispanic White	2.1	(49.2)	0.2	(4.0)	0.3	(7.1)	0.4	(10.2)	0.0	(1.3)	0.3	(7.7)	0.1	(1.8)	0.8	(18.8)
*USA, California, San Francisco Bay Area: Hispanic White	2.3	(24.7)	0.5	(5.8)	1.3	(14.2)	1.5	(15.8)	0.2	(1.6)	0.8	(9.5)	0.5	(5.8)	1.8	(22.6)
*USA, California, San Francisco Bay Area: Black	1.9	(21.8)	0.5	(6.7)	0.6	(7.6)	1.1	(15.1)	0.4	(5.9)	0.9	(12.6)	0.4	(5.9)	1.8	(24.4)
*USA, California, San Francisco Bay Area: Asian and Pacific Islander	1.3	(18.0)	0.3	(4.4)	0.6	(9.4)	1.7	(26.3)	0.2	(3.3)	0.7	(10.5)	0.3	(4.7)	1.6	(23.3)
USA, Colorado	2.2	(46.3)	0.2	(4.6)	0.3	(7.5)	0.5	(10.4)	0.1	(1.7)	0.2	(4.8)	0.2	(3.5)	1.0	(21.3)
USA, Colorado: White	2.3	(49.3)	0.2	(4.1)	0.3	(6.8)	0.4	(8.9)	0.1	(1.5)	0.2	(4.4)	0.1	(3.1)	1.0	(21.9)
*USA, Colorado: Black	1.2	(16.3)	0.7	(10.2)	0.7	(12.2)	1.8	(26.5)	0.3	(4.1)	0.5	(8.2)	0.7	(10.2)	1.0	(12.2)
*USA, Colorado: Asian and Pacific Islander	0.8	(11.1)	0.7	(8.3)	1.0	(13.9)	2.1	(27.8)	—	—	0.6	(8.3)	0.5	(5.6)	1.7	(25.0)
USA, Connecticut	3.3	(46.5)	0.3	(5.6)	0.6	(8.4)	0.8	(12.2)	0.1	(1.1)	0.4	(5.2)	0.3	(3.9)	1.2	(17.1)
USA, Connecticut: White	3.4	(51.9)	0.3	(5.2)	0.5	(7.9)	0.6	(10.4)	0.0	(0.6)	0.3	(4.0)	0.2	(3.7)	1.0	(16.3)
USA, Connecticut: Black	1.6	(16.5)	0.7	(7.4)	1.3	(13.2)	2.3	(22.3)	0.2	(1.7)	0.9	(9.1)	0.6	(5.8)	2.4	(24.0)
USA, District of Columbia	1.6	(20.6)	0.5	(7.1)	0.7	(9.4)	1.8	(21.2)	0.1	(1.8)	0.3	(3.5)	0.3	(4.1)	2.5	(32.4)
USA, District of Columbia: White	2.4	(41.5)	0.1	(1.9)	0.1	(1.9)	1.2	(18.9)	0.1	(1.9)	0.1	(1.9)	0.3	(5.7)	1.3	(26.4)
USA, District of Columbia: Black	1.0	(11.1)	0.8	(9.3)	1.2	(13.9)	2.1	(21.3)	0.2	(1.9)	0.4	(3.7)	0.3	(3.7)	3.3	(35.2)
USA, Florida	1.9	(37.9)	0.3	(5.1)	0.4	(8.6)	0.7	(13.7)	0.1	(1.5)	0.3	(6.1)	0.2	(3.7)	1.2	(23.5)
USA, Florida: White	2.1	(44.1)	0.2	(4.8)	0.4	(8.2)	0.5	(11.0)	0.0	(1.0)	0.3	(5.6)	0.2	(3.6)	1.0	(21.9)
USA, Florida: Black	1.0	(11.8)	0.5	(6.7)	0.8	(9.5)	2.0	(24.9)	0.3	(3.4)	0.7	(8.9)	0.4	(4.8)	2.4	(30.1)
USA, Florida: Asian and Pacific Islander	0.9	(20.2)	0.2	(4.0)	0.7	(13.1)	1.2	(25.3)	0.1	(2.0)	0.4	(8.1)	0.1	(2.0)	1.2	(25.3)
USA, Georgia	2.0	(35.4)	0.2	(4.4)	0.6	(10.1)	0.8	(14.0)	0.1	(1.4)	0.4	(6.2)	0.2	(3.3)	1.4	(25.2)
USA, Georgia: White	2.3	(50.1)	0.2	(4.5)	0.4	(8.1)	0.4	(8.5)	0.0	(1.0)	0.2	(4.6)	0.1	(2.4)	0.9	(20.7)
USA, Georgia: Black	1.1	(13.4)	0.4	(4.4)	1.1	(12.6)	1.8	(21.4)	0.2	(2.1)	0.6	(7.9)	0.4	(5.0)	2.8	(33.1)
USA, Georgia: Asian and Pacific Islander	1.3	(15.4)	0.2	(2.9)	1.5	(15.4)	2.3	(26.9)	0.2	(1.9)	1.2	(13.5)	0.2	(1.9)	2.0	(22.1)
*USA, Georgia, Atlanta	1.9	(31.5)	0.3	(4.3)	0.7	(11.4)	1.0	(16.1)	0.1	(1.1)	0.5	(7.8)	0.2	(2.9)	1.5	(25.0)
*USA, Georgia, Atlanta: White	2.3	(49.8)	0.2	(4.8)	0.4	(7.2)	0.5	(10.5)	0.0	(0.3)	0.3	(6.6)	0.1	(1.8)	0.9	(18.9)
*USA, Georgia, Atlanta: Black	1.1	(14.3)	0.3	(4.5)	1.2	(15.0)	1.6	(19.5)	0.1	(1.7)	0.6	(7.7)	0.3	(4.2)	2.6	(33.1)
USA, Idaho	2.6	(57.0)	0.2	(3.7)	0.3	(7.5)	0.2	(5.9)	0.1	(1.9)	0.2	(3.4)	0.2	(4.0)	0.7	(16.5)
USA, Indiana	2.9	(52.6)	0.2	(4.1)	0.4	(7.6)	0.5	(9.1)	0.1	(1.6)	0.2	(4.3)	0.2	(3.3)	0.9	(17.5)
USA, Indiana: White	3.1	(57.2)	0.2	(3.6)	0.4	(6.6)	0.4	(7.3)	0.1	(1.3)	0.2	(3.4)	0.2	(3.2)	0.9	(17.3)
USA, Indiana: Black	1.3	(17.2)	0.8	(9.0)	1.2	(15.2)	1.8	(22.8)	0.3	(3.4)	1.0	(11.0)	0.3	(3.4)	1.5	(17.9)
*USA, Iowa	2.3	(57.7)	0.1	(2.9)	0.2	(5.5)	0.4	(9.5)	0.0	(0.9)	0.2	(4.1)	0.1	(2.1)	0.7	(17.3)
USA, Kentucky	2.8	(48.6)	0.3	(4.8)	0.4	(7.2)	0.5	(8.9)	0.1	(1.5)	0.3	(5.2)	0.2	(3.8)	1.1	(20.0)
USA, Louisiana	2.3	(35.1)	0.3	(3.8)	0.6	(8.7)	1.0	(16.4)	0.1	(2.3)	0.5	(7.1)	0.4	(5.2)	1.4	(21.4)
USA, Louisiana: White	2.7	(50.4)	0.2	(3.4)	0.4	(7.8)	0.5	(10.0)	0.1	(1.7)	0.3	(5.2)	0.2	(3.9)	0.9	(17.6)
USA, Louisiana: Black	1.2	(12.6)	0.5	(4.8)	1.0	(10.2)	2.5	(25.7)	0.3	(3.3)	1.0	(9.6)	0.7	(7.2)	2.7	(26.7)
*USA, Louisiana, New Orleans	2.0	(31.9)	0.2	(2.8)	0.4	(6.5)	1.0	(16.2)	0.1	(1.9)	0.5	(7.9)	0.4	(6.5)	1.6	(26.4)
*USA, Louisiana, New Orleans: White	2.6	(49.1)	0.1	(0.9)	0.3	(7.3)	0.2	(5.5)	0.1	(1.8)	0.4	(7.3)	0.2	(3.6)	1.3	(24.5)
*USA, Louisiana, New Orleans: Black	0.9	(11.6)	0.5	(5.8)	0.5	(7.0)	1.7	(24.4)	0.2	(2.3)	0.7	(9.3)	0.8	(10.5)	2.0	(29.1)
USA, Maine	2.5	(54.0)	0.2	(3.5)	0.4	(7.7)	0.3	(7.3)	0.0	(0.6)	0.2	(5.1)	0.2	(4.5)	0.8	(17.3)
USA, Maryland	2.1	(38.4)	0.2	(4.1)	0.5	(8.3)	0.8	(15.2)	0.1	(1.7)	0.2	(4.4)	0.2	(3.0)	1.4	(24.9)
USA, Maryland: White	2.6	(52.9)	0.2	(3.5)	0.4	(7.9)	0.4	(9.2)	0.1	(1.1)	0.1	(2.8)	0.1	(2.1)	1.0	(20.6)
USA, Maryland: Black	1.2	(16.9)	0.4	(5.8)	0.6	(8.6)	1.5	(22.7)	0.2	(2.3)	0.5	(7.1)	0.4	(5.3)	2.2	(31.5)
USA, Maryland: Asian and Pacific Islander	0.8	(11.0)	0.3	(2.8)	0.8	(11.0)	2.3	(30.3)	0.3	(3.7)	0.6	(7.3)	0.1	(1.8)	2.4	(32.1)
USA, Massachusetts	2.5	(42.5)	0.2	(4.3)	0.5	(8.2)	0.8	(14.3)	0.1	(1.3)	0.4	(5.9)	0.2	(3.7)	1.1	(19.8)
USA, Massachusetts: White	2.6	(47.4)	0.2	(4.1)	0.4	(7.5)	0.7	(12.1)	0.0	(1.0)	0.3	(5.1)	0.2	(3.6)	1.0	(19.1)
USA, Massachusetts: Black	1.6	(16.2)	0.4	(4.2)	1.2	(12.0)	2.2	(23.4)	0.3	(3.0)	1.0	(9.6)	0.5	(4.2)	2.8	(27.5)
USA, Massachusetts: Asian and Pacific Islander	1.5	(18.2)	0.5	(6.1)	0.8	(12.1)	2.3	(29.3)	0.1	(2.0)	0.8	(12.1)	0.2	(3.0)	1.3	(17.2)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, Michigan	2.4	(46.2)	0.2	(4.5)	0.4	(7.8)	0.5	(10.7)	0.1	(1.6)	0.3	(5.7)	0.2	(3.4)	1.0	(20.2)
USA, Michigan: White	2.5	(54.1)	0.2	(4.0)	0.3	(6.6)	0.3	(7.4)	0.1	(1.4)	0.2	(4.8)	0.1	(2.8)	0.9	(18.9)
USA, Michigan: Black	1.2	(13.9)	0.5	(6.5)	1.1	(12.6)	1.9	(22.3)	0.2	(2.6)	0.9	(10.2)	0.4	(5.5)	2.2	(26.4)
USA, Michigan: Asian and Pacific Islander	1.0	(12.9)	0.3	(4.8)	1.0	(12.9)	2.5	(35.5)	0.1	(1.6)	0.5	(6.5)	0.6	(8.1)	1.2	(17.7)
*USA, Michigan, Detroit	2.5	(42.7)	0.3	(4.9)	0.5	(8.8)	0.8	(14.3)	0.1	(2.0)	0.4	(6.3)	0.2	(3.2)	1.1	(17.8)
*USA, Michigan, Detroit: White	2.9	(55.0)	0.2	(4.6)	0.4	(7.3)	0.5	(9.1)	0.1	(1.6)	0.2	(4.3)	0.1	(2.4)	0.8	(15.6)
*USA, Michigan, Detroit: Black	1.5	(17.0)	0.4	(4.9)	1.0	(11.7)	2.1	(24.9)	0.3	(3.4)	0.9	(10.6)	0.4	(4.9)	2.0	(22.6)
USA, Minnesota	2.4	(48.1)	0.2	(3.9)	0.4	(8.2)	0.5	(11.5)	0.1	(2.0)	0.3	(6.2)	0.2	(4.2)	0.8	(16.0)
USA, Minnesota: White	2.4	(52.2)	0.2	(3.8)	0.4	(7.6)	0.4	(9.7)	0.1	(1.8)	0.3	(5.9)	0.2	(4.0)	0.7	(15.0)
USA, Minnesota: Black	1.3	(15.0)	0.4	(5.0)	0.7	(8.3)	1.7	(21.7)	0.4	(5.0)	1.2	(13.3)	0.8	(8.3)	2.4	(23.3)
*USA, Minnesota: Asian and Pacific Islander	0.2	(2.0)	0.3	(4.0)	1.2	(12.0)	3.9	(40.0)	0.2	(2.0)	0.4	(6.0)	0.3	(4.0)	2.8	(30.0)
USA, Mississippi	2.2	(35.4)	0.3	(4.0)	0.5	(9.1)	0.9	(16.4)	0.1	(1.7)	0.4	(6.7)	0.2	(3.3)	1.4	(23.4)
USA, Missouri	2.5	(49.5)	0.2	(3.6)	0.3	(7.3)	0.5	(9.8)	0.1	(1.4)	0.3	(6.3)	0.2	(5.0)	0.8	(17.1)
USA, Missouri: White	2.6	(54.8)	0.2	(3.7)	0.3	(6.1)	0.3	(7.4)	0.0	(1.0)	0.2	(5.7)	0.2	(4.5)	0.8	(16.9)
USA, Missouri: Black	1.3	(16.8)	0.3	(3.6)	1.2	(15.6)	1.9	(23.4)	0.3	(4.2)	0.9	(11.4)	0.6	(7.8)	1.3	(17.4)
USA, Montana	2.4	(56.0)	0.2	(4.6)	0.2	(3.7)	0.5	(11.1)	0.1	(1.4)	0.2	(5.6)	0.2	(4.6)	0.6	(13.0)
*USA, Montana: American Indian	1.5	(18.8)	0.6	(6.2)	1.9	(25.0)	2.4	(25.0)	–	–	–	–	0.7	(6.2)	1.8	(18.8)
USA, Nebraska	2.7	(57.8)	0.1	(3.0)	0.3	(6.7)	0.5	(10.5)	0.0	(1.1)	0.2	(4.3)	0.1	(3.0)	0.6	(13.7)
USA, Nebraska: White	2.8	(62.6)	0.1	(2.4)	0.3	(6.5)	0.4	(8.2)	0.0	(0.9)	0.2	(4.1)	0.1	(2.6)	0.5	(12.6)
*USA, Nebraska: Black	0.3	(4.5)	0.7	(9.1)	1.3	(13.6)	2.4	(27.3)	0.4	(4.5)	0.4	(4.5)	0.7	(9.1)	2.5	(27.3)
USA, Nevada	1.6	(37.1)	0.2	(5.1)	0.3	(7.2)	0.5	(11.7)	0.0	(1.0)	0.2	(5.3)	0.1	(3.5)	1.2	(29.1)
USA, Nevada: White	1.6	(41.2)	0.2	(5.5)	0.2	(5.5)	0.4	(10.1)	0.0	(1.0)	0.2	(5.3)	0.1	(3.0)	1.1	(28.4)
USA, Nevada: Black	0.9	(18.6)	0.3	(4.7)	0.5	(9.3)	0.9	(18.6)	0.1	(2.3)	0.4	(9.3)	0.2	(4.7)	1.5	(32.6)
*USA, Nevada: Asian and Pacific Islander	1.2	(18.6)	0.1	(3.4)	0.9	(16.9)	1.1	(20.3)	–	–	0.2	(3.4)	0.4	(6.8)	1.8	(30.5)
USA, New Jersey	2.5	(37.7)	0.3	(4.4)	0.6	(9.4)	0.9	(14.0)	0.1	(1.5)	0.4	(5.9)	0.2	(3.3)	1.6	(23.9)
USA, New Jersey: White	2.8	(44.4)	0.2	(4.0)	0.5	(8.3)	0.7	(11.7)	0.1	(0.8)	0.3	(5.1)	0.2	(3.2)	1.4	(22.5)
USA, New Jersey: Black	1.2	(14.9)	0.5	(6.2)	0.9	(11.9)	1.5	(18.2)	0.4	(4.8)	0.7	(8.9)	0.3	(3.9)	2.5	(31.2)
USA, New Mexico	1.5	(29.5)	0.2	(3.6)	0.5	(9.6)	0.6	(11.0)	0.2	(3.2)	0.3	(6.2)	0.2	(4.0)	1.7	(32.9)
USA, New Mexico: White	1.6	(33.5)	0.2	(3.5)	0.4	(9.5)	0.5	(10.0)	0.1	(2.0)	0.3	(6.5)	0.1	(2.5)	1.5	(32.5)
USA, New Mexico: Non-Hispanic White	1.8	(51.1)	0.1	(3.3)	0.1	(5.4)	0.2	(5.4)	0.1	(2.2)	0.1	(2.2)	0.1	(2.2)	1.0	(28.3)
USA, New Mexico: Hispanic White	1.4	(18.5)	0.3	(3.7)	0.9	(13.0)	1.0	(13.9)	0.1	(1.9)	0.7	(10.2)	0.2	(2.8)	2.4	(36.1)
*USA, New Mexico: American Indian	0.7	(7.7)	0.2	(1.9)	0.7	(7.7)	1.0	(11.5)	0.8	(9.6)	0.2	(1.9)	1.2	(15.4)	3.7	(44.2)
USA, New York State	2.7	(35.7)	0.4	(5.0)	0.8	(11.1)	1.3	(17.2)	0.1	(1.6)	0.4	(5.9)	0.2	(3.0)	1.5	(20.5)
USA, New York State: White	3.0	(45.0)	0.3	(4.7)	0.7	(10.4)	0.8	(12.9)	0.1	(1.5)	0.3	(5.0)	0.2	(2.8)	1.1	(17.6)
USA, New York State: Black	1.2	(12.6)	0.6	(6.6)	1.3	(13.9)	2.2	(24.0)	0.2	(2.4)	0.7	(6.8)	0.4	(4.3)	2.7	(29.6)
USA, New York State: Asian and Pacific Islander	2.6	(18.7)	0.7	(4.6)	1.5	(10.7)	4.2	(29.9)	0.2	(1.3)	1.3	(9.2)	0.3	(2.2)	3.3	(23.4)
USA, North Carolina	2.1	(38.7)	0.3	(5.4)	0.5	(9.2)	0.7	(12.0)	0.1	(1.7)	0.4	(6.7)	0.2	(3.6)	1.2	(22.7)
USA, North Carolina: White	2.3	(48.5)	0.2	(5.0)	0.4	(7.5)	0.4	(8.2)	0.1	(1.5)	0.3	(6.0)	0.2	(3.5)	0.9	(19.8)
USA, North Carolina: Black	1.3	(15.2)	0.5	(6.3)	1.1	(12.5)	1.8	(21.0)	0.2	(2.3)	0.7	(8.3)	0.3	(3.8)	2.6	(30.5)
USA, North Carolina: Asian and Pacific Islander	1.9	(22.6)	0.4	(5.7)	1.1	(15.1)	2.0	(24.5)	0.1	(1.9)	0.8	(9.4)	0.5	(5.7)	1.1	(15.1)
*USA, North Carolina: American Indian	1.8	(29.6)	0.2	(3.7)	0.6	(11.1)	0.6	(11.1)	–	–	0.6	(11.1)	0.4	(7.4)	1.5	(25.9)
USA, North Dakota	2.6	(54.8)	0.3	(5.8)	0.3	(6.5)	0.3	(7.1)	0.0	(1.3)	0.2	(3.2)	0.2	(3.9)	0.9	(17.4)
USA, Ohio	2.8	(49.3)	0.2	(4.2)	0.4	(6.7)	0.5	(10.1)	0.1	(1.4)	0.2	(4.2)	0.2	(3.3)	1.1	(20.8)
USA, Ohio: White	3.0	(55.5)	0.2	(4.1)	0.3	(6.3)	0.4	(7.7)	0.0	(1.0)	0.2	(3.6)	0.1	(2.8)	1.0	(19.1)
USA, Ohio: Black	1.5	(17.2)	0.5	(4.9)	0.7	(8.3)	1.9	(21.6)	0.3	(3.7)	0.6	(7.4)	0.6	(6.6)	2.6	(30.4)
*USA, Ohio: Asian and Pacific Islander	1.1	(15.6)	0.3	(4.4)	0.5	(8.9)	2.2	(35.6)	–	–	0.7	(11.1)	0.1	(2.2)	1.3	(22.2)
USA, Oklahoma	2.2	(43.5)	0.2	(5.5)	0.3	(5.3)	0.5	(10.6)	0.1	(1.3)	0.2	(5.0)	0.2	(3.8)	1.2	(25.0)
USA, Oklahoma: White	2.2	(48.8)	0.2	(4.4)	0.2	(5.3)	0.4	(9.4)	0.0	(1.2)	0.2	(4.4)	0.2	(4.1)	1.0	(22.4)
USA, Oklahoma: Black	0.8	(9.3)	1.0	(12.0)	0.4	(5.3)	1.4	(18.7)	0.2	(2.7)	0.8	(9.3)	0.3	(2.7)	3.3	(40.0)
USA, Oklahoma: American Indian	2.1	(39.3)	0.4	(8.2)	0.2	(3.3)	0.7	(11.5)	–	–	0.1	(1.6)	0.2	(3.3)	1.7	(32.8)
USA, Oregon	2.5	(52.9)	0.2	(4.6)	0.3	(5.2)	0.4	(8.3)	0.0	(1.0)	0.3	(6.0)	0.2	(4.0)	0.9	(18.1)
USA, Oregon: White	2.6	(56.3)	0.2	(4.6)	0.2	(4.3)	0.3	(7.0)	0.0	(0.9)	0.3	(5.4)	0.2	(3.6)	0.8	(18.0)
*USA, Oregon: Black	1.0	(11.5)	0.5	(3.8)	2.6	(26.9)	0.7	(7.7)	0.3	(3.8)	1.2	(11.5)	1.3	(15.4)	1.8	(19.2)
*USA, Oregon: Asian and Pacific Islander	1.4	(16.7)	0.4	(4.2)	0.4	(6.2)	2.5	(29.2)	0.1	(2.1)	1.0	(12.5)	0.5	(6.2)	1.9	(22.9)
USA, Rhode Island	3.2	(45.4)	0.1	(2.4)	0.3	(4.9)	0.8	(13.1)	0.1	(1.5)	0.5	(6.4)	0.5	(6.4)	1.3	(19.8)
USA, Rhode Island: White	3.4	(48.7)	0.1	(2.7)	0.3	(4.7)	0.7	(10.7)	0.1	(1.3)	0.4	(6.4)	0.5	(6.4)	1.2	(19.1)
*USA, Rhode Island: Black	1.4	(17.6)	–	–	0.4	(5.9)	2.5	(35.3)	0.6	(5.9)	0.9	(11.8)	0.9	(11.8)	0.8	(11.8)
USA, South Carolina	2.2	(36.8)	0.4	(6.1)	0.5	(7.9)	0.8	(13.2)	0.1	(1.7)	0.3	(5.5)	0.3	(4.5)	1.5	(24.3)
USA, South Carolina: White	2.4	(48.7)	0.3	(6.0)	0.3	(6.5)	0.5	(9.4)	0.1	(1.6)	0.2	(3.4)	0.2	(3.9)	1.0	(20.4)
USA, South Carolina: Black	1.5	(14.9)	0.6	(6.2)	1.0	(10.6)	1.9	(20.0)	0.2	(2.1)	0.9	(8.7)	0.5	(5.5)	3.1	(32.0)
USA, South Dakota	2.2	(49.7)	0.2	(4.9)	0.2	(6.1)	0.4	(9.8)	0.1	(1.8)	0.2	(6.1)	0.1	(1.8)	0.8	(19.6)
USA, Tennessee	2.3	(45.3)	0.3	(4.6)	0.4	(7.8)	0.5	(9.6)	0.1	(2.2)	0.3	(5.3)	0.2	(3.6)	1.1	(21.6)
USA, Tennessee: White	2.5	(52.4)	0.2	(4.1)	0.3	(6.8)	0.3	(7.4)	0.1	(1.8)	0.2	(4.8)	0.1	(2.8)	0.9	(19.8)
USA, Tennessee: Black	1.1	(14.3)	0.6	(7.2)	1.0	(12.7)	1.3	(16.7)	0.3	(4.4)	0.5	(6.8)	0.5	(6.8)	2.5	(31.1)
USA, Texas	1.7	(

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, West Virginia	2.3	(47.8)	0.2	(4.0)	0.4	(7.8)	0.5	(10.5)	0.1	(2.2)	0.2	(5.1)	0.2	(3.6)	0.9	(19.0)
USA, Wyoming	2.3	(57.1)	0.3	(5.7)	0.1	(3.8)	0.3	(7.6)	0.1	(1.0)	0.2	(3.8)	0.1	(2.9)	0.8	(18.1)
Asia																
Bahrain: Bahrainis	0.3	(7.7)	0.1	(1.9)	—	—	—	—	0.1	(1.9)	0.1	(3.8)	0.1	(1.9)	3.5	(82.7)
Brunei Darussalam	0.2	(1.7)	—	—	0.2	(3.3)	1.0	(11.7)	0.3	(3.3)	0.5	(6.7)	—	—	5.1	(73.3)
*China, Anfu County	0.5	(2.3)	0.2	(0.9)	1.7	(8.1)	1.4	(6.8)	0.2	(0.9)	0.7	(3.2)	—	—	16.3	(77.8)
*China, Anguo City	14.0	(34.2)	2.2	(5.4)	1.8	(4.4)	2.0	(5.2)	0.3	(0.8)	0.7	(1.7)	0.1	(0.4)	19.7	(47.9)
*China, Anshan City	1.0	(5.6)	0.3	(1.7)	0.5	(3.2)	1.3	(8.1)	0.1	(0.8)	0.3	(1.5)	0.0	(0.2)	13.2	(79.0)
*China, Aohan Banner, Chifeng City	1.1	(3.8)	0.0	(0.2)	0.1	(0.4)	0.2	(0.8)	—	—	0.0	(0.2)	0.1	(0.2)	25.8	(94.4)
*China, Arongqi	1.3	(4.1)	—	—	—	—	0.2	(0.8)	—	—	0.1	(0.4)	—	—	28.8	(94.7)
*China, Baoding City	3.0	(16.4)	0.5	(2.8)	0.2	(1.0)	0.5	(2.9)	0.0	(0.2)	0.1	(0.3)	—	—	13.1	(76.5)
*China, Beijing City	2.2	(18.4)	0.3	(2.2)	0.9	(6.6)	2.2	(17.2)	0.1	(0.9)	0.5	(3.9)	0.1	(0.5)	6.1	(50.4)
*China, Binhai County	7.6	(22.7)	0.1	(0.4)	0.2	(0.7)	0.1	(0.3)	0.0	(0.1)	1.2	(3.5)	0.0	(0.1)	23.9	(72.2)
*China, Cangzhou City	3.5	(20.0)	0.3	(1.5)	0.2	(1.2)	0.4	(2.3)	0.0	(0.4)	0.1	(0.8)	0.1	(0.4)	12.0	(73.5)
China, Changfeng County	9.0	(26.9)	0.1	(0.5)	0.8	(2.3)	1.5	(4.3)	—	—	0.5	(1.3)	—	—	20.2	(64.5)
China, Changzhou City	12.6	(22.7)	0.4	(0.7)	5.2	(9.1)	1.9	(3.5)	0.1	(0.2)	1.7	(2.9)	0.2	(0.3)	34.1	(60.6)
China, Chengdu City	1.7	(7.6)	1.1	(5.2)	1.0	(4.6)	1.7	(7.6)	0.1	(0.4)	0.6	(2.7)	0.1	(0.6)	15.8	(71.3)
China, Cixian County	40.1	(53.9)	1.5	(2.1)	4.7	(6.7)	20.5	(27.7)	4.0	(5.2)	0.8	(1.1)	0.2	(0.2)	2.5	(3.2)
China, Cixi City	1.7	(8.4)	0.7	(3.5)	1.7	(8.3)	3.6	(18.5)	0.1	(0.3)	1.1	(5.3)	0.1	(0.3)	10.8	(55.4)
*China, Dafeng District, Yancheng City	10.6	(32.6)	0.3	(0.8)	0.9	(2.5)	2.1	(6.1)	0.2	(0.5)	2.3	(6.4)	0.1	(0.2)	17.2	(50.8)
China, Dalian City	1.2	(4.5)	0.4	(1.3)	1.4	(4.9)	5.8	(20.5)	0.2	(0.9)	0.7	(2.5)	0.1	(0.2)	17.8	(65.2)
*China, Dancheng County	12.6	(29.0)	2.6	(5.9)	1.0	(2.3)	0.9	(2.3)	1.4	(3.4)	0.2	(0.6)	0.3	(0.8)	24.3	(55.8)
China, Dangtu County	4.4	(9.8)	0.6	(1.6)	2.9	(6.0)	6.3	(12.4)	0.1	(0.2)	3.9	(8.0)	—	—	29.0	(62.1)
*China, Danyang City	27.5	(33.9)	3.5	(4.2)	11.9	(14.8)	2.5	(3.1)	0.1	(0.1)	1.2	(1.6)	0.2	(0.3)	34.4	(42.0)
*China, Dawukou District, Shizuishan City	2.5	(8.4)	1.8	(6.5)	2.1	(6.8)	3.7	(11.7)	0.1	(0.3)	1.9	(6.1)	—	—	17.7	(60.2)
*China, Dehui City	0.4	(1.9)	—	—	—	—	0.0	(0.1)	—	—	—	—	—	—	23.1	(98.0)
*China, Donggang County	0.5	(1.8)	0.0	(0.1)	0.4	(1.3)	0.5	(1.5)	0.0	(0.1)	0.1	(0.4)	—	—	29.1	(94.7)
*China, Dongguan City	0.5	(5.1)	0.4	(3.8)	0.8	(8.6)	1.8	(19.3)	0.1	(1.0)	0.3	(3.0)	0.0	(0.3)	5.6	(58.9)
China, Donghai County	1.3	(7.2)	0.3	(1.6)	0.6	(2.9)	1.2	(6.3)	0.0	(0.1)	0.5	(2.7)	0.0	(0.1)	14.5	(79.0)
*China, Dongtai City	6.6	(24.3)	0.2	(0.5)	0.2	(0.6)	0.6	(2.0)	—	—	0.4	(1.2)	0.0	(0.1)	20.6	(71.2)
China, Duanzhou District, Zhaoqing City	0.4	(5.0)	0.6	(7.0)	0.6	(8.0)	2.2	(28.0)	0.3	(3.0)	0.2	(2.0)	—	—	3.6	(47.0)
*China, Evenki Autonomous Banner	6.3	(29.8)	1.7	(7.0)	1.0	(7.0)	9.1	(42.1)	0.2	(1.8)	—	—	—	—	2.2	(12.3)
*China, Faku County	1.3	(8.1)	0.1	(0.6)	0.2	(1.2)	0.2	(1.5)	—	—	0.1	(0.9)	—	—	14.3	(87.8)
*China, Fangcheng County	17.2	(42.2)	7.8	(18.6)	3.7	(8.6)	0.4	(0.9)	0.2	(0.5)	0.2	(0.6)	0.3	(0.6)	11.8	(28.0)
*China, Feicheng City	22.2	(41.3)	1.4	(2.8)	3.5	(6.6)	2.9	(5.5)	0.3	(0.6)	0.9	(1.7)	0.4	(0.8)	22.4	(40.8)
China, Feixi County	10.5	(19.9)	0.4	(0.8)	1.2	(1.9)	2.1	(3.7)	0.1	(0.1)	0.4	(0.8)	0.0	(0.0)	38.9	(72.7)
China, Fuqing City	4.3	(12.8)	0.5	(1.3)	1.7	(4.9)	2.2	(6.6)	0.1	(0.2)	0.3	(0.9)	0.0	(0.1)	23.3	(73.3)
*China, Ganyu District, Lianyungang City	2.6	(11.8)	0.5	(2.5)	0.5	(2.4)	0.8	(3.8)	0.2	(0.9)	0.7	(3.0)	—	—	16.0	(75.6)
*China, Ganzhou District, Zhangye City	25.5	(23.4)	7.7	(6.9)	21.1	(19.2)	5.3	(5.3)	2.4	(2.4)	3.8	(3.5)	0.8	(0.8)	42.6	(38.5)
*China, Gaocheng City	8.3	(20.7)	2.3	(6.1)	3.1	(7.8)	1.4	(3.4)	0.2	(0.4)	1.7	(4.2)	1.6	(3.9)	21.3	(53.5)
China, Gaomi City	3.5	(10.5)	0.4	(1.0)	1.6	(4.6)	10.6	(31.7)	0.1	(0.3)	2.0	(5.5)	0.2	(0.5)	15.1	(46.0)
China, Gong'an County	0.8	(7.0)	0.5	(4.0)	0.6	(5.1)	2.0	(15.6)	0.0	(0.2)	0.3	(2.1)	—	—	8.2	(66.0)
*China, Guang'an District, Guang'an City	4.7	(13.6)	1.8	(5.3)	3.4	(9.8)	1.2	(3.4)	0.2	(0.7)	0.5	(1.6)	0.6	(1.8)	22.1	(63.9)
China, Guanghan City	1.7	(6.4)	0.3	(1.4)	0.8	(3.0)	0.8	(3.4)	—	—	0.9	(3.2)	0.1	(0.5)	21.0	(82.2)
China, Guangzhou City	0.8	(8.9)	0.5	(4.6)	1.0	(9.7)	2.2	(22.8)	0.0	(0.4)	0.3	(2.9)	0.1	(0.8)	4.8	(49.8)
*China, Guanyun County	3.5	(17.8)	0.1	(0.4)	0.2	(0.7)	0.5	(2.8)	—	—	0.2	(0.8)	0.0	(0.1)	15.0	(77.4)
China, Guilin City	0.6	(2.5)	0.3	(1.3)	1.2	(5.7)	2.9	(13.5)	—	—	0.4	(1.7)	0.1	(0.4)	16.1	(74.9)
*China, Hai'an City	8.3	(35.2)	0.6	(2.6)	1.0	(4.0)	1.4	(6.0)	—	—	0.7	(2.6)	0.1	(0.5)	12.2	(49.1)
China, Hailar District, Hulun Buir City	2.7	(9.2)	0.6	(1.7)	0.6	(1.7)	1.3	(4.6)	0.2	(0.7)	0.8	(2.6)	0.2	(0.7)	22.1	(78.9)
China, Haimen District, Nantong City	2.4	(10.4)	0.4	(1.3)	0.8	(3.1)	3.6	(13.9)	—	—	1.4	(5.2)	—	—	16.8	(66.1)
China, Haining City	1.6	(10.8)	0.4	(2.3)	1.2	(7.4)	2.5	(15.0)	0.1	(0.7)	0.4	(2.5)	0.1	(0.4)	9.9	(60.9)
China, Hangzhou City	2.0	(9.5)	0.9	(4.2)	2.3	(10.7)	5.3	(24.8)	0.1	(0.4)	1.8	(8.1)	0.1	(0.7)	9.0	(41.7)
China, Hebi City	17.7	(45.9)	3.1	(8.0)	3.6	(9.6)	0.9	(2.5)	0.6	(1.4)	1.1	(2.9)	0.7	(1.8)	10.8	(27.9)
China, Hefei City	7.3	(18.1)	0.5	(1.2)	1.0	(2.2)	1.9	(4.6)	0.2	(0.3)	0.5	(1.2)	0.0	(0.1)	29.3	(72.2)
China, Hengdong County	0.3	(1.5)	0.6	(3.3)	0.5	(3.0)	1.1	(6.3)	0.2	(1.1)	0.4	(2.6)	—	—	13.5	(82.2)
*China, Hengfeng County	1.5	(5.4)	4.1	(15.1)	2.9	(11.4)	6.0	(21.7)	2.5	(9.0)	—	—	0.4	(1.2)	9.5	(36.1)
*China, Hepu County	0.5	(3.2)	0.3	(1.9)	0.4	(2.6)	1.1	(6.7)	0.1	(0.6)	0.0	(0.2)	0.0	(0.2)	12.4	(84.5)
China, Honghu City	0.5	(3.4)	0.9	(5.8)	0.6	(3.9)	1.6	(10.5)	—	—	0.3	(1.7)	0.0	(0.2)	11.9	(74.5)
China, Hongshan District, Chifeng City	1.9	(8.4)	0.4	(1.3)	—	—	0.9	(3.7)	0.1	(0.3)	0.1	(0.3)	—	—	20.2	(85.9)
*China, Hongta District, Yuxi City	0.3	(3.3)	0.6	(6.7)	0.5	(6.0)	1.2	(12.7)	—	—	0.6	(6.0)	0.1	(0.7)	5.8	(64.7)
*China, Huaiyin District, Huai'an City	10.3	(37.6)	0.6	(2.3)	0.2	(0.8)	1.5	(5.3)	—	—	0.5	(1.7)	0.0	(0.1)	14.3	(52.1)
*China, Jiange County	7.8	(13.4)	1.9	(3.3)	10.3	(17.9)	0.7	(1.1)	0.2	(0.5)	0.2	(0.3)	0.3	(0.4)	36.3	(63.0)
China, Jiangmen City	0.7	(7.4)	0.7	(8.4)	0.6	(6.5)	1.8	(20.9)	0.1	(0.9)	0.2	(2.3)	0.0	(0.5)	4.8	(53.0)
*China, Jiangyin City	13.1	(26.5)	0.9	(1.9)	7.9	(15.1)	5.6	(10.8)	0.1	(0.3)	3.7	(6.9)	0.3	(0.5)	19.2	(38.0)
*China, Jiashan County	2.8	(13.5)	1.2	(5.2)	4.0	(18.3)	7.6	(34.1)	—	—	2.6	(10.8)	0.1	(0.6)	3.8	(17.5)
China, Jiayu County	0.6	(4.3)	2.1	(13.0)	0.8	(5.2)	2.1	(13.9)	0.1	(0.9)	0.1	(0.9)	—	—	9.2	(61.7)
*China, Jinan City	5.7	(16.5)	2.2	(6.6)	1.7	(5.1)	1.7	(4.7)	0.1	(0.2)	0.5	(1.4)	0.1	(0.3)	22.1	(65.3)
*China, Jingtai County	6.4	(11.5)	2.1	(4.0)	3.3	(6.4)	4.1	(7.5)	0.6	(1.1)	1.3	(2.4)	0.3	(0.8)	36.1	(66.3)
*China, Jingxian County	1.4	(4.1)	0.0	(0.2)	0.3	(0.9)	0.6	(1.7)	—	—	—	—	—	—	31.1	(93.1)
*China, Jintan District, Changzhou City	19.7	(29.5)	0.5	(0.7)	4.3	(6.2)	1.7	(2.6)	—	—	1.7	(2.4)	—	—	39.4	(58.5)
*China, Jiulongpo District, Chongqing City	1.3	(9.5)	0.9	(6.8)	1.5	(11.4)	2.1	(14.5)	0.1	(0.4)	0.4	(2.6)	0.1	(0.4)	7.4	(54.3)
*China, Jiyan City	38.5	(39.6)	5.8	(6.1)	10.4	(10.9)	4.6	(4.8)	2.2	(2.3)	7.5	(7.6)	4.2	(4.4)	23.9	(24.3)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
China, Kaihua County	4.9	(19.4)	0.6	(2.5)	2.6	(11.4)	5.7	(20.9)	0.1	(0.3)	3.1	(12.3)	0.2	(0.9)	8.7	(32.3)
China, Kunshan City	4.5	(11.8)	0.1	(0.4)	0.7	(2.0)	1.6	(4.0)	0.0	(0.1)	0.6	(1.5)	–	–	31.2	(80.2)
China, Langzhong City	21.0	(49.7)	0.8	(1.9)	0.2	(0.4)	0.8	(2.0)	0.0	(0.1)	0.1	(0.4)	0.1	(0.1)	19.5	(45.4)
*China, Liangshan County	5.5	(26.9)	1.1	(5.4)	1.2	(5.9)	0.9	(4.3)	0.1	(0.8)	0.5	(2.2)	0.0	(0.2)	11.1	(54.4)
*China, Lianshui County	12.5	(48.5)	0.2	(0.7)	0.3	(1.0)	0.2	(0.9)	0.0	(0.1)	–	–	0.0	(0.1)	12.7	(48.7)
China, Lianyungang City	2.2	(11.7)	0.3	(1.4)	0.3	(1.6)	0.7	(3.5)	–	–	0.3	(1.3)	–	–	15.6	(80.6)
China, Linhe District, Bayannur City	6.1	(16.2)	4.3	(12.0)	5.4	(14.7)	3.5	(9.1)	0.3	(1.0)	0.9	(2.7)	1.0	(2.9)	15.3	(41.3)
China, Linqu County	3.5	(6.5)	2.1	(3.9)	6.0	(11.4)	13.4	(25.0)	0.2	(0.4)	4.8	(9.1)	0.2	(0.4)	22.2	(43.4)
*China, Linzhou City	51.2	(62.4)	1.5	(1.7)	5.4	(6.5)	3.2	(3.9)	0.3	(0.2)	0.7	(1.0)	0.1	(0.1)	20.5	(24.1)
China, Liuzhou City	0.7	(4.6)	0.5	(3.4)	1.1	(7.5)	3.7	(24.6)	0.1	(0.8)	0.4	(2.9)	0.1	(0.5)	8.4	(55.8)
China, Liyang City	8.3	(23.9)	0.2	(0.7)	1.8	(4.7)	2.5	(6.6)	0.1	(0.3)	2.0	(5.0)	0.1	(0.2)	21.1	(58.6)
*China, Longquan City	2.9	(13.3)	0.7	(2.7)	3.1	(12.2)	6.9	(27.5)	0.2	(0.8)	2.3	(8.2)	0.1	(0.4)	7.9	(34.9)
China, Lucheng District, Wenzhou City	2.2	(9.9)	1.0	(4.3)	4.1	(17.3)	6.9	(29.1)	0.3	(1.0)	1.3	(5.6)	0.0	(0.2)	7.5	(32.6)
China, Luoding City	1.9	(15.2)	0.4	(3.0)	1.2	(8.9)	3.5	(26.8)	0.1	(0.7)	0.5	(4.0)	–	–	5.2	(41.4)
*China, Luohe City	8.6	(29.5)	6.1	(20.8)	4.6	(15.5)	0.8	(2.9)	0.5	(1.4)	0.7	(2.2)	0.6	(1.8)	7.5	(26.0)
*China, Luoyang City	6.3	(26.8)	0.4	(1.9)	0.8	(3.9)	0.4	(1.7)	0.0	(0.1)	0.3	(1.4)	0.1	(0.4)	14.7	(63.9)
*China, Luquan City	8.5	(31.2)	0.8	(2.8)	1.3	(4.7)	0.7	(2.5)	0.4	(1.3)	0.3	(0.9)	0.1	(0.3)	14.9	(56.2)
China, Ma'anshan City	8.7	(16.9)	0.2	(0.4)	3.1	(5.9)	5.6	(10.1)	–	–	3.2	(6.3)	0.1	(0.3)	32.0	(60.2)
*China, Macheng City	14.0	(31.1)	0.6	(1.4)	5.7	(13.0)	7.4	(17.2)	0.1	(0.2)	0.6	(1.3)	0.1	(0.2)	16.0	(35.6)
China, Meihekou City	0.6	(3.7)	4.4	(24.3)	5.1	(28.7)	3.1	(17.8)	0.4	(2.3)	0.6	(3.3)	–	–	3.6	(19.9)
*China, Mengjin County	16.7	(38.0)	0.5	(1.0)	1.2	(2.6)	0.4	(0.8)	0.1	(0.2)	1.7	(3.9)	–	–	23.3	(53.5)
China, Nangang District, Harbin City	0.7	(4.2)	0.5	(2.7)	0.7	(3.5)	3.8	(20.6)	0.0	(0.3)	0.4	(1.9)	0.0	(0.1)	11.9	(66.8)
*China, Nanhai District, Foshan City	0.5	(5.0)	0.5	(5.0)	0.7	(7.2)	1.8	(18.0)	0.0	(0.4)	0.2	(2.2)	0.0	(0.4)	6.0	(61.9)
China, Nanhu District, Jiaxing City	2.2	(14.1)	0.8	(4.8)	2.6	(14.8)	5.2	(31.5)	0.1	(0.4)	0.8	(3.9)	0.0	(0.2)	5.0	(30.4)
*China, Nantong City	4.0	(16.5)	0.5	(2.0)	0.2	(0.9)	1.1	(4.2)	–	–	0.3	(1.1)	0.1	(0.1)	19.1	(75.2)
*China, Nanxiong City	1.2	(5.5)	0.4	(1.6)	1.8	(7.8)	7.2	(32.4)	0.1	(0.6)	1.0	(4.5)	–	–	10.8	(47.6)
China, Neixiang County	28.1	(45.8)	6.9	(11.1)	7.9	(12.5)	8.2	(13.4)	0.4	(0.7)	3.4	(5.3)	1.1	(1.8)	5.7	(9.3)
*China, Qianxi County	1.1	(3.4)	0.5	(1.3)	0.3	(0.7)	0.7	(1.7)	–	–	–	–	–	–	36.5	(92.9)
China, Qidong City	0.8	(3.2)	0.1	(0.4)	0.2	(0.7)	0.9	(3.5)	0.1	(0.4)	0.9	(3.7)	–	–	21.8	(88.2)
China, Qingzhou City	4.9	(13.3)	1.0	(3.0)	3.5	(9.5)	8.8	(23.9)	0.1	(0.2)	1.7	(4.9)	0.0	(0.1)	16.2	(45.1)
*China, Rudong County	2.9	(12.5)	0.2	(1.0)	0.4	(1.5)	1.1	(4.6)	0.0	(0.1)	0.7	(2.7)	–	–	18.6	(77.8)
*China, Rugao City	8.5	(41.8)	0.6	(2.5)	1.4	(6.0)	1.5	(6.9)	0.1	(0.6)	0.9	(4.2)	0.1	(0.6)	8.1	(37.4)
*China, Rural areas of Shanghai City	1.9	(8.8)	0.4	(1.7)	1.5	(6.2)	4.0	(17.3)	0.1	(0.4)	1.7	(7.2)	0.1	(0.2)	13.1	(58.1)
China, Ruyang County	27.3	(53.6)	1.8	(3.5)	4.9	(9.6)	1.7	(3.5)	0.3	(0.6)	2.0	(3.5)	0.5	(0.8)	12.2	(25.0)
*China, Shan County	3.5	(13.6)	0.2	(1.1)	0.2	(0.6)	0.1	(0.5)	0.1	(0.3)	0.2	(0.8)	0.1	(0.2)	21.1	(83.0)
China, Shanghai City	1.3	(6.7)	0.3	(1.3)	1.3	(6.1)	3.3	(16.0)	0.1	(0.4)	1.3	(5.5)	0.0	(0.2)	13.2	(63.9)
China, Shangyu District, Shaoxing City	3.8	(9.3)	0.8	(2.0)	4.0	(9.6)	7.7	(18.1)	0.1	(0.4)	2.3	(5.3)	0.1	(0.3)	22.9	(55.0)
*China, Shapingba District, Chongqing City	1.6	(10.1)	0.6	(3.7)	1.0	(6.5)	2.5	(17.4)	0.0	(0.2)	0.8	(5.3)	–	–	8.4	(56.8)
China, Shexian County	58.1	(48.5)	3.9	(3.2)	24.1	(20.0)	15.9	(13.3)	0.7	(0.6)	0.5	(0.4)	2.6	(2.1)	14.4	(11.8)
China, Sheyang County	17.1	(45.2)	–	–	0.0	(0.1)	0.2	(0.5)	0.0	(0.1)	0.0	(0.1)	–	–	20.7	(54.1)
*China, Shijiazhuang City	7.6	(30.0)	0.8	(3.2)	1.0	(3.7)	1.4	(5.6)	0.0	(0.2)	0.4	(1.5)	0.0	(0.1)	14.1	(55.7)
China, Shunde District, Foshan City	0.9	(7.3)	0.3	(2.8)	0.4	(3.5)	1.3	(10.6)	0.1	(0.5)	0.2	(1.4)	0.0	(0.2)	9.0	(73.5)
*China, Song County	23.5	(38.5)	3.0	(4.9)	3.9	(6.4)	0.6	(1.1)	0.1	(0.2)	1.8	(3.2)	0.3	(0.5)	27.0	(45.1)
China, Suzhou City	4.1	(11.9)	0.5	(1.5)	0.7	(2.0)	0.9	(2.4)	0.0	(0.1)	0.2	(0.5)	0.1	(0.4)	28.9	(81.2)
*China, Tengzhou City	4.9	(19.7)	0.6	(2.2)	0.1	(0.4)	0.3	(1.4)	0.1	(0.2)	0.2	(0.7)	0.0	(0.1)	18.2	(75.3)
*China, Wangdu County	4.0	(13.0)	1.4	(4.3)	1.5	(4.8)	2.1	(7.2)	1.2	(3.9)	1.2	(3.9)	0.8	(2.9)	18.0	(59.9)
*China, Wanzai County	–	–	0.5	(2.6)	0.1	(0.5)	0.7	(4.7)	0.2	(1.0)	–	–	–	–	14.6	(91.1)
*China, Wu'an City	28.4	(34.2)	0.7	(0.9)	6.8	(8.3)	2.6	(3.2)	0.1	(0.1)	1.0	(1.3)	0.5	(0.6)	42.7	(51.3)
China, Wuhan City	1.8	(10.1)	0.9	(4.8)	3.4	(18.5)	3.6	(19.4)	0.2	(0.9)	0.5	(2.6)	0.1	(0.6)	7.9	(43.2)
*China, Wuhu City	6.2	(15.9)	0.1	(0.2)	0.7	(1.6)	3.0	(7.0)	0.0	(0.0)	0.5	(1.1)	0.1	(0.2)	30.2	(73.9)
China, Wuxi City	10.9	(27.0)	1.3	(3.1)	5.4	(12.6)	6.7	(15.8)	0.3	(0.6)	5.0	(11.4)	0.7	(1.7)	11.3	(27.8)
China, Wuzhou City	0.6	(5.6)	0.5	(4.6)	0.9	(7.9)	2.0	(19.0)	0.1	(0.5)	–	–	–	–	7.2	(62.5)
China, Xiangfu District, Kaifeng City	5.6	(30.1)	1.9	(9.8)	2.6	(13.6)	4.9	(26.0)	0.1	(0.5)	1.0	(5.1)	0.5	(2.4)	2.4	(12.5)
China, Xianju County	21.9	(32.7)	1.5	(2.3)	7.4	(11.2)	9.7	(14.0)	0.3	(0.4)	3.6	(5.3)	0.2	(0.3)	22.7	(34.0)
*China, Xin'an County	8.6	(19.2)	2.3	(5.3)	2.6	(5.7)	0.9	(2.0)	0.6	(1.4)	1.6	(3.6)	0.1	(0.4)	26.5	(62.5)
*China, Xining City	6.1	(11.5)	0.9	(1.8)	2.8	(5.1)	2.5	(4.6)	0.1	(0.1)	0.3	(0.7)	0.1	(0.1)	40.9	(76.1)
*China, Xinji City	6.3	(36.6)	1.5	(9.1)	1.4	(8.0)	0.7	(4.2)	0.3	(1.5)	0.3	(1.7)	0.0	(0.2)	6.6	(38.7)
*China, Xinluo District, Longyan City	1.6	(7.7)	0.5	(2.5)	0.8	(3.9)	1.5	(6.3)	0.2	(0.7)	0.1	(0.4)	0.1	(0.7)	17.6	(77.9)
*China, Xinzhou District, Shangrao City	2.7	(9.4)	1.3	(4.4)	1.5	(5.2)	2.0	(6.4)	0.3	(1.0)	0.5	(2.0)	0.2	(0.5)	21.4	(71.2)
China, Xiping County	7.0	(26.9)	0.6	(2.3)	0.5	(2.0)	1.2	(4.8)	0.1	(0.2)	0.5	(2.1)	–	–	15.7	(61.8)
*China, Xishan District, Kunming City	0.4	(4.3)	0.2	(1.8)	0.3	(3.7)	0.2	(2.5)	–	–	0.1	(0.6)	–	–	8.0	(87.1)
*China, Xuyi County	10.2	(36.8)	0.1	(0.4)	0.5	(1.6)	0.5	(2.0)	0.1	(0.5)	0.6	(2.0)	0.1	(0.4)	16.1	(56.2)
*China, Ya'an City	0.8	(4.9)	0.7	(4.4)	1.2	(7.0)	2.5	(14.9)	0.1	(0.5)	0.3	(1.8)	0.0	(0.2)	11.0	(66.3)
*China, Yakeshi City	2.2	(10.2)	0.9	(3.8)	0.4	(2.2)	0.6	(3.0)	0.2	(0.8)	0.0	(0.3)	0.3	(0.8)	19.2	(79.0)
China, Yancheng City	15.8	(32.9)	0.1	(0.1)	0.0	(0.1)	0.1	(0.3)	–	–	0.1	(0.2)	–	–	32.4	(66.5)
*China, Yangquan City	11.0	(27.0)	0.4	(1.1)	2.2	(5.2)	1.5	(4.0)	–	–	0.1	(0.3)	0.1	(0.2)	26.1	(62.1)
*China, Yangzhong City	30.8	(44.6)	0.7	(0.9)	9.3	(13.1)	7.5	(10.5)	0.3	(0.4)	4.9	(6.8)	–	–	16.3	(23.8)
*China, Yanji City	0.3	(1.7)	0.1	(0.6)	0.4	(2.0)	0.7	(4.1)	0.1	(0.6)	0.0	(0.3)	0.0	(0.3)	15.4	(90.4)
*China, Yanshi City	13.5	(46.8)	0.1	(0.6)	0.8	(2.6)	1.0	(3.4)	0.1	(0.3)	0.1	(0.4)	–	–	13.3	(45.9)
China, Yanting County	28.4	(22.9)	26.8	(21.1)	18.9	(14.9)	13.0	(10.2)	7.0	(5.4)	5.5	(4.2)	4.0	(3.2)	23.1	(17.9)
*China, Yi'an District, Tongling City	5.8	(9.9)	1.2	(1.9)	2.4	(4.5)	3.2	(5.7)	0.1	(0.2)	1.2	(2.1)	–	–	43.2	(75.6)
*China, Yingdong District, Fuyang City	4.5	(24.0)	0.2	(0.9)	0.3	(1.1)	0.3	(1.4)	0.0	(0.2)	0.1	(0.7)	0.0	(0.2)	13.8	(71.4)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
*China, Yinzhou District, Ningbo City	2.2	(7.1)	0.1	(0.6)	1.3	(3.9)	5.2	(16.9)	0.2	(0.6)	1.1	(3.2)	–	–	20.9	(67.5)
*China, Yiyuan County	3.4	(7.1)	0.3	(0.7)	0.6	(1.2)	1.9	(3.8)	–	–	0.8	(1.5)	0.0	(0.1)	39.8	(85.6)
China, Yong'an City	1.7	(7.8)	0.4	(2.2)	3.6	(14.7)	4.2	(16.6)	0.0	(0.3)	0.1	(0.6)	0.1	(0.6)	12.8	(57.1)
*China, Yongding District, Longyan City	0.3	(1.3)	0.4	(2.3)	0.5	(2.9)	1.7	(8.4)	–	–	0.2	(1.0)	–	–	15.8	(84.1)
China, Yongkang City	2.9	(11.3)	2.1	(8.8)	3.8	(14.3)	4.1	(15.0)	0.2	(0.4)	0.9	(3.1)	–	–	12.4	(47.0)
*China, Yucheng County	6.9	(29.1)	2.7	(11.9)	3.5	(14.4)	2.0	(8.4)	1.0	(4.3)	1.7	(6.7)	1.0	(3.9)	5.1	(21.3)
China, Yueyanglou District, Yueyang City	0.3	(2.1)	0.3	(2.1)	0.1	(0.7)	0.6	(4.1)	–	–	–	–	0.1	(0.7)	12.0	(90.4)
China, Yunmeng County	1.5	(4.8)	1.4	(4.6)	0.5	(1.4)	8.7	(27.3)	1.2	(4.0)	3.9	(13.1)	7.0	(22.7)	7.6	(22.1)
*China, Yuniyang District, Shiyan City	11.6	(24.7)	1.1	(2.1)	3.4	(7.6)	0.6	(1.2)	0.2	(0.4)	0.2	(0.4)	0.1	(0.2)	29.2	(63.4)
China, Yuzhong District, Chongqing City	0.7	(4.1)	0.2	(1.2)	0.4	(2.9)	1.6	(10.5)	0.1	(0.3)	0.3	(1.5)	–	–	12.0	(79.7)
*China, Zanhuan County	29.2	(32.5)	1.4	(1.8)	12.9	(14.1)	10.3	(11.6)	0.4	(0.5)	1.4	(1.5)	0.5	(0.5)	34.3	(37.5)
*China, Zhangjiagang City	7.3	(19.7)	0.2	(0.6)	0.4	(1.1)	1.1	(3.0)	0.0	(0.1)	0.6	(1.4)	0.0	(0.1)	28.6	(74.0)
*China, Zhaoyuan City	1.5	(3.3)	0.3	(0.5)	0.3	(0.5)	3.2	(6.3)	0.1	(0.3)	0.1	(0.3)	0.1	(0.1)	42.3	(88.7)
*China, Zhengding County	11.3	(27.6)	1.0	(2.4)	5.0	(12.8)	4.5	(11.5)	0.2	(0.6)	1.6	(4.1)	0.2	(0.6)	16.0	(40.4)
*China, Zhongshan City	1.9	(20.0)	0.7	(7.9)	1.9	(20.2)	2.9	(30.3)	0.1	(1.2)	0.7	(7.1)	0.0	(0.2)	1.2	(13.1)
China, Zhongxiang City	2.2	(21.2)	3.3	(31.9)	3.3	(32.8)	0.3	(2.6)	–	–	0.2	(2.3)	0.2	(1.7)	0.8	(7.5)
*China, Zhuanghe City	2.2	(6.1)	0.3	(0.8)	2.5	(7.0)	5.4	(15.5)	0.3	(0.7)	5.7	(15.5)	2.0	(5.5)	16.6	(48.8)
*China, Zhuhai City	1.0	(8.5)	0.5	(4.9)	1.2	(11.4)	2.3	(20.9)	0.0	(0.3)	0.4	(3.6)	0.1	(0.5)	5.3	(49.9)
India, Ahmedabad, Urban	0.3	(19.1)	–	–	–	–	0.0	(1.4)	0.0	(1.9)	–	–	–	–	1.4	(77.5)
India, Aurangabad	0.0	(1.4)	–	–	–	–	–	–	–	–	–	–	–	–	2.6	(98.6)
India, Bangalore	1.0	(10.6)	0.1	(0.7)	–	–	0.1	(1.3)	0.0	(0.4)	0.0	(0.1)	–	–	7.6	(86.8)
India, Barshi, Paranda, and Bhum	0.3	(9.7)	–	–	–	–	–	–	–	–	0.1	(3.2)	–	–	1.9	(87.1)
*India, Bhopal	–	–	0.0	(1.8)	–	–	0.1	(3.6)	–	–	–	–	–	–	2.0	(94.5)
India, Chandigarh	0.3	(15.4)	0.0	(1.9)	–	–	0.1	(5.8)	–	–	–	–	–	–	1.6	(76.9)
*India, Chennai	1.1	(11.0)	0.1	(1.0)	0.2	(2.1)	0.7	(6.7)	0.2	(1.7)	0.1	(0.6)	0.0	(0.2)	7.9	(76.7)
India, Dibrugarh	0.5	(7.1)	0.1	(1.8)	–	–	0.3	(4.7)	0.3	(4.7)	–	–	–	–	5.2	(81.8)
*India, Dindigul, Ambilikikai	0.6	(10.4)	0.0	(0.6)	0.1	(0.9)	0.1	(2.1)	0.0	(0.9)	0.0	(0.3)	–	–	4.5	(84.8)
India, Kamrup Urban District	1.6	(11.4)	–	–	0.0	(0.3)	1.4	(10.5)	0.4	(2.8)	0.2	(1.5)	–	–	10.2	(73.5)
India, Kollam	1.6	(26.1)	0.0	(0.3)	0.0	(0.3)	0.1	(1.5)	0.1	(1.0)	0.0	(0.3)	–	–	4.3	(70.6)
*India, Manipur	0.3	(6.8)	0.0	(1.6)	0.0	(0.5)	0.3	(7.3)	0.1	(1.6)	–	–	–	–	3.3	(82.3)
India, Meghalaya	0.8	(7.8)	0.2	(2.0)	0.1	(1.4)	1.7	(14.6)	0.2	(1.4)	0.0	(0.3)	0.1	(0.3)	8.9	(72.2)
India, Mizoram	2.7	(7.1)	0.9	(2.4)	2.2	(5.3)	9.8	(25.3)	1.0	(2.6)	2.0	(5.0)	0.4	(1.0)	19.8	(51.4)
India, Mumbai	0.9	(20.0)	0.0	(0.4)	0.0	(0.1)	0.1	(2.0)	0.1	(1.3)	0.0	(0.1)	–	–	3.5	(76.2)
*India, New Delhi	0.7	(18.0)	0.0	(0.1)	–	–	0.0	(1.2)	0.0	(0.5)	0.0	(0.4)	0.0	(0.2)	3.0	(79.5)
India, Poona	0.5	(13.7)	–	–	–	–	0.0	(0.5)	0.0	(0.5)	–	–	–	–	2.9	(85.3)
*India, Sangrur District	0.0	(3.2)	–	–	–	–	0.1	(9.7)	–	–	–	–	–	–	1.0	(87.1)
India, SAS Nagar	0.3	(17.5)	–	–	–	–	–	–	–	–	–	–	–	–	1.4	(82.5)
*India, Tamil Nadu	0.7	(10.3)	0.0	(0.5)	0.1	(1.7)	0.4	(5.8)	0.1	(1.4)	0.0	(0.5)	0.0	(0.1)	5.1	(79.5)
*India, Tripura	0.2	(3.7)	0.2	(4.0)	0.1	(1.5)	1.5	(29.1)	0.1	(1.9)	–	–	–	–	2.9	(59.8)
India, Trivandrum	1.0	(19.7)	0.0	(0.7)	0.1	(1.5)	0.1	(2.2)	0.1	(1.0)	–	–	–	–	3.8	(74.9)
India, Wardha	0.1	(5.3)	–	–	0.1	(3.5)	0.1	(7.0)	0.2	(14.0)	–	–	–	–	1.1	(70.2)
India, West Arunachal	0.3	(1.7)	0.7	(1.7)	0.6	(2.6)	10.8	(42.4)	1.1	(4.4)	0.1	(0.4)	–	–	11.1	(46.7)
*Iran (Islamic Republic of), Ardabil Province	12.6	(34.4)	0.5	(1.3)	2.7	(7.1)	3.3	(9.4)	0.2	(0.4)	1.6	(4.4)	–	–	15.4	(42.9)
*Iran (Islamic Republic of), Golestan Province	7.9	(30.8)	0.1	(0.4)	1.2	(4.9)	1.9	(8.1)	0.3	(1.1)	0.4	(1.7)	–	–	12.7	(52.9)
Israel	2.0	(22.1)	0.2	(2.1)	0.8	(9.7)	1.4	(16.5)	0.2	(2.4)	0.2	(2.0)	0.1	(1.2)	3.7	(43.9)
*Israel: Jews	2.0	(23.5)	0.2	(2.3)	0.8	(9.8)	1.3	(16.4)	0.2	(2.0)	0.2	(1.9)	0.1	(1.0)	3.4	(43.0)
*Israel: Arabs	1.3	(17.1)	0.1	(1.8)	0.6	(7.7)	1.2	(17.1)	0.4	(5.4)	0.2	(3.2)	0.1	(2.3)	3.4	(45.5)
Japan	4.3	(8.5)	1.3	(2.5)	23.4	(44.6)	13.5	(27.2)	1.0	(2.1)	0.7	(1.3)	0.1	(0.2)	5.9	(13.6)
Japan, Aichi Prefecture	3.7	(8.2)	0.8	(1.8)	22.1	(48.4)	11.3	(26.7)	1.2	(2.7)	0.7	(1.5)	0.1	(0.1)	4.0	(10.5)
*Japan, Akita Prefecture	7.6	(10.1)	1.5	(2.1)	36.5	(47.9)	19.5	(28.3)	1.8	(2.5)	0.8	(1.2)	0.0	(0.1)	4.5	(7.8)
Japan, Aomori Prefecture	5.2	(8.5)	0.9	(1.5)	29.8	(48.1)	17.0	(29.2)	1.2	(2.0)	0.8	(1.3)	0.1	(0.1)	4.4	(9.2)
Japan, Gunma Prefecture	4.6	(9.6)	2.1	(4.7)	20.4	(42.0)	12.4	(27.4)	0.7	(1.7)	0.7	(1.7)	0.2	(0.4)	5.1	(12.5)
Japan, Hiroshima Prefecture	4.9	(8.2)	1.0	(1.6)	30.1	(50.1)	16.9	(30.2)	0.8	(1.5)	0.7	(1.1)	0.0	(0.1)	3.6	(7.2)
Japan, Miyagi Prefecture	6.1	(10.0)	1.3	(2.2)	29.2	(45.9)	19.0	(31.4)	1.1	(1.8)	0.9	(1.4)	0.0	(0.1)	3.7	(7.3)
Japan, Osaka Prefecture	5.0	(8.6)	0.8	(1.3)	27.8	(47.8)	14.6	(26.6)	1.5	(2.6)	0.8	(1.4)	0.2	(0.3)	5.7	(11.3)
Kuwait	0.3	(9.5)	0.0	(1.0)	0.0	(1.5)	0.1	(3.5)	0.0	(0.5)	0.0	(0.5)	–	–	2.8	(83.6)
*Kuwait: Kuwaitis	0.5	(10.3)	–	–	0.1	(1.3)	0.1	(2.6)	–	–	0.1	(1.3)	–	–	3.7	(84.6)
*Kuwait: Non-Kuwaitis	0.2	(8.9)	0.0	(1.6)	0.0	(1.6)	0.3	(4.1)	0.0	(0.8)	–	–	–	–	2.4	(82.9)
*Philippines, Manila	0.3	(6.9)	0.0	(0.2)	0.0	(0.2)	0.1	(2.1)	0.1	(1.2)	0.0	(0.2)	–	–	4.1	(89.2)
*Qatar: Qatari	0.5	(11.1)	–	–	–	–	–	–	–	–	0.3	(5.6)	–	–	3.8	(83.3)
Republic of Korea	2.6	(5.1)	0.5	(0.9)	18.1	(35.3)	21.6	(42.4)	0.7	(1.4)	1.2	(2.3)	0.1	(0.2)	6.3	(12.5)
*Republic of Korea, Busan	2.4	(4.5)	0.6	(1.1)	19.9	(37.5)	22.4	(42.5)	1.2	(2.3)	0.6	(1.1)	0.1	(0.2)	5.8	(10.8)
*Republic of Korea, Daegu	2.0	(4.1)	0.4	(0.9)	18.3	(37.7)	19.6	(40.4)	0.7	(1.5)	1.6	(3.2)	0.0	(0.1)	5.9	(12.0)
*Republic of Korea, Daejeon	2.6	(4.5)	0.7	(1.2)	21.0	(35.9)	26.0	(43.7)	0.9	(1.4)	0.9	(1.6)	0.2	(0.3)	6.8	(11.4)
*Republic of Korea, Gwangju	2.6	(5.1)	0.7	(1.5)	18.7	(38.1)	20.9	(43.0)	0.5	(1.1)	0.5	(1.1)	0.2	(0.3)	4.9	(9.7)
Republic of Korea, Incheon	2.7	(5.3)	0.5	(1.0)	17.3	(35.4)	21.4	(43.8)	0.9	(1.8)	1.1	(2.2)	0.1	(0.2)	5.1	(10.2)
Republic of Korea, Jeju	2.0	(

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
Singapore: Malay	2.2	(37.8)	0.3	(5.6)	0.5	(8.9)	0.9	(15.6)	0.2	(3.3)	0.4	(7.8)	–	–	1.3	(21.1)
Thailand, Bangkok	0.3	(10.2)	0.0	(1.6)	0.1	(3.5)	0.2	(6.2)	0.0	(0.5)	0.0	(1.4)	0.0	(0.2)	1.9	(76.4)
*Thailand, Chiang Mai	0.4	(6.1)	0.0	(0.8)	0.3	(3.6)	1.4	(22.6)	0.1	(1.7)	0.0	(0.8)	0.0	(0.6)	3.8	(63.7)
*Thailand, Khon Kaen	0.2	(6.0)	–	–	0.0	(1.2)	0.3	(11.3)	0.0	(1.2)	0.0	(0.6)	–	–	2.2	(79.8)
Thailand, Lampang	0.3	(5.7)	0.0	(0.6)	0.1	(1.9)	0.6	(12.7)	0.1	(1.3)	0.1	(1.3)	0.0	(0.6)	3.8	(75.9)
Thailand, Lopburi Province	0.4	(6.8)	–	–	0.1	(3.4)	0.3	(6.0)	0.2	(3.4)	–	–	–	–	4.1	(80.3)
*Thailand, Songkhla	0.6	(22.1)	0.0	(1.0)	0.1	(4.8)	0.0	(1.0)	–	–	–	–	0.1	(1.9)	1.7	(69.2)
Turkey, Antalya	2.5	(22.8)	0.3	(2.7)	1.7	(15.3)	2.8	(26.0)	0.3	(3.3)	0.9	(8.2)	0.2	(2.2)	2.1	(19.5)
Turkey, Bursa	4.0	(24.0)	0.2	(1.4)	1.6	(9.5)	2.6	(15.2)	0.6	(3.7)	1.6	(9.6)	0.4	(2.4)	5.7	(34.3)
*Turkey, Edirne	2.1	(13.5)	–	–	1.8	(11.8)	2.6	(16.3)	0.3	(2.0)	1.2	(7.8)	0.3	(2.0)	7.2	(46.5)
*Turkey, Erzurum	17.1	(42.9)	0.4	(1.0)	3.9	(9.7)	3.4	(8.9)	0.3	(0.7)	2.2	(5.7)	0.6	(1.4)	11.3	(29.8)
Turkey, Eskişehir	2.2	(17.6)	0.2	(1.2)	1.7	(14.0)	2.1	(17.3)	0.3	(2.4)	0.7	(6.0)	0.4	(3.3)	4.7	(38.2)
Turkey, Gaziantep	1.5	(14.7)	0.2	(2.5)	1.2	(11.4)	2.6	(24.7)	0.5	(4.4)	0.9	(9.1)	0.3	(3.3)	3.2	(29.9)
*Turkey, Izmir	2.5	(18.7)	0.2	(1.6)	1.9	(14.4)	2.6	(19.9)	0.4	(2.9)	0.7	(5.4)	0.3	(2.3)	4.6	(34.8)
Turkey, Malatya	1.9	(14.2)	0.3	(2.0)	1.7	(12.9)	3.2	(24.1)	0.5	(3.7)	1.5	(11.2)	0.6	(4.1)	3.6	(27.8)
Turkey, Samsun	3.6	(20.7)	0.2	(1.4)	2.7	(15.4)	4.9	(28.3)	0.3	(1.7)	1.3	(7.8)	0.3	(1.4)	3.9	(23.3)
Turkey, Trabzon	4.3	(18.5)	0.1	(0.5)	3.8	(16.6)	8.4	(35.6)	0.4	(1.5)	0.8	(3.6)	0.1	(0.5)	5.4	(23.2)
Europe																
Austria	2.1	(24.0)	0.1	(1.0)	0.3	(3.7)	0.5	(6.2)	0.0	(0.6)	0.1	(1.0)	0.0	(0.4)	5.1	(63.2)
Austria, Carinthia	2.6	(27.4)	0.3	(3.5)	0.6	(7.3)	0.6	(7.3)	0.1	(1.0)	0.1	(1.0)	0.0	(0.3)	4.8	(52.1)
Austria, Tyrol	3.7	(31.7)	0.1	(1.5)	0.8	(7.7)	1.9	(19.2)	0.2	(2.0)	0.2	(1.5)	0.1	(0.8)	3.6	(35.5)
Austria, Vorarlberg	3.6	(37.4)	0.0	(0.6)	0.8	(8.6)	0.7	(8.6)	–	–	0.2	(2.5)	0.1	(0.6)	3.4	(41.7)
Belarus	2.2	(8.4)	0.4	(1.4)	9.6	(37.0)	4.7	(18.4)	0.6	(2.5)	0.1	(0.3)	0.0	(0.1)	8.2	(31.9)
*Belgium	3.4	(39.8)	0.4	(5.2)	0.5	(6.3)	1.1	(14.3)	0.1	(1.5)	0.4	(5.1)	0.2	(2.8)	2.0	(25.1)
Croatia	2.0	(14.1)	0.1	(1.2)	1.5	(11.1)	1.2	(9.1)	0.3	(1.9)	0.4	(2.8)	0.2	(1.0)	7.9	(58.8)
Cyprus	1.4	(19.3)	0.1	(1.9)	0.2	(2.3)	0.2	(3.9)	0.2	(1.9)	0.2	(2.7)	0.1	(1.9)	4.6	(66.0)
*Czech Republic	1.8	(20.0)	0.4	(4.2)	1.6	(18.5)	1.0	(11.9)	0.3	(4.0)	0.4	(4.7)	0.2	(2.3)	2.9	(34.4)
Denmark	4.2	(59.9)	0.2	(2.3)	0.6	(9.3)	0.4	(6.3)	0.0	(1.0)	0.0	(0.5)	–	–	1.4	(20.6)
Estonia	2.3	(11.5)	0.1	(0.7)	7.5	(37.7)	3.8	(20.0)	0.4	(2.1)	0.2	(1.2)	0.1	(0.7)	5.0	(26.0)
Finland	1.7	(26.2)	0.1	(1.0)	0.8	(13.9)	0.7	(11.9)	0.2	(2.7)	0.1	(1.4)	0.0	(0.5)	2.4	(42.5)
*France, Bas-Rhin	3.3	(42.0)	0.7	(8.2)	0.3	(4.1)	1.0	(14.2)	0.1	(1.6)	0.5	(7.6)	0.3	(4.1)	1.3	(18.3)
*France, Calvados	1.7	(29.7)	0.4	(7.4)	0.7	(12.4)	0.9	(17.8)	0.1	(2.0)	0.6	(11.9)	0.3	(5.0)	0.8	(13.9)
*France, Doubs	3.4	(45.5)	0.5	(8.5)	0.6	(8.0)	1.1	(13.0)	0.1	(1.5)	0.5	(6.5)	0.2	(3.5)	1.1	(13.5)
*France, Gironde	3.2	(46.8)	0.8	(11.1)	0.3	(4.3)	0.9	(15.2)	0.1	(2.4)	0.5	(6.6)	0.1	(1.3)	0.8	(12.4)
*France, Haut-Rhin	3.1	(41.0)	0.5	(5.9)	0.2	(2.6)	1.3	(16.4)	0.3	(3.9)	0.4	(6.2)	0.1	(2.0)	1.7	(22.0)
*France, Hérault	2.2	(32.3)	0.6	(9.2)	0.2	(2.7)	0.8	(14.8)	0.1	(2.4)	0.3	(4.6)	0.3	(3.5)	2.0	(30.5)
*France, Isère	2.5	(33.4)	1.0	(13.7)	0.1	(1.4)	1.5	(22.5)	0.2	(2.8)	0.4	(5.8)	0.3	(4.4)	1.2	(16.0)
*France, Lille-Métropole	3.0	(40.5)	0.9	(11.4)	0.1	(1.4)	1.4	(21.0)	0.1	(1.9)	0.4	(7.1)	0.2	(1.9)	1.1	(14.8)
*France, Limousin	2.7	(42.9)	0.4	(7.1)	0.1	(1.3)	0.8	(14.9)	0.3	(5.2)	0.8	(13.0)	0.2	(3.2)	1.1	(12.3)
*France, Loire-Atlantique	3.0	(40.1)	1.2	(15.0)	0.2	(2.5)	1.2	(17.7)	0.3	(3.8)	0.5	(6.5)	0.1	(1.6)	0.9	(12.8)
*France, Manche	2.8	(32.6)	1.2	(12.1)	0.6	(7.2)	1.9	(24.6)	0.2	(2.3)	0.3	(3.4)	–	–	1.5	(17.8)
*France, Poitou-Charentes	3.0	(45.0)	0.7	(11.5)	0.2	(3.9)	1.1	(17.2)	0.1	(1.6)	0.5	(8.5)	0.2	(3.6)	0.5	(8.5)
*France, Somme	3.3	(41.1)	0.5	(6.2)	0.3	(3.3)	0.8	(12.9)	0.2	(2.4)	0.5	(6.2)	0.2	(2.4)	1.8	(25.4)
*France, Tarn	2.4	(44.7)	0.4	(6.5)	0.2	(4.9)	0.7	(16.3)	0.0	(0.8)	0.5	(11.4)	0.1	(3.3)	0.6	(12.2)
*France, Territoire de Belfort	4.3	(52.4)	0.5	(4.8)	0.7	(9.5)	0.9	(14.3)	0.1	(2.4)	0.6	(7.1)	0.3	(2.4)	0.5	(7.1)
*France, Vendée	2.9	(39.1)	0.9	(12.2)	0.4	(5.4)	1.0	(17.3)	0.4	(5.1)	0.5	(7.8)	0.2	(2.0)	0.7	(10.9)
Germany, Baden-Württemberg	4.0	(38.4)	0.2	(2.2)	1.7	(17.0)	1.4	(15.0)	0.1	(1.2)	0.1	(1.4)	0.1	(0.6)	2.3	(24.1)
Germany, Bavaria	3.3	(30.7)	0.3	(2.5)	1.6	(16.7)	1.6	(17.5)	0.2	(1.6)	0.1	(1.1)	0.0	(0.5)	2.7	(29.4)
Germany, Bremen	2.9	(29.8)	0.2	(2.6)	1.7	(15.5)	2.0	(19.8)	0.1	(1.7)	0.2	(2.3)	0.1	(0.9)	2.4	(27.5)
Germany, Hamburg	4.3	(42.0)	0.2	(2.1)	1.3	(13.4)	1.3	(12.9)	0.1	(1.1)	0.1	(1.1)	0.1	(0.5)	2.7	(26.9)
Germany, Lower Saxony	4.5	(37.1)	0.3	(2.3)	1.3	(11.7)	1.1	(10.9)	0.1	(1.4)	0.1	(0.8)	0.0	(0.3)	3.7	(35.6)
Germany, North Rhine-Westphalia	3.7	(34.9)	0.3	(2.7)	1.6	(15.6)	1.6	(16.3)	0.2	(2.0)	0.1	(1.6)	0.1	(0.8)	2.5	(26.1)
Germany, Rhineland-Palatinate	3.7	(35.3)	0.2	(2.1)	1.4	(14.2)	1.5	(15.3)	0.2	(1.8)	0.3	(2.6)	0.1	(0.6)	2.5	(28.2)
Germany, Saarland	3.5	(36.5)	0.2	(1.9)	1.2	(14.1)	1.3	(13.2)	0.2	(2.3)	0.2	(1.6)	0.1	(0.7)	2.7	(29.7)
Germany, Schleswig-Holstein	4.4	(38.4)	0.3	(2.6)	1.6	(15.9)	1.6	(15.6)	0.2	(2.1)	0.2	(1.4)	0.1	(0.7)	2.3	(23.3)
Iceland	1.1	(17.3)	0.1	(1.3)	0.3	(6.7)	0.2	(5.3)	0.0	(1.3)	0.1	(1.3)	0.1	(1.3)	3.3	(65.3)
Ireland	4.2	(42.3)	0.5	(5.9)	0.5	(5.5)	1.0	(11.3)	0.4	(4.0)	0.6	(6.5)	0.3	(2.7)	2.1	(21.9)
*Italy, Aosta Valley	3.6	(30.5)	0.2	(1.7)	0.5	(8.5)	1.6	(16.9)	0.2	(3.4)	0.3	(3.4)	–	–	3.5	(35.6)
*Italy, Avellino	0.9	(7.1)	0.3	(3.6)	0.9	(7.1)	4.0	(34.9)	0.3	(2.4)	0.7	(6.5)	0.3	(1.8)	4.0	(36.7)
Italy, Basilicata	1.8	(14.8)	0.5	(4.1)	2.3	(17.5)	2.7	(22.3)	0.4	(2.7)	1.3	(11.2)	0.5	(3.4)	2.7	(24.0)
*Italy, Benevento	1.6	(15.0)	0.4	(3.6)	1.6	(17.9)	2.2	(20.7)	0.1	(0.7)	1.1	(12.9)	0.9	(7.9)	2.1	(21.4)
Italy, Bergamo	2.0	(13.9)	0.7	(4.0)	2.4	(16.4)	4.8	(32.1)	0.4	(2.6)	0.5	(3.6)	0.1	(0.8)	3.8	(26.6)
*Italy, Brescia	2.3	(15.4)	0.4	(2.8)	2.1	(14.9)	2.6	(18.1)	0.2	(1.8)	0.7	(4.2)	0.1	(0.6)	6.0	(42.1)
Italy, Brianza (Lecco and Monza e Brianza)	2.2	(14.9)	0.7	(6.6)	2.3	(17.1)	3.9	(27.5)	0.1	(1.4)	0.7	(6.4)	0.3	(2.3)	2.9	(23.8)
Italy, Calabria	2.2	(21.5)	0.4	(3.4)	1.5	(15.4)	2.0	(20.5)	0.3	(2.7)	0.5	(3.8)	0.1	(1.4)	3.0	(31.4)
*Italy, Caserta	1.7	(12.1)	0.9	(6.8)	2.1	(15.0)	2.7	(19.8)	0.2	(1.8)	0.6	(4.6)	0.4	(2.9)	4.8	(37.0)
*Italy, Catania, Messina, and Enna	1.6	(17.5)	0.4	(4.4)	1.0	(11.6)	1.2	(14.8)	0.1	(1.4)	0.6	(6.9)	0.1	(1.5)	3.5	(41.9)
Italy, Emilia-Romagna	2.1	(15.5)	1.1	(8.7)	2.0	(17.2)	2.8	(25.3)	0.3	(2.3)	0.9	(6.7)	0.2	(1.5)	2.7	(22.8)
Italy, Friuli-Venezia Giulia	2.1	(16.2)	0.3	(2.3)	1.1	(10.6)	1.0	(9.9)	0.2	(2.1)	0.2	(1.6)	0.1	(0.7)	6.0	(56.5)
Italy, Genova	2.4	(25.6)	0.4	(4.7)	1.3	(13.5)	1.5	(19.6)	0.2	(2.6)	0.6	(6.5)	0.1	(1.6)	2.0	(25.9)
*Italy, Lombardy, South, Pavia	1.9	(14.1)	0.3	(2.9)	2.2	(18.2)	1.9	(17.7)	0.2	(1.4)	0.8	(6.5)	0.1	(1.2)	4.6	(37.9)
Italy, Mantova and Cremona	2.2	(13.2)	0.5	(3.8)	2.7	(17.7)	2.6	(17.2)	0.2	(1.3)	0.2	(1.5)	0.0	(0.2)	6.8	(45.2)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
Italy, Marche	2.0	(11.9)	0.4	(3.0)	1.6	(11.4)	3.0	(20.6)	0.2	(1.4)	0.7	(5.3)	0.2	(1.3)	6.3	(45.0)
Italy, Milan	1.9	(15.6)	0.5	(4.3)	2.1	(19.6)	2.3	(21.6)	0.1	(0.9)	0.4	(4.3)	0.1	(1.2)	3.5	(32.6)
Italy, Molise	1.1	(8.7)	0.5	(4.0)	0.8	(7.3)	2.7	(23.3)	0.4	(3.3)	0.6	(5.3)	0.3	(2.7)	5.9	(45.3)
*Italy, Naples Centre	1.6	(16.5)	0.5	(5.1)	1.0	(10.6)	1.5	(16.9)	0.2	(2.0)	0.8	(8.7)	0.3	(3.9)	3.1	(36.2)
*Italy, Naples North	1.5	(11.4)	1.0	(7.3)	2.6	(19.8)	3.0	(22.3)	0.2	(2.1)	0.3	(2.7)	0.2	(1.4)	4.3	(33.0)
*Italy, Naples South	1.8	(16.3)	0.4	(4.0)	1.1	(10.0)	2.2	(20.8)	0.4	(2.8)	1.0	(8.3)	0.3	(2.8)	3.5	(35.0)
*Italy, Nuoro	1.1	(15.6)	0.2	(1.6)	1.2	(14.1)	2.5	(23.4)	0.4	(3.1)	0.4	(4.7)	–	–	2.4	(37.5)
*Italy, Palermo	1.5	(16.8)	0.4	(5.1)	1.2	(14.1)	1.3	(16.0)	0.2	(2.1)	0.5	(6.4)	0.3	(2.6)	2.9	(36.9)
Italy, Puglia	1.6	(16.9)	0.5	(6.3)	1.1	(12.1)	2.1	(23.2)	0.2	(2.6)	0.7	(7.8)	0.2	(2.0)	2.5	(29.2)
*Italy, Ragusa and Caltanissetta	1.2	(15.4)	0.2	(3.2)	0.6	(7.7)	1.6	(20.2)	0.2	(2.4)	0.4	(7.3)	0.2	(2.8)	2.8	(40.9)
*Italy, Salerno	1.4	(15.9)	0.4	(5.7)	1.0	(11.3)	1.4	(17.0)	0.2	(2.8)	0.5	(6.4)	0.1	(1.0)	3.4	(39.8)
Italy, Sassari	1.6	(20.2)	0.4	(5.6)	2.0	(25.8)	0.9	(13.5)	0.1	(1.1)	0.2	(2.2)	0.2	(2.2)	2.2	(29.2)
*Italy, Sondrio	2.8	(16.1)	0.5	(3.5)	2.3	(13.6)	3.4	(21.6)	0.2	(1.0)	1.0	(5.5)	0.2	(1.0)	5.9	(37.7)
Italy, South Tyrol	1.6	(15.3)	0.3	(2.8)	2.9	(28.6)	3.3	(34.5)	0.3	(3.1)	0.2	(1.7)	0.1	(1.4)	1.1	(12.5)
*Italy, Syracuse	1.0	(15.6)	0.2	(4.5)	1.5	(20.8)	1.0	(15.6)	0.1	(2.6)	0.4	(5.2)	0.2	(3.2)	2.1	(32.5)
Italy, Trento	2.5	(24.1)	0.5	(5.1)	2.2	(22.4)	3.0	(32.7)	0.2	(2.0)	0.3	(3.4)	0.0	(0.7)	0.8	(9.5)
Italy, Turin	0.7	(7.5)	1.6	(17.3)	0.4	(4.2)	0.4	(4.8)	0.0	(0.4)	0.1	(1.5)	0.1	(0.5)	5.7	(63.8)
*Italy, Tuscany	1.7	(11.2)	0.2	(1.8)	0.8	(5.7)	1.4	(11.3)	0.1	(0.5)	0.5	(4.1)	0.1	(0.7)	8.6	(64.7)
Italy, Umbria	1.9	(13.5)	0.4	(2.5)	1.4	(10.4)	2.3	(18.5)	0.2	(1.5)	1.1	(8.5)	0.3	(1.6)	5.6	(43.5)
Italy, Varese	1.4	(13.1)	0.8	(8.4)	1.4	(16.2)	2.2	(23.6)	0.2	(1.7)	0.6	(5.1)	0.1	(1.0)	2.8	(31.0)
Italy, Veneto	1.6	(16.0)	0.2	(2.3)	0.7	(8.3)	0.9	(9.6)	0.1	(1.0)	0.2	(2.8)	0.1	(0.7)	5.3	(59.4)
Latvia	1.7	(8.6)	0.3	(1.4)	3.1	(15.8)	1.7	(9.0)	0.7	(3.1)	0.2	(0.9)	0.1	(0.5)	12.0	(60.8)
*Liechtenstein	2.2	(30.8)	–	–	0.4	(7.7)	2.4	(30.8)	–	–	–	–	–	–	2.4	(30.8)
*Lithuania	1.4	(7.1)	0.2	(0.9)	3.4	(16.9)	1.6	(7.6)	0.3	(1.5)	0.2	(1.2)	0.1	(0.3)	13.1	(64.5)
Malta	2.6	(30.1)	0.1	(1.0)	0.3	(3.6)	0.8	(10.9)	0.3	(4.1)	0.4	(5.2)	0.1	(1.0)	3.5	(44.0)
*The Netherlands	2.1	(30.7)	0.3	(4.1)	1.0	(16.2)	1.2	(18.2)	0.3	(4.3)	0.1	(2.1)	0.1	(1.4)	1.5	(23.1)
Norway	2.5	(38.5)	0.2	(2.7)	0.9	(15.4)	0.9	(14.8)	0.3	(5.3)	0.1	(1.5)	0.1	(0.9)	1.2	(21.0)
Poland, Kielce	1.4	(12.6)	0.1	(0.8)	1.4	(12.0)	0.2	(1.7)	0.5	(4.2)	0.2	(2.0)	0.1	(0.8)	7.5	(65.9)
*Portugal, Azores	4.3	(19.5)	0.3	(1.3)	1.4	(6.5)	4.7	(24.0)	0.5	(1.9)	1.0	(4.5)	0.2	(0.6)	8.7	(41.6)
Russian Federation, Arkhangelsk	2.4	(7.1)	0.2	(0.5)	11.9	(34.8)	4.3	(13.1)	0.5	(1.5)	0.1	(0.3)	–	–	14.7	(42.8)
Russian Federation, Kaliningrad	1.4	(6.8)	0.3	(1.7)	4.0	(18.9)	1.2	(5.8)	0.1	(0.5)	–	–	–	–	14.0	(66.3)
Russian Federation, Karelia	4.9	(15.0)	0.8	(2.6)	13.0	(40.2)	3.6	(11.1)	2.1	(6.7)	0.2	(0.6)	0.2	(0.5)	7.8	(23.5)
*Russian Federation, Komi Republic	5.7	(17.6)	1.2	(3.3)	8.7	(26.1)	1.1	(3.0)	3.0	(9.1)	0.1	(0.4)	0.1	(0.4)	13.4	(40.1)
Russian Federation, Murmansk	5.1	(17.9)	0.4	(1.5)	11.2	(37.9)	6.6	(22.7)	0.9	(3.0)	0.2	(0.7)	–	–	5.1	(16.2)
*Russian Federation, Orenburg	5.3	(19.5)	0.7	(2.5)	4.0	(14.7)	2.2	(7.9)	0.8	(2.9)	0.5	(1.8)	0.3	(1.2)	13.2	(49.5)
Russian Federation, Pskov	9.3	(33.0)	0.4	(1.3)	8.2	(27.5)	1.0	(3.4)	1.7	(6.1)	0.1	(0.4)	0.0	(0.1)	8.1	(28.1)
*Russian Federation, Samara	2.4	(10.6)	0.3	(1.2)	10.9	(50.1)	2.2	(10.2)	0.8	(3.4)	0.3	(1.2)	0.1	(0.7)	5.0	(22.6)
Russian Federation, Vologda Region	11.1	(37.0)	0.8	(2.6)	4.6	(15.1)	2.6	(8.7)	2.1	(7.2)	0.8	(2.8)	0.1	(0.2)	7.8	(26.4)
Slovenia	2.9	(21.0)	0.1	(0.6)	1.9	(14.5)	2.9	(21.8)	0.2	(1.5)	1.1	(8.2)	0.3	(2.0)	4.0	(30.5)
Spain, Asturias	2.2	(19.7)	0.2	(1.9)	0.9	(8.9)	2.2	(21.3)	0.1	(1.0)	0.5	(5.3)	0.2	(1.9)	4.0	(40.0)
Spain, Basque Country	2.8	(19.0)	0.5	(3.3)	1.3	(9.9)	2.8	(22.4)	0.1	(0.9)	1.1	(8.4)	0.4	(3.2)	4.2	(32.8)
Spain, Canary Islands	2.0	(25.7)	0.1	(2.3)	0.8	(10.3)	1.5	(20.3)	0.1	(0.8)	0.3	(4.5)	0.1	(1.6)	2.6	(34.5)
Spain, Castellón	1.1	(12.0)	0.2	(3.4)	1.1	(11.6)	1.5	(19.5)	0.1	(0.7)	0.8	(7.9)	0.1	(1.5)	3.6	(43.4)
Spain, Girona	1.8	(19.4)	0.1	(1.2)	1.7	(16.7)	1.4	(17.9)	0.1	(1.5)	0.2	(2.6)	0.1	(0.9)	3.5	(39.9)
Spain, Granada	2.3	(24.9)	1.1	(12.0)	1.5	(17.8)	2.1	(25.1)	0.2	(2.9)	0.3	(3.4)	0.1	(1.8)	0.9	(12.0)
Spain, La Rioja	1.8	(15.1)	0.9	(8.2)	2.3	(17.8)	1.5	(12.3)	0.4	(3.7)	1.5	(10.5)	0.7	(5.0)	3.1	(27.4)
Spain, Murcia	1.6	(18.5)	0.3	(3.0)	0.7	(8.8)	1.8	(22.2)	0.1	(1.9)	0.6	(6.5)	0.3	(3.6)	2.8	(35.5)
Spain, Navarra	1.9	(17.4)	0.4	(4.2)	2.1	(21.2)	2.5	(26.7)	0.1	(1.0)	0.3	(2.8)	0.2	(2.1)	2.7	(24.7)
Spain, Salamanca	1.4	(10.7)	0.2	(1.9)	0.8	(7.8)	2.7	(26.3)	0.3	(3.0)	0.3	(3.3)	0.4	(3.0)	4.8	(44.1)
Spain, Tarragona	1.7	(19.3)	0.3	(4.0)	0.7	(9.2)	1.7	(22.6)	0.0	(0.3)	0.4	(4.6)	0.3	(4.3)	2.8	(35.8)
*Sweden	2.0	(38.4)	0.2	(4.4)	0.7	(14.5)	0.6	(12.1)	0.2	(4.8)	0.1	(2.8)	0.1	(1.4)	1.0	(21.7)
Switzerland, Aargau	2.6	(43.5)	0.1	(2.6)	0.5	(7.9)	0.6	(10.5)	0.1	(1.6)	0.2	(2.6)	0.1	(1.6)	1.7	(29.8)
Switzerland, Basel	3.5	(40.5)	0.2	(2.8)	0.4	(6.0)	1.1	(17.2)	0.2	(2.8)	0.2	(2.3)	0.1	(1.4)	2.4	(27.0)
Switzerland, Berne Solothurn	4.0	(50.9)	0.3	(3.0)	0.7	(8.4)	0.9	(12.0)	0.1	(1.8)	0.4	(6.0)	0.3	(3.3)	1.0	(14.7)
Switzerland, East	2.9	(37.0)	0.2	(3.0)	0.8	(9.9)	1.3	(17.2)	0.2	(3.3)	0.5	(6.3)	0.1	(2.3)	1.4	(21.1)
*Switzerland, Fribourg	4.6	(55.0)	0.3	(3.6)	0.2	(2.7)	1.2	(15.3)	0.2	(2.7)	0.3	(3.6)	0.1	(0.9)	1.3	(16.2)
Switzerland, Geneva	2.7	(35.4)	0.4	(4.3)	0.3	(3.1)	1.2	(14.9)	0.1	(1.2)	1.1	(14.3)	0.5	(6.2)	1.5	(20.5)
*Switzerland, Graubünden and Glarus	3.2	(39.4)	0.1	(1.0)	1.3	(15.4)	1.2	(18.3)	0.1	(1.9)	0.3	(4.8)	–	–	1.4	(19.2)
*Switzerland, Lucerne	2.8	(35.5)	0.1	(1.5)	1.0	(10.7)	0.9	(12.2)	0.1	(2.5)	0.3	(3.6)	0.2	(2.5)	2.2	(31.5)
*Switzerland, Neuchâtel and Jura	2.6	(31.6)	0.3	(5.3)	0.6	(7.4)	0.9	(12.6)	0.4	(3.2)	0.9	(11.6)	0.3	(3.2)	2.0	(25.3)
Switzerland, Ticino	1.4	(17.6)	0.5	(4.8)	1.0	(11.2)	3.0	(34.2)	0.1	(2.1)	0.1	(1.6)	–	–	2.7	(28.3)
Switzerland, Valais	3.2	(37.7)	0.2	(2.7)	0.8	(8.9)	1.2	(15.1)	0.3	(3.4)	0.9	(12.3)	0.2	(2.1)	1.4	(17.8)
Switzerland, Vaud	2.6	(43.0)	0.2	(2.9)	0.4	(6.3)	0.8	(12.1)	0.0	(0.5)	0.6	(10.1)	0.3	(4.3)	1.2	(20.8)
Switzerland, Zurich and Zug	3.6	(48.3)	0.2	(2.4)	0.8	(11.1)	1.1	(13.9)	0.1	(2.1)	0.3	(3.9)	0.1	(1.3)	1.2	(16.9)
Ukraine	2.6	(13.2)	0.1	(0.4)	5.4	(26.9)	3.4	(17.2)	0.7	(3.6)	0.1	(0.4)	0.1	(0.5)	7.4	(37.7)
UK, England	2.2	(33.9)	0.2	(3.9)	0.6	(10.5)										

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Male (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Oceania (contd)																
*Australia, Northern Territory: Non-Indigenous	2.0	(44.4)	—	—	0.6	(14.8)	0.8	(14.8)	0.2	(3.7)	0.2	(3.7)	0.2	(3.7)	0.6	(14.8)
*Australia, Northern Territory: Indigenous	1.1	(28.6)	—	—	—	—	1.3	(14.3)	1.3	(14.3)	—	—	—	—	2.8	(42.9)
*Australia, Queensland	3.3	(44.6)	0.3	(4.5)	0.7	(10.0)	0.7	(10.6)	0.2	(3.4)	0.3	(4.3)	0.1	(1.8)	1.5	(20.7)
Australia, South Australia	2.7	(39.8)	0.1	(1.7)	0.1	(1.5)	0.3	(4.7)	0.2	(3.2)	0.3	(4.1)	0.1	(1.7)	2.7	(43.2)
Australia, Tasmania	2.5	(34.2)	0.1	(1.5)	0.3	(2.6)	0.4	(5.1)	0.2	(4.1)	0.2	(3.1)	0.2	(3.1)	3.5	(46.4)
*Australia, Victoria	3.2	(42.2)	0.2	(3.1)	0.4	(5.8)	0.8	(11.7)	0.2	(3.3)	0.7	(9.2)	0.2	(2.7)	1.5	(21.9)
*Australia, Western Australia	2.6	(40.1)	0.4	(7.0)	0.2	(4.1)	0.5	(8.6)	0.1	(2.0)	0.2	(2.6)	0.1	(0.9)	2.0	(34.7)
*France, New Caledonia	2.9	(27.7)	1.5	(14.5)	—	—	3.2	(30.1)	0.6	(6.0)	0.2	(2.4)	0.4	(3.6)	1.7	(15.7)
New Zealand	2.7	(41.6)	0.2	(2.5)	0.6	(8.4)	0.8	(11.8)	0.2	(3.8)	0.4	(7.0)	0.2	(2.4)	1.4	(22.6)
*New Zealand: Maori	2.6	(20.3)	0.5	(3.3)	1.6	(11.3)	2.8	(20.3)	1.1	(8.0)	1.2	(9.4)	0.2	(1.4)	3.5	(25.9)
*New Zealand: Pacific peoples	1.7	(12.2)	0.4	(3.3)	2.7	(20.0)	3.0	(21.1)	0.4	(3.3)	1.4	(10.0)	0.8	(5.6)	3.7	(24.4)
*New Zealand: Other	2.9	(52.9)	0.1	(2.2)	0.3	(6.4)	0.3	(7.7)	0.1	(2.6)	0.2	(5.0)	0.1	(2.0)	1.0	(21.2)
USA, Hawaii	2.0	(28.2)	0.3	(3.8)	0.6	(10.2)	0.9	(15.1)	0.2	(2.2)	0.6	(10.9)	0.3	(4.2)	1.6	(25.5)
USA, Hawaii: White	1.5	(41.8)	0.2	(3.8)	0.2	(6.3)	0.4	(10.1)	0.1	(1.3)	0.3	(10.1)	—	—	0.9	(26.6)
*USA, Hawaii: Japanese	2.5	(21.8)	0.0	(0.7)	0.9	(15.0)	1.0	(17.0)	0.5	(2.0)	1.1	(16.3)	0.6	(4.8)	1.2	(22.4)
*USA, Hawaii: Chinese	2.8	(38.7)	0.8	(6.5)	0.4	(9.7)	0.6	(9.7)	0.3	(3.2)	0.8	(16.1)	0.9	(12.9)	0.3	(3.2)
*USA, Hawaii: Hawaiian	2.1	(24.7)	0.7	(8.2)	0.7	(9.6)	1.1	(15.1)	0.2	(2.7)	0.2	(2.7)	0.3	(4.1)	2.5	(32.9)
*USA, Hawaii: Filipino	2.1	(40.4)	0.2	(5.3)	0.4	(8.8)	0.5	(12.3)	0.1	(1.8)	0.2	(3.5)	0.3	(5.3)	1.3	(22.8)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																
*Algeria, Batna	0.4	(8.8)	0.2	(7.0)	0.1	(1.8)	0.8	(21.1)	0.2	(5.3)	0.4	(8.8)	0.1	(3.5)	1.7	(43.9)
*Algeria, Tizi Ouzou	0.1	(3.4)	0.0	(1.1)	–	–	0.2	(4.5)	0.1	(1.1)	–	–	–	–	4.2	(89.9)
*Benin, Cotonou	0.1	(4.8)	0.1	(4.8)	0.1	(4.8)	0.9	(28.6)	0.1	(4.8)	–	–	–	–	1.8	(52.4)
*France, La Réunion	0.2	(3.1)	0.8	(13.5)	0.1	(1.8)	1.7	(30.1)	0.0	(1.2)	0.7	(13.5)	0.2	(3.1)	2.0	(33.7)
*Kenya, Eldoret	0.1	(2.9)	–	–	–	–	0.1	(2.9)	–	–	–	–	–	–	3.2	(94.3)
*Kenya, Nairobi	0.8	(8.5)	0.2	(2.1)	–	–	0.4	(6.3)	–	–	–	–	–	–	8.1	(83.1)
Mauritius	0.0	(0.5)	–	–	–	–	0.1	(2.1)	0.0	(1.0)	–	–	–	–	4.0	(96.4)
*Morocco, Casablanca	0.0	(2.1)	0.0	(1.2)	–	–	0.1	(4.3)	0.0	(0.3)	0.0	(0.6)	–	–	2.6	(91.5)
*Seychelles	0.7	(20.0)	–	–	–	–	–	–	–	–	–	–	–	–	2.4	(80.0)
*South Africa, Eastern Cape	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0.8	(100.0)
*Uganda, Kyadondo County	0.1	(1.1)	–	–	–	–	0.2	(3.2)	0.1	(2.2)	–	–	–	–	4.3	(93.5)
*Uganda, Gulu	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0.8	(100.0)
*Zimbabwe, Bulawayo: African	0.5	(6.6)	–	–	–	–	–	–	–	–	–	–	–	–	5.9	(93.4)
*Zimbabwe, Harare: African	1.4	(7.6)	–	–	–	–	0.0	(0.3)	0.2	(1.0)	–	–	–	–	16.8	(91.1)
Central and South America and the Caribbean																
*Argentina, Entre Ríos Province	0.2	(3.4)	0.1	(2.1)	0.0	(0.7)	0.3	(6.2)	0.2	(2.7)	0.1	(1.4)	0.1	(2.7)	4.1	(80.8)
*Argentina, Mendoza	0.2	(5.0)	0.0	(0.3)	0.2	(4.1)	0.2	(3.2)	0.0	(0.6)	0.0	(0.3)	0.0	(0.6)	4.3	(85.9)
Brazil, Aracaju	0.3	(5.7)	0.1	(2.3)	0.3	(5.7)	0.5	(9.1)	0.1	(2.3)	–	–	–	–	4.1	(75.0)
*Brazil, Barretos	0.4	(6.4)	0.1	(1.3)	0.6	(10.3)	0.9	(21.8)	–	–	0.1	(1.3)	–	–	2.8	(59.0)
Brazil, Belo Horizonte	0.4	(6.2)	0.1	(2.0)	0.7	(9.9)	1.0	(15.5)	0.1	(1.1)	0.1	(1.8)	0.1	(0.8)	3.8	(62.7)
*Brazil, Campinas	0.5	(6.7)	0.2	(2.1)	0.6	(7.5)	0.9	(13.0)	0.1	(1.3)	0.1	(1.7)	0.1	(1.3)	5.1	(66.5)
*Brazil, Curitiba	0.4	(6.6)	0.1	(1.6)	0.5	(8.9)	0.8	(14.6)	0.0	(0.3)	0.1	(1.9)	0.0	(0.6)	3.7	(65.5)
Brazil, Goiânia	0.5	(6.6)	0.1	(0.9)	0.1	(2.2)	0.8	(12.3)	–	–	0.0	(0.9)	0.1	(0.9)	4.9	(76.2)
*Brazil, Jaú	0.5	(6.5)	–	–	1.4	(25.8)	2.7	(45.2)	0.1	(3.2)	–	–	0.2	(3.2)	1.0	(16.1)
Brazil, João Pessoa	0.1	(1.1)	–	–	0.1	(2.3)	0.1	(2.3)	0.1	(1.1)	–	–	–	–	5.1	(93.1)
Brazil, Recife	0.3	(4.7)	0.0	(0.5)	0.1	(1.9)	0.1	(1.9)	0.0	(0.5)	0.0	(0.9)	0.0	(0.5)	4.7	(89.1)
Chile, Region of Antofagasta	0.4	(5.8)	–	–	0.1	(1.2)	0.2	(2.3)	0.1	(1.2)	0.1	(1.2)	–	–	6.9	(88.4)
Chile, Valdivia	2.3	(20.1)	0.1	(1.0)	1.2	(10.1)	1.1	(10.1)	0.2	(1.5)	0.5	(3.5)	0.3	(2.0)	6.0	(51.8)
Colombia, Bucaramanga	0.7	(7.9)	0.1	(0.8)	1.0	(9.2)	2.1	(22.1)	0.1	(1.5)	0.2	(2.3)	0.1	(1.3)	5.4	(54.9)
Colombia, Cali	0.4	(4.0)	0.2	(2.2)	1.3	(11.8)	1.5	(14.5)	0.1	(1.2)	0.1	(1.0)	0.1	(0.7)	7.2	(64.7)
Colombia, Manizales	0.5	(5.7)	0.6	(6.3)	0.8	(8.6)	1.6	(16.6)	0.3	(2.9)	0.3	(2.9)	0.2	(1.7)	5.3	(55.4)
Colombia, Pasto	0.4	(3.2)	0.2	(1.3)	1.1	(8.9)	1.4	(12.0)	0.2	(1.9)	0.4	(3.2)	–	–	7.8	(69.6)
Costa Rica	0.6	(5.9)	0.2	(2.2)	0.6	(5.8)	0.8	(8.8)	0.1	(0.6)	0.1	(1.4)	0.0	(0.5)	7.6	(74.8)
Ecuador, Guayaquil	0.3	(2.5)	0.1	(0.5)	0.6	(6.0)	0.7	(7.9)	0.1	(1.2)	0.1	(1.3)	0.0	(0.3)	7.5	(80.3)
Ecuador, Manabí	0.3	(2.3)	–	–	0.4	(4.3)	1.2	(12.6)	–	–	0.1	(1.1)	–	–	7.5	(79.6)
Ecuador, Quito	0.4	(2.4)	0.1	(1.0)	1.1	(8.0)	2.4	(17.8)	0.1	(0.6)	0.3	(2.1)	0.2	(1.4)	8.9	(66.8)
*France, Guadeloupe	0.6	(8.0)	1.2	(15.4)	0.1	(2.5)	1.8	(32.7)	0.4	(6.2)	0.6	(8.6)	0.2	(2.5)	1.5	(24.1)
*France, Martinique	0.6	(9.7)	1.0	(12.5)	0.2	(1.7)	1.6	(29.0)	0.1	(1.7)	0.7	(10.2)	0.3	(2.8)	1.9	(32.4)
*Peru, Lima	0.5	(3.5)	0.2	(1.4)	1.6	(11.1)	3.0	(21.1)	0.1	(0.6)	0.1	(0.7)	0.1	(0.6)	8.7	(61.0)
*Trinidad and Tobago	0.1	(4.1)	–	–	–	–	–	–	0.0	(2.7)	–	–	–	–	2.3	(93.2)
USA, Puerto Rico	0.2	(6.1)	0.2	(4.0)	0.7	(18.2)	0.7	(20.0)	0.0	(1.0)	0.2	(5.8)	0.1	(3.1)	1.6	(41.8)
*Uruguay	0.3	(5.3)	0.1	(1.8)	0.4	(6.7)	0.5	(7.8)	0.0	(0.7)	0.1	(0.8)	0.1	(0.7)	4.2	(76.1)
North America																
Canada, Alberta	0.6	(21.5)	0.1	(4.0)	0.4	(16.2)	0.5	(19.7)	0.1	(4.0)	0.2	(4.9)	0.1	(5.1)	0.6	(24.6)
Canada, British Columbia	0.5	(20.4)	0.1	(2.5)	0.1	(5.5)	0.3	(16.1)	0.0	(1.3)	0.1	(3.3)	0.1	(2.4)	1.1	(48.5)
*Canada, Manitoba	0.8	(28.2)	0.2	(5.6)	0.5	(15.4)	0.5	(19.5)	0.1	(2.6)	0.3	(10.3)	0.1	(3.6)	0.5	(14.9)
*Canada, New Brunswick	0.9	(29.1)	0.2	(4.7)	0.2	(6.1)	0.6	(23.6)	0.0	(0.7)	0.2	(6.1)	0.1	(4.1)	0.6	(25.7)
*Canada, Newfoundland and Labrador	0.6	(14.1)	0.5	(10.4)	0.3	(5.2)	0.5	(12.6)	0.2	(4.4)	0.3	(6.7)	0.1	(1.5)	2.0	(45.2)
Canada, Ontario	0.8	(22.1)	0.2	(5.9)	0.5	(13.1)	0.8	(21.7)	0.1	(2.0)	0.3	(7.0)	0.1	(3.6)	0.9	(24.6)
*Canada, Prince Edward Island	0.8	(30.4)	0.4	(13.0)	0.3	(8.7)	0.1	(8.7)	0.2	(8.7)	0.2	(8.7)	0.1	(4.3)	0.4	(17.4)
Canada, Quebec	0.6	(17.0)	0.1	(3.4)	0.3	(9.5)	0.6	(19.6)	0.1	(3.4)	0.2	(6.5)	0.1	(2.9)	1.1	(37.7)
Canada, Saskatchewan	0.6	(24.0)	0.2	(7.8)	0.2	(7.1)	0.5	(20.1)	0.1	(3.2)	0.3	(11.0)	0.1	(3.2)	0.6	(23.4)
*Canada, Yukon	1.1	(50.0)	–	–	–	–	–	–	–	–	–	–	–	–	1.3	(50.0)
USA	0.5	(18.6)	0.2	(6.3)	0.4	(13.2)	0.5	(16.7)	0.1	(2.1)	0.2	(6.5)	0.2	(5.2)	0.9	(31.5)
USA: White	0.6	(21.9)	0.2	(6.2)	0.4	(13.1)	0.4	(14.8)	0.0	(2.0)	0.2	(6.0)	0.1	(4.8)	0.8	(31.2)
USA: Black	0.5	(10.7)	0.3	(7.4)	0.6	(12.7)	0.9	(20.2)	0.1	(2.6)	0.3	(6.7)	0.3	(6.5)	1.5	(33.3)
USA, NPCR	0.5	(18.5)	0.2	(6.4)	0.4	(13.2)	0.5	(16.6)	0.1	(2.1)	0.2	(6.4)	0.2	(5.2)	1.0	(31.5)
USA, NPCR: White	0.5	(21.8)	0.2	(6.2)	0.4	(13.1)	0.4	(14.8)	0.0	(2.0)	0.2	(6.0)	0.1	(4.8)	0.8	(31.3)
USA, NPCR: Black	0.5	(10.6)	0.3	(7.4)	0.6	(12.8)	0.9	(20.1)	0.1	(2.6)	0.3	(6.7)	0.3	(6.6)	1.5	(33.3)
USA, NPCR: Asian and Pacific Islander	0.4	(8.2)	0.2	(4.9)	0.7	(14.5)	1.2	(26.0)	0.1	(1.9)	0.5	(10.1)	0.3	(5.9)	1.4	(28.6)
USA, NPCR: American Indian	0.4	(14.2)	0.2	(8.1)	0.4	(15.6)	0.4	(15.6)	0.1	(4.2)	0.1	(4.5)	0.2	(6.4)	0.9	(31.3)
*USA, SEER (18 registries)	0.5	(16.8)	0.2	(5.9)	0.5	(14.2)	0.6	(18.1)	0.1	(2.3)	0.2	(7.2)	0.2	(5.2)	1.0	(30.2)
*USA, SEER (18 registries): White	0.6	(20.6)	0.2	(6.0)	0.4	(14.2)	0.4	(15.8)	0.1	(2.2)	0.2	(6.4)	0.1	(4.8)	0.9	(30.2)
*USA, SEER (18 registries): Non-Hispanic White	0.6	(25.3)	0.1	(6.3)	0.3	(13.0)	0.3	(14.2)	0.0	(2.2)	0.1	(5.9)	0.1	(4.8)	0.6	(28.4)
*USA, SEER (18 registries): Hispanic White	0.6	(10.5)	0.3	(5.4)	0.9	(16.7)	1.0	(19.1)	0.1	(2.3)	0.4	(7.4)	0.3	(4.8)	1.9	(33.9)
*USA, SEER (18 registries): Black	0.5	(9.9)	0.3	(7.3)	0.7	(14.3)	0.9	(21.2)	0.1	(2.5)	0.3	(6.8)	0.3	(5.8)	1.5	(32.0)
*USA, SEER (18 registries): Asian and Pacific Islander	0.3	(7.8)	0.2	(3.8)	0.7	(13.8)	1.1	(26.0)	0.1	(2.3)	0.5	(11.3)	0.3	(6.7)	1.3	(28.3)
*USA, SEER (9 registries)	0.6	(19.4)	0.2	(5.4)	0.4	(12.8)	0.5	(18.5)	0.1	(2.5)	0.2	(6.8)	0.2	(4.9)	0.9	(29.5)
*USA, SEER (9 registries): White	0.6	(25.2)	0.2	(5.9)	0.3	(13.2)	0.3	(15.1)	0.0	(2.3)	0.1	(5.1)	0.1	(4.6)	0.7	(28.5)
*USA, SEER (9 registries): Black	0.5	(10.3)	0.3	(6.5)	0.6	(12.2)	1.0	(23.2)	0.1	(2.6)	0.3	(7.5)	0.2	(4.8)	1.5	(32.8)
USA, Alabama	0.5	(15.0)	0.2	(4.7)	0.3	(9.2)	0.5	(16.7)	0.1	(2.2)	0.2	(6.9)	0.2	(5.3)	1.3	(40.0)
USA, Alabama: White	0.5	(18.1)	0.1	(4.0)	0.2	(9.3)	0.4	(15.9)	0.1	(2.0)	0.1	(6.4)	0.1	(5.4)	1.0	(38.8)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, Alabama: Black	0.5	(10.3)	0.3	(4.8)	0.5	(9.0)	0.9	(19.0)	0.1	(2.8)	0.4	(7.6)	0.3	(5.2)	2.1	(41.4)
USA, Alaska	0.7	(20.5)	0.2	(4.5)	0.2	(6.8)	0.6	(18.2)	0.2	(6.8)	0.3	(8.0)	0.3	(8.0)	1.0	(27.3)
*USA, Alaska: Alaska Natives	1.2	(12.5)	0.6	(6.2)	0.8	(9.4)	1.4	(18.8)	1.1	(12.5)	0.8	(9.4)	0.7	(9.4)	2.2	(21.9)
USA, Arizona	0.4	(17.2)	0.1	(5.6)	0.4	(14.6)	0.4	(14.7)	0.0	(2.0)	0.1	(5.0)	0.1	(4.1)	0.9	(36.8)
USA, Arizona: White	0.4	(18.4)	0.1	(5.6)	0.4	(15.1)	0.3	(14.2)	0.0	(1.5)	0.1	(4.7)	0.1	(3.4)	0.9	(37.2)
USA, Arizona: Black	0.5	(15.8)	0.4	(10.5)	0.7	(18.4)	0.5	(13.2)	—	—	0.1	(2.6)	0.4	(10.5)	1.1	(28.9)
*USA, Arizona: Asian and Pacific Islander	0.2	(9.1)	0.2	(6.1)	0.2	(6.1)	0.7	(24.2)	0.1	(3.0)	0.2	(6.1)	0.2	(6.1)	1.3	(39.4)
USA, Arizona: American Indian	0.4	(9.4)	0.1	(1.9)	0.5	(11.3)	0.8	(17.0)	0.4	(9.4)	0.4	(9.4)	0.4	(7.5)	1.6	(34.0)
USA, Arkansas	0.5	(19.1)	0.2	(6.1)	0.3	(12.0)	0.4	(14.4)	0.1	(3.2)	0.1	(4.4)	0.2	(4.9)	1.0	(35.9)
USA, Arkansas: White	0.5	(22.1)	0.1	(5.0)	0.3	(11.4)	0.3	(12.6)	0.1	(2.8)	0.1	(5.0)	0.1	(4.7)	0.9	(36.3)
USA, Arkansas: Black	0.4	(8.6)	0.4	(8.6)	0.7	(16.0)	1.1	(22.2)	0.2	(4.9)	0.1	(2.5)	0.2	(3.7)	1.5	(33.3)
USA, California	0.5	(14.7)	0.2	(5.5)	0.6	(15.1)	0.6	(19.0)	0.1	(2.2)	0.3	(8.0)	0.2	(5.6)	1.1	(30.0)
USA, California: White	0.6	(17.4)	0.2	(5.9)	0.5	(14.9)	0.5	(16.6)	0.1	(2.3)	0.2	(7.2)	0.2	(5.0)	1.1	(30.6)
USA, California: Black	0.4	(11.2)	0.3	(6.2)	0.6	(15.0)	0.8	(20.8)	0.1	(1.8)	0.3	(6.9)	0.3	(6.2)	1.3	(31.9)
USA, California: Asian and Pacific Islander	0.3	(7.7)	0.2	(3.9)	0.7	(15.3)	1.0	(25.7)	0.1	(2.0)	0.5	(10.9)	0.4	(7.6)	1.2	(26.9)
*USA, California, Los Angeles County	0.5	(11.3)	0.2	(5.3)	0.8	(16.9)	0.9	(21.6)	0.1	(2.3)	0.4	(8.3)	0.2	(5.2)	1.3	(29.1)
*USA, California, Los Angeles County: White	0.5	(13.0)	0.2	(5.0)	0.8	(17.5)	0.8	(20.1)	0.1	(2.7)	0.3	(7.4)	0.2	(3.7)	1.3	(30.6)
*USA, California, Los Angeles County: Non-Hispanic White	0.5	(22.1)	0.2	(6.7)	0.4	(13.3)	0.3	(15.8)	0.1	(2.6)	0.2	(7.7)	0.1	(4.4)	0.6	(27.4)
*USA, California, Los Angeles County: Hispanic White	0.5	(8.3)	0.3	(4.2)	1.2	(19.7)	1.3	(22.2)	0.1	(2.7)	0.4	(7.3)	0.2	(3.3)	2.0	(32.2)
*USA, California, Los Angeles County: Black	0.4	(10.1)	0.3	(6.7)	0.7	(18.0)	0.6	(19.1)	0.1	(2.2)	0.2	(5.6)	0.2	(6.2)	1.2	(32.0)
*USA, California, Los Angeles County: Chinese	0.4	(9.3)	0.0	(1.6)	0.4	(7.8)	1.1	(27.1)	0.0	(0.8)	0.5	(12.4)	0.6	(13.2)	1.2	(27.9)
*USA, California, Los Angeles County: Filipino	0.2	(10.4)	0.2	(8.3)	0.4	(18.8)	0.4	(22.9)	—	—	0.1	(6.2)	0.2	(10.4)	0.5	(22.9)
*USA, California, Los Angeles County: Korean	0.3	(3.8)	0.2	(2.3)	2.0	(19.2)	2.3	(29.2)	0.1	(1.5)	1.6	(16.9)	0.4	(5.4)	1.9	(21.5)
*USA, California, Los Angeles County: Asian and Pacific Islander	0.3	(7.0)	0.3	(5.4)	0.8	(14.1)	1.2	(27.9)	0.1	(1.1)	0.6	(11.6)	0.4	(8.8)	1.1	(24.0)
*USA, California, San Francisco Bay Area	0.5	(16.4)	0.2	(5.0)	0.5	(13.2)	0.6	(20.8)	0.1	(2.5)	0.3	(8.4)	0.3	(6.9)	1.0	(26.8)
*USA, California, San Francisco Bay Area: White	0.6	(22.9)	0.2	(6.7)	0.4	(12.4)	0.4	(17.1)	0.0	(2.6)	0.1	(4.8)	0.2	(5.2)	0.9	(28.3)
*USA, California, San Francisco Bay Area: Non-Hispanic White	0.6	(31.0)	0.1	(5.5)	0.3	(12.2)	0.3	(16.5)	0.0	(2.4)	0.1	(4.7)	0.1	(3.1)	0.4	(24.7)
*USA, California, San Francisco Bay Area: Hispanic White	0.7	(10.3)	0.6	(8.5)	0.8	(12.7)	1.0	(18.2)	0.1	(3.0)	0.4	(4.8)	0.6	(8.5)	2.3	(33.9)
*USA, California, San Francisco Bay Area: Black	0.6	(12.8)	0.2	(4.7)	0.6	(15.1)	0.8	(20.9)	—	—	0.6	(12.8)	0.3	(7.0)	1.3	(26.7)
*USA, California, San Francisco Bay Area: Asian and Pacific Islander	0.3	(7.7)	0.1	(2.2)	0.7	(13.9)	1.0	(26.3)	0.1	(3.3)	0.6	(12.8)	0.4	(9.5)	1.0	(24.5)
USA, Colorado	0.4	(18.3)	0.1	(6.0)	0.3	(13.7)	0.3	(14.3)	0.0	(2.2)	0.2	(7.2)	0.1	(6.0)	0.7	(32.4)
USA, Colorado: White	0.4	(20.5)	0.1	(4.4)	0.3	(14.5)	0.2	(12.6)	0.1	(2.6)	0.2	(7.0)	0.1	(6.3)	0.7	(32.2)
*USA, Colorado: Black	0.4	(15.0)	0.5	(15.0)	0.4	(20.0)	0.4	(20.0)	—	—	—	—	—	—	0.8	(30.0)
*USA, Colorado: Asian and Pacific Islander	0.2	(2.1)	0.8	(12.5)	0.2	(4.2)	1.9	(29.2)	—	—	0.7	(10.4)	0.3	(4.2)	2.4	(37.5)
USA, Connecticut	0.7	(23.4)	0.2	(6.8)	0.4	(9.8)	0.5	(17.5)	0.1	(3.0)	0.2	(6.5)	0.1	(3.4)	1.0	(29.5)
USA, Connecticut: White	0.8	(26.2)	0.2	(6.8)	0.3	(10.3)	0.4	(15.9)	0.1	(3.1)	0.2	(6.6)	0.1	(3.3)	0.8	(27.8)
USA, Connecticut: Black	0.8	(15.6)	0.3	(5.6)	0.3	(5.6)	1.4	(28.9)	0.1	(2.2)	0.4	(7.8)	0.1	(2.2)	1.7	(32.2)
USA, District of Columbia	0.3	(9.3)	0.3	(7.4)	0.3	(8.3)	0.5	(15.7)	0.1	(1.9)	0.2	(6.5)	0.3	(5.6)	2.0	(45.4)
USA, District of Columbia: White	0.3	(13.6)	0.2	(9.1)	0.4	(13.6)	0.2	(13.6)	—	—	0.1	(4.5)	0.2	(9.1)	0.8	(36.4)
USA, District of Columbia: Black	0.3	(8.5)	0.4	(7.3)	0.4	(7.3)	0.6	(15.9)	0.1	(2.4)	0.2	(7.3)	0.3	(4.9)	2.7	(46.3)
USA, Florida	0.4	(17.3)	0.2	(7.2)	0.3	(12.6)	0.4	(17.8)	0.1	(2.2)	0.2	(5.7)	0.2	(5.8)	0.9	(31.5)
USA, Florida: White	0.4	(20.0)	0.2	(7.2)	0.3	(12.3)	0.4	(16.2)	0.0	(1.8)	0.1	(5.6)	0.1	(5.2)	0.8	(31.7)
USA, Florida: Black	0.4	(8.2)	0.3	(7.7)	0.6	(13.1)	1.0	(22.9)	0.2	(3.7)	0.3	(6.6)	0.4	(7.9)	1.3	(29.9)
USA, Florida: Asian and Pacific Islander	0.3	(9.8)	0.2	(4.9)	0.6	(20.7)	0.8	(26.8)	0.1	(3.7)	0.1	(2.4)	0.1	(4.9)	0.8	(26.8)
USA, Georgia	0.4	(13.5)	0.2	(7.6)	0.5	(16.3)	0.5	(16.0)	0.1	(2.1)	0.1	(5.0)	0.2	(5.6)	1.0	(34.0)
USA, Georgia: White	0.4	(18.7)	0.2	(7.6)	0.4	(16.5)	0.3	(13.5)	0.0	(1.7)	0.1	(4.2)	0.1	(5.1)	0.8	(32.6)
USA, Georgia: Black	0.3	(6.9)	0.3	(8.1)	0.7	(16.3)	0.7	(18.7)	0.1	(2.9)	0.2	(5.8)	0.2	(5.4)	1.5	(36.0)
USA, Georgia: Asian and Pacific Islander	0.2	(4.7)	0.2	(3.1)	0.7	(14.1)	1.1	(25.0)	0.1	(1.6)	0.4	(7.8)	0.6	(12.5)	1.4	(31.2)
*USA, Georgia, Atlanta	0.3	(11.6)	0.2	(6.9)	0.5	(15.9)	0.5	(17.7)	0.1	(2.9)	0.1	(4.7)	0.2	(6.7)	1.0	(33.6)
*USA, Georgia, Atlanta: White	0.4	(21.3)	0.2	(7.9)	0.4	(18.0)	0.2	(10.1)	0.1	(2.8)	0.1	(2.8)	0.2	(7.3)	0.7	(29.8)
*USA, Georgia, Atlanta: Black	0.2	(5.4)	0.3	(7.2)	0.6	(13.9)	0.8	(20.2)	0.1	(3.6)	0.2	(5.8)	0.2	(5.8)	1.5	(38.1)
USA, Idaho	0.6	(29.3)	0.1	(5.4)	0.3	(12.0)	0.2	(12.6)	0.1	(3.6)	0.1	(4.2)	0.2	(7.2)	0.6	(25.7)
USA, Indiana	0.6	(23.6)	0.2	(9.5)	0.2	(9.8)	0.3	(13.2)	0.1	(3.4)	0.2	(6.8)	0.1	(5.5)	0.7	(28.2)
USA, Indiana: White	0.6	(26.2)	0.2	(9.8)	0.2	(9.2)	0.3	(12.1)	0.1	(3.5)	0.1	(5.6)	0.1	(5.4)	0.7	(28.2)
USA, Indiana: Black	0.4	(9.6)	0.3	(8.5)	0.5	(12.8)	0.7	(19.1)	0.1	(3.2)	0.5	(13.8)	0.2	(6.4)	1.0	(26.6)
*USA, Iowa	0.6	(29.5)	0.2	(7.0)	0.2	(10.8)	0.3	(14.6)	0.0	(1.3)	0.1	(6.0)	0.1	(5.7)	0.5	(25.1)
USA, Kentucky	0.7	(21.9)	0.2	(6.8)	0.5	(15.2)	0.4	(12.6)	0.1	(2.4)	0.2	(5.8)	0.2	(6.3)	0.9	(29.1)
USA, Louisiana	0.6	(18.8)	0.2	(6.0)	0.4	(13.3)	0.6	(21.0)	0.1	(3.6)	0.2	(7.3)	0.2	(5.8)	0.8	(24.2)
USA, Louisiana: White	0.7	(27.1)	0.1	(5.1)	0.3	(13.0)	0.4	(17.8)	0.1	(2.8)	0.2	(7.3)	0.1	(5.9)	0.5	(20.9)
USA, Louisiana: Black	0.5	(9.8)	0.3	(6.6)	0.7	(14.1)	1.1	(24.3)	0.2	(4.3)	0.3	(6.6)	0.3	(5.6)	1.5	(28.9)
*USA, Louisiana, New Orleans	0.5	(17.8)	0.2	(5.4)	0.6	(16.3)	0.6	(16.3)	0.1	(2.3)	0.2	(6.2)	0.3	(7.0)	1.0	(28.7)
*USA, Louisiana, New Orleans: White	0.8	(31.0)	0.1	(3.4)	0.4	(13.8)	0.4	(12.1)	—	—	0.1	(5.2)	0.2	(6.9)	0.8	(27.6)
*USA, Louisiana, New Orleans: Black	0.2	(7.6)	0.3	(6.1)	0.9	(19.7)	0.9	(21.2)	0.1	(3.0)	0.2	(6.1)	0.3	(6.1)	1.3	(30.3)
USA, Maine	0.6	(25.4)	0.1	(5.4)	0.3	(13.2)	0.3	(13.2)	0.0	(0.5)	0.2	(9.3)	0.1	(5.9)	0.8	(27.3)
USA, Maryland	0.5	(16.1)	0.2	(7.0)	0.4	(13.0)	0.6	(18.1)	0.1	(2.7)	0.2	(6.3)	0.2	(6.2)	1.0	(30.5)
USA, Maryland: White	0.5	(22.3)	0.2	(6.6)	0.3	(12.8)	0.3	(14.9)	0.1	(3.4)	0.2	(6.4)	0.1	(3.2)	0.8	(30.4)
USA, Maryland: Black	0.5	(10.8)	0.4	(8.2)	0.6	(11.3)	0.9	(19.7)	0.1	(2.4)	0.3	(5.5)	0.5	(10.3)	1.5	(31.8)
USA, Maryland: Asian and Pacific Islander	0.3	(6.2)	0.2	(3.7)	1.1	(22.2)	1.4	(29.6)	—	—	0.4	(7.4)	0.2	(4.9)	1.3	(25.9)
USA, Massachusetts	0.7	(23.2)	0.1	(4.5)	0.4	(12.5)	0.5	(19.1)	0.0	(1.6)	0.2	(6.3)	0.1	(4.2)	0.8	(28.6)
USA, Massachusetts: White	0.7	(27.0)	0.1	(4.3)	0.3	(12.3)	0.4	(18.3)	0.0	(1.1)	0.1	(6.4)	0.1	(3.1)	0.7	(27.5)
USA, Massachusetts: Black	0.4	(6.8)	0.3	(5.9)	0.5	(10.2)	1.1	(21.2)	0.1	(2.5)	0.2	(4.2)	0.5	(9.3)	2.0	(39.8)
USA, Massachusetts: Asian and Pacific Islander	0.5	(10.4)	0.1	(1.5)	0.8	(17.9)	1.2	(26.9)	0.2	(3.0)	0.4	(9.0)	0.3	(6.0)	1.1	(25.4)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, Michigan	0.5	(21.8)	0.2	(6.6)	0.3	(11.6)	0.4	(17.4)	0.0	(2.1)	0.1	(5.8)	0.1	(4.3)	0.8	(30.5)
USA, Michigan: White	0.5	(26.3)	0.1	(7.0)	0.3	(11.0)	0.3	(14.4)	0.0	(1.6)	0.1	(5.1)	0.1	(4.2)	0.6	(30.3)
USA, Michigan: Black	0.5	(10.2)	0.3	(5.8)	0.7	(13.6)	1.0	(25.1)	0.2	(3.7)	0.4	(8.1)	0.2	(4.1)	1.4	(29.5)
USA, Michigan: Asian and Pacific Islander	0.2	(4.4)	0.1	(2.2)	0.4	(8.9)	1.5	(33.3)	0.1	(2.2)	0.3	(6.7)	0.4	(8.9)	1.4	(33.3)
*USA, Michigan, Detroit	0.7	(20.9)	0.2	(6.1)	0.5	(14.0)	0.6	(21.1)	0.1	(2.8)	0.2	(6.2)	0.1	(3.4)	0.8	(25.4)
*USA, Michigan, Detroit: White	0.7	(27.2)	0.1	(6.4)	0.4	(14.8)	0.4	(17.6)	0.0	(2.3)	0.1	(5.3)	0.1	(2.8)	0.6	(23.7)
*USA, Michigan, Detroit: Black	0.6	(11.1)	0.3	(6.5)	0.7	(14.7)	1.0	(25.8)	0.1	(3.7)	0.3	(7.4)	0.2	(3.7)	1.3	(27.2)
USA, Minnesota	0.5	(21.1)	0.2	(8.4)	0.3	(11.7)	0.3	(15.2)	0.1	(3.2)	0.2	(8.1)	0.1	(6.0)	0.6	(26.3)
USA, Minnesota: White	0.5	(23.6)	0.2	(9.7)	0.3	(12.0)	0.3	(13.1)	0.1	(3.0)	0.2	(7.4)	0.1	(5.5)	0.5	(25.5)
USA, Minnesota: Black	0.2	(3.4)	–	–	0.2	(6.9)	0.8	(17.2)	–	–	0.2	(6.9)	0.6	(13.8)	2.0	(51.7)
*USA, Minnesota: Asian and Pacific Islander	0.3	(4.1)	0.1	(2.0)	0.8	(12.2)	2.3	(34.7)	0.5	(8.2)	1.3	(18.4)	0.4	(6.1)	0.9	(14.3)
USA, Mississippi	0.5	(15.5)	0.2	(6.9)	0.5	(13.7)	0.5	(16.6)	0.1	(1.7)	0.2	(7.8)	0.2	(6.1)	1.1	(31.7)
USA, Missouri	0.5	(22.5)	0.1	(6.0)	0.3	(12.4)	0.3	(14.0)	0.1	(2.6)	0.2	(7.6)	0.1	(6.1)	0.6	(28.7)
USA, Missouri: White	0.5	(25.1)	0.1	(5.5)	0.3	(13.1)	0.2	(11.8)	0.0	(2.2)	0.1	(6.3)	0.1	(5.9)	0.6	(29.9)
USA, Missouri: Black	0.5	(13.0)	0.3	(8.1)	0.5	(10.6)	0.8	(20.3)	0.2	(4.1)	0.5	(12.2)	0.4	(8.1)	0.9	(23.6)
USA, Montana	0.5	(27.2)	0.2	(7.0)	0.1	(7.0)	0.4	(14.9)	0.0	(1.8)	0.1	(5.3)	0.1	(5.3)	0.8	(31.6)
*USA, Montana: American Indian	0.8	(22.2)	–	–	0.9	(22.2)	0.5	(11.1)	–	–	–	–	1.1	(22.2)	1.0	(22.2)
USA, Nebraska	0.5	(28.1)	0.1	(4.9)	0.3	(11.4)	0.3	(13.5)	0.1	(4.9)	0.1	(4.3)	0.2	(7.6)	0.5	(25.4)
USA, Nebraska: White	0.5	(28.9)	0.1	(4.8)	0.2	(10.8)	0.3	(13.3)	0.1	(5.4)	0.1	(4.2)	0.1	(6.6)	0.5	(25.9)
*USA, Nebraska: Black	1.4	(36.4)	0.4	(9.1)	0.3	(9.1)	0.4	(9.1)	–	–	–	–	0.2	(9.1)	1.1	(27.3)
USA, Nevada	0.4	(15.3)	0.2	(6.8)	0.3	(10.0)	0.4	(13.6)	0.1	(2.7)	0.2	(5.9)	0.2	(5.3)	1.1	(40.4)
USA, Nevada: White	0.4	(16.9)	0.2	(7.2)	0.3	(10.4)	0.3	(12.0)	0.0	(2.0)	0.1	(5.6)	0.2	(6.0)	1.0	(39.8)
USA, Nevada: Black	0.4	(11.4)	0.3	(8.6)	0.2	(5.7)	0.4	(14.3)	0.2	(5.7)	0.2	(5.7)	–	–	1.6	(48.6)
*USA, Nevada: Asian and Pacific Islander	0.3	(7.8)	0.1	(2.0)	0.4	(11.8)	0.7	(21.6)	0.1	(3.9)	0.3	(7.8)	0.2	(5.9)	1.6	(39.2)
USA, New Jersey	0.6	(15.7)	0.3	(6.7)	0.6	(14.1)	0.6	(17.2)	0.1	(1.6)	0.3	(7.1)	0.2	(4.6)	1.3	(32.9)
USA, New Jersey: White	0.6	(19.3)	0.2	(6.4)	0.5	(13.9)	0.5	(15.4)	0.1	(1.7)	0.2	(6.1)	0.1	(4.2)	1.1	(33.0)
USA, New Jersey: Black	0.4	(8.0)	0.5	(9.0)	0.7	(13.8)	0.9	(18.3)	0.1	(1.3)	0.4	(8.7)	0.3	(6.8)	1.9	(34.1)
USA, New Mexico	0.5	(16.1)	0.2	(5.6)	0.4	(13.0)	0.4	(12.7)	0.1	(3.4)	0.2	(7.1)	0.2	(5.9)	1.1	(36.0)
USA, New Mexico: White	0.5	(17.4)	0.2	(5.8)	0.4	(13.5)	0.3	(12.7)	0.0	(2.7)	0.2	(6.2)	0.2	(6.6)	1.0	(35.1)
USA, New Mexico: Non-Hispanic White	0.5	(30.8)	0.1	(5.5)	0.1	(9.9)	0.1	(9.9)	0.0	(2.2)	0.1	(3.3)	0.1	(6.6)	0.7	(31.9)
USA, New Mexico: Hispanic White	0.5	(10.1)	0.3	(6.0)	0.7	(15.5)	0.6	(14.3)	0.1	(3.0)	0.4	(7.7)	0.4	(6.5)	1.6	(36.9)
*USA, New Mexico: American Indian	0.7	(14.0)	0.3	(4.7)	0.6	(9.3)	0.6	(9.3)	0.5	(9.3)	0.4	(9.3)	0.2	(4.7)	2.0	(39.5)
USA, New York State	0.7	(17.5)	0.3	(7.5)	0.7	(15.7)	0.7	(18.4)	0.1	(1.7)	0.3	(6.8)	0.2	(4.6)	1.2	(27.8)
USA, New York State: White	0.7	(21.1)	0.2	(7.2)	0.6	(15.6)	0.5	(16.2)	0.1	(1.6)	0.2	(6.2)	0.2	(4.5)	1.0	(27.6)
USA, New York State: Black	0.7	(11.3)	0.5	(9.3)	0.9	(15.5)	0.9	(19.8)	0.1	(2.3)	0.3	(6.3)	0.3	(5.3)	1.7	(30.2)
USA, New York State: Asian and Pacific Islander	0.6	(10.0)	0.4	(6.1)	1.2	(16.9)	1.8	(27.6)	0.1	(1.2)	0.8	(11.4)	0.2	(2.8)	1.7	(24.0)
USA, North Carolina	0.6	(19.1)	0.2	(6.9)	0.4	(13.4)	0.4	(13.6)	0.1	(2.5)	0.2	(6.4)	0.1	(5.1)	1.0	(33.1)
USA, North Carolina: White	0.6	(23.6)	0.1	(6.1)	0.3	(13.7)	0.3	(11.7)	0.1	(2.8)	0.1	(5.9)	0.1	(4.7)	0.8	(31.5)
USA, North Carolina: Black	0.6	(11.1)	0.4	(8.5)	0.6	(12.4)	0.8	(17.3)	0.1	(1.9)	0.3	(6.4)	0.3	(6.0)	1.7	(36.3)
USA, North Carolina: Asian and Pacific Islander	0.5	(10.3)	0.1	(2.6)	0.8	(17.9)	0.7	(15.4)	–	–	0.8	(17.9)	0.1	(2.6)	1.3	(33.3)
*USA, North Carolina: American Indian	0.4	(11.8)	0.4	(11.8)	–	–	0.5	(17.6)	0.2	(5.9)	0.4	(11.8)	0.4	(11.8)	0.8	(29.4)
USA, North Dakota	0.5	(26.9)	0.0	(3.8)	0.2	(10.3)	0.2	(11.5)	0.0	(2.6)	0.1	(3.8)	0.1	(5.1)	0.9	(35.9)
USA, Ohio	0.6	(22.0)	0.2	(6.2)	0.4	(14.0)	0.4	(15.5)	0.0	(1.4)	0.2	(5.8)	0.1	(4.6)	0.8	(30.6)
USA, Ohio: White	0.6	(24.8)	0.1	(5.7)	0.4	(15.2)	0.3	(14.0)	0.0	(1.5)	0.1	(5.4)	0.1	(3.9)	0.7	(29.5)
USA, Ohio: Black	0.5	(10.9)	0.4	(8.3)	0.4	(8.6)	1.0	(21.1)	0.0	(1.0)	0.3	(6.6)	0.4	(7.6)	1.7	(36.0)
*USA, Ohio: Asian and Pacific Islander	0.4	(9.4)	0.1	(3.1)	0.1	(3.1)	1.0	(25.0)	–	–	0.5	(15.6)	0.1	(3.1)	1.5	(40.6)
USA, Oklahoma	0.5	(20.1)	0.2	(7.0)	0.3	(8.9)	0.3	(13.5)	0.0	(1.7)	0.1	(4.7)	0.2	(5.9)	1.0	(38.3)
USA, Oklahoma: White	0.5	(21.9)	0.1	(7.0)	0.2	(8.7)	0.3	(12.1)	0.0	(1.7)	0.1	(4.8)	0.1	(5.6)	0.8	(38.2)
USA, Oklahoma: Black	0.4	(9.3)	0.4	(9.3)	0.1	(2.3)	0.6	(16.3)	0.1	(2.3)	0.3	(7.0)	0.5	(11.6)	1.8	(41.9)
USA, Oklahoma: American Indian	0.7	(16.7)	0.3	(5.6)	0.7	(16.7)	0.8	(18.5)	–	–	0.1	(1.9)	0.2	(3.7)	1.5	(37.0)
USA, Oregon	0.5	(23.8)	0.2	(8.0)	0.2	(8.4)	0.3	(13.8)	0.0	(2.2)	0.3	(10.6)	0.1	(6.3)	0.7	(27.0)
USA, Oregon: White	0.5	(25.5)	0.2	(7.6)	0.2	(8.8)	0.2	(12.4)	0.0	(1.8)	0.2	(10.6)	0.1	(6.3)	0.6	(27.0)
*USA, Oregon: Black	0.7	(20.0)	0.7	(20.0)	–	–	0.4	(10.0)	–	–	–	–	0.6	(20.0)	1.2	(30.0)
*USA, Oregon: Asian and Pacific Islander	0.8	(12.5)	0.5	(8.3)	0.4	(8.3)	1.6	(27.1)	0.3	(4.2)	0.9	(14.6)	0.3	(4.2)	1.2	(20.8)
USA, Rhode Island	0.8	(26.8)	0.2	(3.9)	0.6	(18.4)	0.6	(19.0)	–	–	0.2	(6.1)	0.0	(2.2)	0.6	(23.5)
USA, Rhode Island: White	0.9	(29.7)	0.1	(2.5)	0.6	(19.6)	0.5	(17.1)	–	–	0.2	(5.7)	0.0	(2.5)	0.5	(22.8)
*USA, Rhode Island: Black	0.4	(8.3)	0.8	(16.7)	0.3	(8.3)	1.4	(41.7)	–	–	0.8	(16.7)	–	–	0.4	(8.3)
USA, South Carolina	0.6	(18.5)	0.2	(7.3)	0.3	(11.0)	0.5	(17.3)	0.0	(1.5)	0.2	(7.8)	0.2	(5.0)	0.9	(31.5)
USA, South Carolina: White	0.5	(22.9)	0.1	(7.2)	0.2	(11.3)	0.3	(14.5)	0.0	(1.2)	0.2	(7.2)	0.1	(4.8)	0.7	(30.8)
USA, South Carolina: Black	0.7	(13.2)	0.4	(6.6)	0.5	(9.9)	1.0	(20.7)	0.1	(2.0)	0.4	(8.2)	0.3	(5.6)	1.7	(33.9)
USA, South Dakota	0.4	(19.3)	0.1	(9.6)	0.4	(14.5)	0.2	(10.8)	–	–	0.0	(2.4)	0.2	(7.2)	0.6	(36.1)
USA, Tennessee	0.5	(19.6)	0.2	(7.1)	0.4	(14.8)	0.3	(12.7)	0.1	(3.2)	0.2	(5.9)	0.2	(7.3)	0.8	(29.4)
USA, Tennessee: White	0.5	(21.1)	0.2	(7.2)	0.4	(13.8)	0.2	(11.1)	0.1	(3.2)	0.1	(5.7)	0.2	(6.6)	0.7	(31.2)
USA, Tennessee: Black	0.6	(14.3)	0.3	(6.6)	0.7	(16.5)	0.7	(18.1)	0.1	(3.3)	0.3	(6.6)	0.4	(9.3)	1.1	(25.3)
USA, Texas	0.4	(13.9)	0													

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, West Virginia	0.6	(22.2)	0.2	(5.8)	0.2	(9.8)	0.5	(18.5)	0.0	(1.8)	0.1	(5.5)	0.1	(2.9)	0.9	(33.5)
USA, Wyoming	0.4	(23.3)	0.1	(2.3)	0.1	(9.3)	0.0	(2.3)	0.1	(4.7)	–	–	0.2	(11.6)	0.8	(46.5)
Asia																
Bahrain: Bahrainis	0.2	(6.1)	–	–	0.1	(3.0)	–	–	0.1	(3.0)	–	–	–	–	2.4	(87.9)
Brunei Darussalam	0.3	(4.2)	–	–	0.2	(4.2)	0.3	(6.2)	0.1	(2.1)	0.4	(6.2)	0.1	(2.1)	4.2	(75.0)
*China, Anfu County	0.4	(3.6)	0.1	(0.9)	0.6	(6.4)	0.7	(7.3)	–	–	0.4	(3.6)	–	–	8.2	(78.2)
*China, Anguo City	2.7	(21.1)	1.0	(8.8)	0.5	(3.5)	0.4	(3.5)	0.1	(1.2)	0.1	(1.2)	–	–	7.7	(60.8)
*China, Anshan City	0.2	(2.8)	0.1	(1.7)	0.3	(4.0)	0.6	(8.7)	0.0	(0.2)	0.1	(1.5)	0.0	(0.2)	5.4	(80.9)
*China, Aohan Banner, Chifeng City	–	–	–	–	–	–	0.2	(1.8)	–	–	–	–	–	–	7.8	(98.2)
*China, Arongqi	0.1	(1.1)	–	–	–	–	–	–	–	–	–	–	–	–	10.7	(98.9)
*China, Baoding City	0.6	(9.4)	0.2	(2.6)	0.2	(2.3)	0.2	(2.3)	–	–	–	–	0.0	(0.4)	5.6	(83.1)
*China, Beijing City	0.5	(8.3)	0.2	(2.4)	0.7	(10.0)	1.1	(18.0)	0.1	(0.8)	0.2	(3.9)	0.1	(0.9)	3.3	(55.6)
*China, Binhai County	2.8	(19.1)	0.1	(0.6)	0.0	(0.1)	0.0	(0.3)	–	–	0.6	(4.0)	0.0	(0.3)	10.9	(75.7)
*China, Cangzhou City	0.9	(11.9)	0.2	(2.2)	–	–	0.2	(2.2)	–	–	0.2	(2.2)	0.0	(0.7)	6.4	(80.7)
China, Changfeng County	1.2	(8.6)	0.0	(0.5)	0.3	(2.3)	0.8	(5.9)	0.1	(0.5)	–	–	–	–	9.4	(82.3)
China, Changzhou City	3.8	(19.3)	0.2	(0.8)	2.1	(9.7)	0.8	(4.0)	0.1	(0.3)	0.5	(2.3)	0.1	(0.3)	13.1	(63.3)
China, Chengdu City	0.6	(6.2)	0.4	(3.6)	0.9	(8.9)	1.1	(10.9)	–	–	0.3	(3.1)	0.0	(0.5)	6.2	(66.7)
China, Cixian County	12.9	(42.6)	0.5	(1.7)	2.0	(6.8)	9.7	(33.3)	2.0	(6.4)	0.5	(1.8)	0.1	(0.2)	2.1	(7.2)
China, Cixi City	0.4	(3.9)	0.3	(3.3)	0.8	(8.1)	1.6	(18.3)	0.1	(1.0)	0.5	(5.9)	0.0	(0.4)	5.0	(59.1)
*China, Dafeng District, Yancheng City	2.8	(24.1)	0.1	(0.8)	0.4	(2.7)	0.9	(5.9)	0.1	(0.9)	0.9	(6.1)	0.1	(0.6)	7.7	(59.0)
China, Dalian City	0.2	(2.2)	0.1	(0.9)	0.8	(6.5)	2.3	(19.7)	0.0	(0.5)	0.3	(2.8)	0.1	(0.7)	7.4	(66.7)
*China, Dancheng County	5.4	(16.8)	2.2	(7.0)	2.0	(6.0)	0.2	(0.5)	0.4	(1.4)	0.3	(0.9)	0.2	(0.5)	20.7	(66.9)
China, Dangtu County	1.7	(9.2)	0.3	(1.3)	1.4	(6.7)	2.9	(14.6)	0.0	(0.4)	1.4	(7.5)	0.1	(0.4)	10.9	(59.8)
*China, Danyang City	10.1	(31.3)	1.7	(5.0)	5.3	(14.8)	1.3	(3.7)	0.0	(0.1)	0.4	(1.3)	–	–	14.6	(43.7)
*China, Dawukou District, Shizuishan City	0.2	(2.0)	0.4	(4.0)	0.4	(5.1)	1.5	(16.2)	0.1	(1.0)	0.6	(7.1)	–	–	5.8	(64.6)
*China, Dehui City	0.2	(1.6)	–	–	–	–	–	–	–	–	–	–	–	–	10.5	(98.4)
*China, Donggang County	0.1	(0.8)	0.1	(0.5)	0.1	(0.5)	0.3	(2.4)	–	–	–	–	–	–	11.9	(95.7)
*China, Dongguan City	0.2	(2.9)	0.2	(2.6)	0.8	(13.6)	1.2	(21.3)	0.1	(1.1)	0.2	(3.3)	0.0	(0.7)	3.1	(54.4)
China, Donghai County	0.2	(2.2)	0.1	(1.1)	0.3	(3.3)	0.4	(4.4)	–	–	0.1	(1.1)	–	–	7.1	(87.9)
*China, Dongtai City	1.8	(15.5)	–	–	0.3	(2.3)	0.2	(1.2)	–	–	0.2	(1.5)	–	–	9.3	(79.5)
China, Duanzhou District, Zhaoqing City	0.2	(3.2)	0.4	(7.9)	1.5	(28.6)	0.8	(15.9)	–	–	0.1	(1.6)	–	–	2.2	(42.9)
*China, Evenki Autonomous Banner	3.9	(46.4)	0.2	(3.6)	0.3	(3.6)	2.5	(28.6)	–	–	–	–	–	–	1.5	(17.9)
*China, Faku County	0.2	(3.8)	0.0	(0.8)	–	–	0.1	(1.5)	–	–	0.1	(0.8)	–	–	5.7	(93.2)
*China, Fangcheng County	6.7	(41.4)	3.4	(21.0)	1.4	(9.0)	0.2	(1.7)	–	–	0.1	(0.6)	0.1	(0.6)	4.0	(25.7)
*China, Feicheng City	5.4	(33.2)	0.2	(1.3)	0.9	(5.3)	0.8	(4.7)	0.1	(0.7)	0.2	(0.9)	0.1	(0.4)	8.4	(53.5)
China, Feixi County	3.0	(15.5)	0.2	(0.8)	0.4	(1.5)	1.0	(4.1)	0.0	(0.1)	0.1	(0.4)	0.0	(0.1)	16.0	(77.4)
China, Fuqing City	1.1	(8.2)	0.2	(1.6)	0.9	(5.8)	1.3	(9.3)	0.1	(0.5)	0.1	(0.8)	0.0	(0.3)	9.3	(73.5)
*China, Ganyu District, Lianyungang City	0.4	(4.7)	0.2	(2.1)	0.2	(2.6)	0.3	(3.2)	0.0	(0.5)	0.1	(1.6)	0.0	(0.3)	6.6	(85.0)
*China, Ganzhou District, Zhangye City	6.4	(20.9)	1.5	(4.3)	7.0	(21.6)	1.2	(3.9)	1.0	(3.2)	0.6	(2.1)	–	–	14.0	(44.0)
*China, Gaocheng City	1.8	(14.3)	0.8	(7.0)	1.2	(9.8)	0.3	(1.8)	0.0	(0.3)	0.4	(3.7)	0.3	(2.1)	7.4	(61.0)
China, Gaomi City	0.3	(2.1)	0.1	(1.0)	0.6	(4.5)	3.9	(29.6)	–	–	0.5	(4.1)	0.0	(0.2)	6.4	(58.5)
China, Gong'an County	0.3	(4.6)	0.1	(2.5)	0.2	(4.1)	0.7	(12.7)	0.0	(0.5)	0.1	(1.0)	0.0	(0.5)	4.1	(74.1)
*China, Guang'an District, Guang'an City	1.1	(7.9)	0.6	(4.0)	1.0	(7.0)	0.6	(4.0)	0.2	(1.3)	0.4	(2.6)	0.2	(1.7)	10.2	(71.5)
China, Guanghan City	0.5	(5.4)	0.1	(1.3)	0.3	(4.0)	0.5	(5.4)	–	–	0.8	(8.1)	0.1	(0.7)	5.6	(75.2)
China, Guangzhou City	0.3	(5.6)	0.2	(3.7)	0.8	(13.1)	1.3	(24.3)	0.0	(0.6)	0.1	(1.9)	0.0	(0.9)	2.6	(49.9)
*China, Guanyun County	1.2	(12.8)	0.1	(0.6)	0.0	(0.3)	0.2	(1.5)	–	–	0.0	(0.6)	–	–	7.5	(84.1)
China, Guilin City	0.1	(1.7)	0.1	(1.7)	0.6	(6.4)	0.7	(8.1)	0.0	(0.4)	–	–	0.0	(0.4)	7.6	(81.3)
*China, Hai'an City	3.0	(30.1)	0.4	(3.7)	0.4	(4.1)	0.7	(6.3)	0.1	(0.8)	0.5	(3.4)	0.1	(0.8)	5.4	(50.9)
China, Hailar District, Hulun Buir City	0.5	(5.4)	–	–	0.1	(0.9)	0.4	(5.4)	–	–	–	–	–	–	7.5	(88.4)
China, Haimen District, Nantong City	0.8	(6.0)	0.1	(0.9)	0.6	(3.7)	2.0	(14.6)	0.0	(0.3)	0.6	(3.9)	–	–	9.7	(70.6)
China, Haining City	0.5	(6.8)	0.2	(2.0)	1.1	(11.2)	1.3	(17.0)	–	–	0.5	(6.1)	–	–	4.6	(56.8)
China, Hangzhou City	0.5	(5.3)	0.4	(3.7)	1.5	(13.7)	2.3	(24.3)	0.0	(0.6)	0.8	(7.9)	0.1	(0.6)	4.3	(43.9)
China, Hebi City	5.1	(34.0)	1.3	(8.0)	1.7	(10.4)	1.2	(7.1)	0.3	(1.9)	0.4	(2.4)	0.2	(0.9)	5.4	(35.4)
China, Hefei City	2.3	(13.7)	0.2	(0.9)	0.5	(2.6)	0.7	(4.1)	0.0	(0.1)	0.3	(1.5)	0.0	(0.3)	12.7	(76.7)
China, Hengdong County	0.0	(0.9)	0.1	(0.9)	0.3	(4.3)	0.5	(6.1)	–	–	–	–	0.1	(0.9)	5.8	(87.0)
*China, Hengfeng County	0.4	(3.8)	1.9	(15.2)	2.0	(16.5)	1.2	(8.9)	0.8	(6.3)	0.2	(1.3)	–	–	6.5	(48.1)
*China, Hepu County	0.0	(0.4)	0.1	(1.2)	0.2	(1.7)	0.4	(5.8)	–	–	0.1	(0.8)	–	–	7.1	(90.1)
China, Honghu City	0.2	(1.7)	0.7	(7.4)	0.5	(5.1)	1.0	(10.5)	–	–	0.1	(1.4)	0.1	(0.7)	6.7	(73.3)
China, Hongshan District, Chifeng City	0.0	(1.1)	–	–	0.1	(1.1)	0.1	(2.1)	–	–	–	–	–	–	6.2	(95.7)
*China, Hongta District, Yuxi City	0.1	(1.3)	0.2	(3.8)	0.3	(7.6)	0.5	(12.7)	0.1	(1.3)	0.2	(2.5)	0.1	(1.3)	3.2	(69.6)
*China, Huaiyin District, Huai'an City	2.8	(26.9)	0.4	(3.1)	0.1	(0.7)	0.8	(5.5)	–	–	0.2	(2.2)	–	–	6.9	(61.7)
*China, Jiange County	2.0	(9.6)	0.4	(2.2)	4.2	(22.3)	0.2	(0.8)	0.1	(0.5)	0.2	(0.8)	0.2	(0.8)	12.8	(62.9)
China, Jiangmen City	0.1	(2.6)	0.6	(10.5)	0.5	(8.5)	1.0	(18.3)	–	–	0.2	(2.6)	–	–	3.2	(57.5)
*China, Jiangyin City	3.6	(21.9)	0.4	(2.3)	3.0	(15.4)	2.2	(11.8)	0.0	(0.3)	1.1	(5.4)	0.1	(0.6)	7.3	(42.3)
*China, Jiashan County	0.6	(9.1)	0.2	(3.0)	1.8	(18.7)	3.2	(36.4)	–	–	0.3	(3.0)	0.1	(1.0)	2.5	(28.8)
China, Jiayu County	0.1	(1.2)	0.8	(7.5)	0.6	(6.2)	0.5	(5.0)	0.1	(1.2)	–	–	–	–	8.0	(78.8)
*China, Jinan City	1.1	(10.8)	0.6	(5.8)	0.5	(4.8)	0.5	(5.1)	–	–	0.1	(1.2)	0.0	(0.3)	7.6	(72.0)
*China, Jingtai County	1.2	(7.0)	0.3	(1.8)	1.4	(8.8)	1.5	(8.8)	0.3	(1.8)	0.3	(1.8)	–	–	11.3	(70.2)
*China, Jingxian County	0.2	(2.1)	–	–	–	–	0.2	(1.5)	–	–	–	–	–	–	15.6	(96.4)
*China, Jintan District, Changzhou City	7.5	(28.6)	0.1	(0.5)	1.3	(5.0)	0.4	(1.7)	0.0	(0.2)	0.7	(2.3)	–	–	16.7	(62.0)
*China, Jiulongpo District, Chongqing City	0.2	(3.7)	0.5	(9.1)	0.7	(13.4)	0.8	(14.4)	–	–	0.1	(1.6)	0.0	(0.5)	3.3	(57.2)
*China, Jiuyuan City	12.3	(34.8)	2.3	(6.9)	3.9	(11.3)	2.0	(5.7)	1.1	(3.6)	2.7	(7.9)	1.6	(4.3)	8.9	(25.5)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
China, Kaihua County	1.3	(10.4)	0.3	(3.0)	1.2	(10.4)	2.8	(28.4)	0.1	(1.5)	0.8	(8.2)	0.1	(1.5)	3.9	(36.6)
China, Kunshan City	1.1	(7.9)	0.1	(0.3)	0.3	(1.8)	0.7	(4.9)	—	—	0.3	(1.6)	0.1	(0.7)	13.1	(82.8)
China, Langzhong City	6.2	(41.2)	0.1	(0.7)	0.1	(0.7)	0.4	(2.8)	—	—	—	—	—	—	8.3	(54.6)
*China, Liangshan County	1.0	(11.8)	0.5	(5.9)	0.6	(7.4)	0.8	(8.5)	0.0	(0.4)	0.1	(1.1)	0.1	(1.1)	5.1	(63.8)
*China, Lianshui County	4.0	(39.1)	0.1	(0.8)	0.1	(1.2)	0.1	(0.4)	0.0	(0.2)	—	—	0.0	(0.6)	6.3	(57.7)
China, Lianyungang City	0.7	(9.0)	0.1	(1.7)	0.1	(1.2)	0.2	(2.9)	—	—	0.1	(1.2)	0.0	(0.3)	6.7	(83.7)
China, Linhe District, Bayannur City	1.1	(8.5)	1.4	(11.8)	2.0	(17.6)	1.1	(9.8)	0.1	(1.3)	0.2	(2.0)	0.6	(5.2)	4.8	(43.8)
China, Linqu County	0.6	(3.6)	0.8	(4.0)	1.8	(10.1)	4.4	(23.9)	0.1	(0.4)	1.9	(10.7)	0.1	(0.4)	8.3	(46.9)
*China, Linzhou City	20.9	(59.6)	0.8	(2.3)	1.8	(5.2)	1.4	(3.8)	0.0	(0.1)	0.4	(1.1)	0.1	(0.2)	9.7	(27.7)
China, Liuzhou City	0.1	(1.6)	0.2	(2.9)	1.0	(12.9)	1.9	(22.5)	0.0	(0.3)	0.2	(2.6)	0.1	(1.0)	4.3	(56.3)
China, Liyang City	1.8	(15.3)	0.1	(0.5)	0.9	(5.6)	1.1	(8.1)	0.1	(0.5)	0.3	(2.3)	0.0	(0.2)	9.0	(67.4)
*China, Longquan City	0.4	(4.8)	0.1	(1.2)	1.8	(19.0)	1.6	(17.9)	0.0	(1.2)	0.7	(7.1)	—	—	4.2	(48.8)
China, Lucheng District, Wenzhou City	0.7	(6.6)	0.2	(1.6)	2.0	(17.2)	3.5	(32.8)	0.1	(1.2)	0.5	(4.5)	0.3	(2.5)	3.6	(33.6)
China, Luoding City	0.7	(13.1)	0.1	(1.5)	0.6	(9.5)	1.2	(21.9)	—	—	0.2	(2.2)	—	—	2.9	(51.8)
*China, Luohe City	2.9	(23.1)	3.3	(25.4)	2.2	(17.7)	0.3	(2.5)	0.0	(0.4)	0.4	(3.7)	0.1	(0.7)	3.2	(26.6)
*China, Luoyang City	1.9	(21.2)	0.2	(2.2)	0.3	(3.2)	0.1	(1.8)	0.0	(0.2)	0.1	(0.8)	0.1	(0.8)	6.1	(69.8)
*China, Luquan City	1.5	(16.8)	0.4	(3.7)	0.2	(2.8)	—	—	—	—	0.4	(4.7)	0.0	(0.9)	5.4	(71.0)
China, Ma'anshan City	2.4	(13.3)	0.2	(1.1)	0.9	(4.3)	1.9	(9.8)	0.1	(0.2)	1.3	(6.7)	0.1	(0.4)	12.2	(64.1)
*China, Macheng City	4.1	(23.3)	0.0	(0.2)	2.0	(11.4)	3.3	(19.0)	0.0	(0.2)	0.2	(1.0)	—	—	7.5	(44.8)
China, Meihkekou City	0.1	(1.3)	1.4	(21.2)	1.8	(26.3)	1.3	(19.2)	0.2	(2.6)	0.0	(0.6)	0.1	(1.3)	2.0	(27.6)
*China, Mengjin County	3.8	(25.7)	—	—	0.5	(3.2)	0.4	(2.1)	—	—	0.8	(4.8)	—	—	9.1	(64.2)
China, Nangang District, Harbin City	0.1	(1.0)	0.1	(2.1)	0.4	(5.9)	1.2	(19.2)	0.0	(0.3)	0.0	(0.3)	0.0	(0.3)	4.1	(70.6)
*China, Nanhai District, Foshan City	0.1	(2.0)	0.3	(4.5)	0.9	(12.4)	0.9	(13.9)	0.0	(0.5)	0.3	(4.5)	—	—	3.8	(62.4)
China, Nanhu District, Jiaxing City	0.5	(7.1)	0.4	(4.9)	2.0	(21.4)	2.2	(28.6)	0.1	(0.9)	0.3	(3.6)	0.0	(0.4)	2.6	(33.0)
*China, Nantong City	1.1	(11.0)	0.2	(1.4)	0.2	(1.2)	0.6	(5.6)	—	—	0.1	(0.7)	—	—	9.3	(80.1)
*China, Nanxiong City	0.1	(0.7)	0.2	(2.0)	0.5	(5.9)	3.4	(38.2)	0.0	(0.7)	0.4	(3.9)	—	—	3.8	(48.7)
China, Neixiang County	7.6	(38.8)	2.4	(12.7)	2.3	(12.0)	2.9	(14.3)	0.1	(0.6)	1.1	(5.6)	0.4	(2.0)	2.5	(14.1)
*China, Qianxi County	0.4	(2.8)	—	—	0.1	(0.5)	0.3	(2.4)	0.1	(0.5)	—	—	—	—	14.6	(93.9)
China, Qidong City	0.2	(1.3)	0.1	(0.5)	0.1	(0.7)	0.4	(3.1)	—	—	0.3	(2.7)	—	—	11.8	(91.7)
China, Qingzhou City	0.9	(8.5)	0.2	(1.3)	0.8	(7.0)	2.8	(24.5)	0.1	(0.5)	0.6	(5.9)	—	—	5.3	(52.2)
*China, Rudong County	1.0	(10.4)	0.1	(0.9)	0.1	(1.2)	0.3	(3.1)	0.0	(0.1)	0.2	(2.0)	0.0	(0.3)	8.8	(82.0)
*China, Rugao City	2.8	(31.7)	0.3	(2.6)	0.7	(7.1)	0.9	(9.1)	0.1	(0.7)	0.4	(3.8)	0.1	(0.5)	4.1	(44.5)
*China, Rural areas of Shanghai City	0.4	(4.4)	0.2	(1.4)	1.0	(7.5)	1.7	(16.8)	0.0	(0.3)	0.8	(6.2)	0.0	(0.2)	6.9	(63.2)
China, Ruyang County	6.4	(38.9)	0.4	(3.0)	1.2	(6.9)	1.2	(6.9)	0.3	(1.5)	0.3	(1.5)	0.2	(1.0)	5.2	(40.4)
*China, Shan County	0.9	(6.9)	0.3	(2.6)	0.1	(0.9)	0.0	(0.2)	—	—	0.1	(1.4)	0.0	(0.2)	11.2	(87.7)
China, Shanghai City	0.3	(3.6)	0.2	(1.3)	1.2	(8.9)	1.6	(15.5)	0.0	(0.5)	0.7	(5.4)	0.0	(0.4)	6.9	(64.5)
China, Shangyu District, Shaoxing City	0.6	(3.5)	0.4	(1.9)	2.0	(11.9)	3.0	(17.4)	0.1	(0.6)	0.9	(4.7)	—	—	10.1	(59.8)
*China, Shapingba District, Chongqing City	0.4	(4.9)	0.2	(3.0)	0.8	(10.9)	1.0	(13.1)	0.0	(0.4)	0.2	(2.6)	0.0	(0.4)	4.9	(64.8)
China, Shexian County	21.3	(47.5)	1.5	(3.4)	9.3	(20.7)	4.1	(8.9)	0.3	(0.6)	0.4	(0.8)	1.2	(2.7)	6.7	(15.3)
China, Sheyang County	6.7	(38.4)	—	—	0.0	(0.1)	0.2	(0.7)	0.0	(0.1)	0.1	(0.2)	—	—	11.1	(60.4)
*China, Shijiazhuang City	1.5	(19.7)	0.3	(3.9)	0.3	(4.3)	0.5	(6.4)	0.1	(0.6)	0.2	(2.1)	0.0	(0.2)	5.1	(62.7)
China, Shunde District, Foshan City	0.1	(2.8)	0.1	(2.8)	0.3	(4.6)	0.7	(13.4)	—	—	0.1	(2.3)	0.0	(0.5)	3.6	(73.7)
*China, Song County	7.0	(28.1)	1.1	(3.9)	1.2	(5.8)	0.4	(1.8)	0.0	(0.3)	0.8	(3.1)	0.2	(1.3)	12.6	(55.6)
China, Suzhou City	1.3	(9.2)	0.1	(1.1)	0.3	(2.3)	0.4	(2.4)	0.0	(0.1)	0.1	(0.6)	0.1	(0.5)	12.4	(83.8)
*China, Tengzhou City	0.8	(7.5)	0.2	(1.8)	0.0	(0.5)	0.1	(1.3)	0.0	(0.2)	0.1	(0.7)	0.0	(0.3)	8.1	(87.7)
*China, Wangdu County	0.6	(5.3)	0.4	(4.0)	0.2	(1.3)	0.4	(4.0)	0.3	(2.7)	0.4	(4.0)	0.2	(2.7)	8.2	(76.0)
*China, Wanzai County	—	—	0.2	(1.9)	0.3	(2.9)	0.3	(3.8)	—	—	—	—	—	—	7.9	(91.3)
*China, Wu'an City	7.3	(22.7)	0.4	(1.0)	3.3	(10.2)	1.3	(4.0)	0.0	(0.1)	0.3	(0.8)	0.1	(0.4)	20.4	(60.9)
China, Wuhan City	0.7	(7.7)	0.4	(4.3)	2.1	(22.2)	1.7	(18.8)	0.1	(0.6)	0.3	(3.1)	0.1	(0.7)	3.7	(42.7)
*China, Wuhu City	1.5	(10.4)	0.1	(0.6)	0.5	(2.9)	0.9	(6.4)	0.0	(0.4)	0.2	(1.2)	0.0	(0.1)	12.0	(77.9)
China, Wuxi City	2.9	(19.1)	0.4	(2.6)	2.3	(13.4)	3.1	(19.2)	0.1	(0.7)	2.0	(11.5)	0.4	(2.3)	4.6	(31.2)
China, Wuzhou City	0.1	(3.3)	0.1	(2.2)	0.1	(2.2)	0.7	(16.7)	—	—	—	—	0.0	(1.1)	3.4	(74.4)
China, Xiangfu District, Kaifeng City	2.1	(25.6)	0.6	(8.3)	1.0	(13.1)	2.0	(25.6)	0.1	(1.2)	0.5	(6.0)	0.4	(4.8)	1.0	(15.5)
China, Xianju County	8.8	(29.1)	0.9	(2.9)	4.2	(13.0)	5.3	(17.2)	0.2	(0.6)	1.1	(3.4)	0.1	(0.3)	10.0	(33.3)
*China, Xin'an County	2.1	(13.6)	0.4	(2.5)	0.8	(5.0)	0.4	(2.5)	0.2	(1.5)	0.2	(1.0)	0.2	(1.5)	11.6	(72.4)
*China, Xining City	1.4	(8.5)	0.3	(1.7)	0.8	(4.0)	1.0	(5.9)	—	—	—	—	0.1	(0.2)	14.3	(79.6)
*China, Xinji City	2.2	(31.1)	0.9	(12.8)	0.8	(11.4)	0.5	(6.8)	0.2	(2.7)	0.0	(0.5)	—	—	2.8	(34.7)
*China, Xinluo District, Longyan City	0.3	(2.8)	0.3	(2.8)	0.4	(3.4)	0.7	(6.2)	0.1	(1.4)	0.3	(1.4)	—	—	9.4	(82.1)
*China, Xinzhou District, Shangrao City	0.3	(2.2)	0.4	(2.7)	0.6	(4.3)	1.3	(9.2)	—	—	0.3	(1.6)	0.1	(0.5)	10.3	(79.3)
China, Xiping County	1.6	(16.0)	0.2	(1.7)	0.3	(3.1)	0.6	(5.8)	—	—	0.4	(3.8)	—	—	6.6	(69.6)
*China, Xishan District, Kunming City	0.1	(1.9)	0.0	(1.0)	0.4	(5.8)	0.3	(3.9)	—	—	0.1	(1.9)	—	—	4.8	(85.4)
*China, Xuyi County	2.7	(28.4)	0.0	(0.4)	—	—	0.4	(4.4)	—	—	0.2	(2.4)	0.0	(0.4)	5.7	(64.0)
*China, Ya'an City	0.2	(2.0)	0.3	(3.9)	0.6	(6.8)	1.4	(15.5)	0.1	(0.9)	0.1	(1.8)	0.0	(0.4)	5.5	(68.7)
*China, Yakeshi City	0.2	(2.5)	0.1	(1.7)	0.2	(3.3)	0.2	(1.7)	—	—	0.1	(0.8)	0.1	(0.8)	6.5	(89.3)
China, Yancheng City	5.7	(28.7)	0.0	(0.1)	—	—	0.1	(0.2)	—	—	0.1	(0.3)	—	—	14.8	(70.7)
*China, Yangquan City	2.6	(20.9)	0.2	(1.6)	0.6	(4.7)	0.3	(2.8)	0.0	(0.4)	0.1	(1.2)	0.0	(0.4)	8.1	(68.0)
*China, Yangzhong City	13.2	(45.4)	0.2	(0.6)	4.1	(12.2)	2.7	(8.0)	0.2	(0.6)	2.0	(6.2)	0.1	(0.2)	7.3	(26.8)
*China, Yanji City	0.0	(0.7)	—	—	0.1	(1.4)	0.2	(3.5)	—	—	0.1	(1.4)	—	—	5.4	(92.9)
*China, Yanshi City	2.7	(26.8)	0.1	(1.1)	0.4	(3.9)	0.4	(3.6)	0.1	(1.1)	0.0	(0.4)	0.0	(0.4)	6.4	(62.9)
China, Yanting County	12.1	(19.7)	11.6	(19.6)	6.9	(11.5)	4.4	(7.6)	1.9	(3.2)	2.2	(3.8)	3.0	(5.0)	17.4	(29.6)
*China, Yi'an District, Tongling City	1.3	(7.2)	0.8	(3.6)	0.6	(3.1)	0.7	(3.6)	—	—	0.2	(1.0)	—	—	15.4	(81.5)
*China, Yingdong District, Fuyang City	1.0	(13.6)	—	—	—	—	—	—	0.1	(1.2)	0.1	(0.6)	—	—	5.7	(84.6)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
*China, Yinzhou District, Ningbo City	0.6	(5.7)	—	—	0.8	(6.6)	1.5	(12.3)	—	—	0.3	(2.5)	—	—	8.4	(73.0)
*China, Yiyuan County	0.4	(3.1)	0.1	(0.7)	0.1	(0.7)	0.4	(3.4)	—	—	0.1	(0.3)	0.0	(0.3)	12.6	(91.5)
China, Yong'an City	0.4	(3.4)	0.1	(1.4)	1.2	(9.5)	2.8	(25.2)	—	—	0.1	(0.7)	—	—	6.2	(59.9)
*China, Yongding District, Longyan City	0.1	(0.7)	0.2	(2.1)	0.1	(0.7)	1.2	(13.5)	0.1	(0.7)	0.2	(2.1)	—	—	6.2	(80.1)
China, Yongkang City	1.0	(9.8)	0.7	(6.4)	1.5	(12.1)	1.9	(15.8)	0.0	(0.3)	0.5	(3.4)	—	—	5.8	(52.2)
*China, Yucheng County	3.6	(21.8)	2.5	(15.3)	1.8	(11.0)	1.9	(11.6)	0.7	(4.2)	1.0	(5.9)	0.7	(4.8)	4.1	(25.2)
China, Yueyanglou District, Yueyang City	—	—	0.1	(1.4)	0.3	(4.1)	0.3	(4.1)	—	—	0.1	(1.4)	—	—	6.2	(89.0)
China, Yunmeng County	0.9	(4.6)	1.5	(8.3)	0.4	(1.8)	4.2	(24.8)	0.3	(1.8)	1.9	(10.4)	4.0	(22.7)	4.8	(25.5)
*China, Yuniyang District, Shiyan City	2.9	(15.2)	0.6	(2.9)	2.6	(14.3)	0.3	(1.4)	0.1	(0.5)	0.1	(0.5)	0.1	(0.5)	12.4	(64.8)
China, Yuzhong District, Chongqing City	0.2	(2.9)	0.1	(0.5)	0.3	(2.9)	0.7	(7.8)	—	—	0.1	(1.0)	—	—	7.3	(84.9)
*China, Zanhuan County	7.7	(25.9)	1.7	(5.9)	4.5	(15.6)	4.1	(13.0)	0.1	(0.4)	0.8	(3.0)	0.3	(1.1)	10.7	(35.2)
*China, Zhangjiagang City	1.3	(9.9)	0.0	(0.3)	0.1	(0.7)	0.3	(2.5)	—	—	0.2	(1.4)	0.1	(0.5)	12.1	(84.8)
*China, Zhaoyuan City	0.2	(1.2)	—	—	0.1	(0.5)	1.1	(6.3)	—	—	0.0	(0.2)	—	—	16.5	(91.8)
*China, Zhengding County	2.0	(22.1)	0.3	(3.6)	1.6	(18.6)	0.7	(7.1)	0.1	(0.7)	0.3	(2.9)	0.1	(0.7)	4.0	(44.3)
*China, Zhongshan City	0.4	(8.2)	0.2	(5.5)	1.6	(34.1)	1.3	(31.0)	—	—	0.3	(6.3)	0.1	(2.0)	0.6	(12.9)
China, Zhongxiang City	0.6	(12.3)	1.7	(33.7)	1.7	(37.4)	0.2	(4.3)	—	—	0.1	(1.8)	0.0	(1.2)	0.4	(9.2)
*China, Zhuanghe City	0.5	(4.0)	0.1	(0.7)	0.9	(6.7)	2.4	(17.8)	0.1	(0.5)	1.4	(10.6)	0.6	(4.3)	6.5	(55.4)
*China, Zhuhai City	0.3	(4.8)	0.2	(4.3)	0.9	(16.4)	1.4	(24.6)	0.0	(1.0)	0.2	(3.9)	0.0	(0.5)	2.5	(44.4)
India, Ahmedabad, Urban	0.1	(7.0)	—	—	—	—	0.0	(1.6)	0.0	(0.8)	—	—	—	—	1.0	(90.6)
India, Aurangabad	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.3	(100.0)
India, Bangalore	0.6	(10.5)	0.1	(1.2)	0.0	(0.2)	0.0	(0.5)	0.0	(0.5)	0.0	(0.3)	—	—	4.6	(86.8)
India, Barshi, Paranda, and Bhum	0.1	(9.1)	—	—	—	—	—	—	0.1	(4.5)	—	—	—	—	1.3	(86.4)
*India, Bhopal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	(100.0)
India, Chandigarh	0.1	(5.6)	—	—	—	—	0.1	(11.1)	—	—	—	—	—	—	0.6	(83.3)
*India, Chennai	0.5	(9.6)	0.1	(1.3)	0.1	(1.6)	0.3	(5.0)	0.1	(1.5)	0.1	(1.8)	0.0	(0.9)	4.1	(78.3)
India, Dibrugarh	0.2	(5.7)	0.1	(3.3)	—	—	0.3	(6.6)	0.2	(4.9)	0.0	(1.6)	—	—	3.3	(77.9)
*India, Dindigul, Ambilikka	0.4	(13.3)	—	—	0.0	(0.5)	0.1	(2.1)	0.1	(2.1)	—	—	—	—	2.5	(82.1)
India, Kamrup Urban District	0.8	(9.8)	0.1	(1.1)	0.0	(0.5)	0.8	(9.3)	0.2	(2.7)	—	—	—	—	6.1	(76.5)
India, Kollam	0.3	(16.7)	0.0	(1.3)	0.0	(0.6)	0.0	(1.9)	0.0	(0.6)	0.0	(1.3)	—	—	1.6	(77.6)
*India, Manipur	0.1	(2.3)	—	—	0.0	(0.8)	0.3	(10.5)	0.0	(0.8)	—	—	—	—	2.4	(85.7)
India, Meghalaya	0.3	(4.4)	0.3	(3.4)	0.1	(1.9)	1.0	(16.0)	0.1	(1.9)	0.1	(1.0)	0.1	(1.0)	4.7	(70.4)
India, Mizoram	0.9	(4.8)	0.3	(1.7)	1.1	(6.1)	4.5	(25.5)	0.4	(2.4)	0.8	(4.8)	0.3	(1.7)	9.7	(53.1)
India, Mumbai	0.4	(12.5)	0.0	(0.5)	0.0	(0.1)	0.0	(1.1)	0.0	(1.3)	—	—	—	—	2.3	(84.6)
*India, New Delhi	0.4	(13.7)	0.0	(0.2)	—	—	0.0	(1.4)	0.0	(0.4)	—	—	—	—	2.1	(84.4)
India, Poona	0.1	(7.4)	0.0	(0.5)	—	—	0.0	(0.5)	0.0	(0.5)	—	—	—	—	1.6	(91.1)
*India, Sangrur District	0.2	(16.7)	—	—	—	—	0.1	(8.3)	—	—	—	—	—	—	0.7	(75.0)
India, SAS Nagar	0.0	(8.3)	—	—	—	—	—	—	0.0	(8.3)	—	—	—	—	0.4	(83.3)
*India, Tamil Nadu	0.3	(9.7)	0.0	(0.7)	0.1	(2.1)	0.2	(5.2)	0.0	(1.3)	0.0	(0.8)	0.0	(0.3)	2.3	(80.0)
*India, Tripura	0.1	(4.1)	0.1	(3.4)	0.0	(1.4)	0.8	(36.7)	0.0	(1.4)	—	—	—	—	1.1	(53.1)
India, Trivandrum	0.2	(10.3)	—	—	0.0	(0.6)	0.0	(1.3)	—	—	—	—	—	—	1.5	(87.8)
India, Wardha	0.1	(8.0)	0.0	(4.0)	0.0	(2.0)	0.2	(14.0)	0.1	(10.0)	0.0	(2.0)	—	—	0.8	(60.0)
India, West Arunachal	0.3	(1.4)	0.0	(0.7)	0.2	(1.4)	6.2	(41.5)	0.8	(4.9)	0.5	(2.8)	—	—	7.8	(47.2)
*Iran (Islamic Republic of), Ardabil Province	6.5	(31.5)	0.0	(0.3)	1.2	(5.4)	1.5	(7.3)	0.1	(0.5)	0.5	(2.7)	0.1	(0.8)	10.1	(51.5)
*Iran (Islamic Republic of), Golestan Province	2.6	(20.9)	0.1	(0.7)	0.5	(4.3)	0.8	(6.7)	0.4	(3.2)	0.4	(3.2)	0.0	(0.4)	7.0	(60.6)
Israel	0.5	(10.8)	0.1	(2.5)	0.6	(10.6)	1.0	(18.9)	0.1	(2.1)	0.1	(2.6)	0.1	(1.7)	2.5	(50.8)
*Israel: Jews	0.5	(11.8)	0.1	(2.3)	0.6	(10.7)	0.9	(18.7)	0.1	(2.0)	0.1	(2.7)	0.1	(1.6)	2.2	(50.2)
*Israel: Arabs	0.3	(5.1)	0.2	(4.0)	0.5	(9.1)	0.9	(17.6)	0.2	(2.8)	0.2	(3.4)	0.1	(3.4)	2.8	(54.5)
Japan	1.0	(5.6)	0.4	(1.9)	9.4	(42.8)	4.9	(28.9)	0.4	(2.3)	0.2	(1.3)	0.0	(0.2)	2.2	(17.0)
Japan, Aichi Prefecture	0.9	(5.4)	0.2	(1.5)	9.1	(46.9)	4.1	(27.5)	0.5	(3.2)	0.2	(1.2)	0.0	(0.1)	1.7	(14.2)
*Japan, Akita Prefecture	1.3	(5.7)	0.6	(1.6)	13.1	(45.1)	7.6	(33.4)	0.6	(3.2)	0.3	(1.4)	0.0	(0.2)	1.8	(9.3)
Japan, Aomori Prefecture	1.0	(5.4)	0.5	(1.8)	10.5	(43.8)	6.3	(31.9)	0.5	(2.8)	0.3	(1.3)	0.0	(0.1)	1.5	(12.9)
Japan, Gunma Prefecture	1.2	(6.4)	0.5	(3.3)	8.4	(40.3)	4.4	(29.5)	0.3	(2.0)	0.2	(1.5)	0.1	(0.4)	2.1	(16.6)
Japan, Hiroshima Prefecture	1.2	(5.8)	0.2	(1.0)	11.4	(46.0)	6.4	(34.8)	0.3	(1.5)	0.2	(1.3)	0.0	(0.1)	1.4	(9.6)
Japan, Miyagi Prefecture	1.2	(6.2)	0.4	(1.7)	11.0	(43.6)	7.2	(36.2)	0.3	(1.9)	0.2	(1.1)	0.0	(0.1)	1.3	(9.3)
Japan, Osaka Prefecture	1.3	(6.0)	0.3	(1.1)	10.8	(45.7)	5.3	(28.6)	0.6	(3.1)	0.3	(1.5)	0.0	(0.2)	2.0	(13.8)
Kuwait	0.2	(5.1)	0.1	(1.7)	0.1	(2.6)	0.1	(2.6)	0.0	(0.9)	—	—	—	—	2.0	(87.2)
*Kuwait: Kuwaitis	0.1	(1.6)	0.1	(3.2)	0.0	(1.6)	0.0	(1.6)	0.0	(1.6)	—	—	—	—	2.4	(90.5)
*Kuwait: Non-Kuwaitis	0.4	(9.3)	—	—	0.1	(3.7)	0.2	(3.7)	—	—	—	—	—	—	1.6	(83.3)
*Philippines, Manila	0.1	(3.8)	—	—	0.0	(0.5)	0.1	(3.3)	0.0	(1.1)	—	—	—	—	2.6	(91.3)
*Qatar: Qatari	1.0	(22.2)	0.5	(11.1)	—	—	—	—	—	—	—	—	—	—	2.3	(66.7)
Republic of Korea	0.7	(3.3)	0.2	(1.0)	9.2	(39.8)	7.8	(39.5)	0.2	(1.1)	0.4	(2.0)	0.0	(0.2)	2.4	(13.1)
*Republic of Korea, Busan	0.7	(3.3)	0.2	(1.0)	10.9	(43.9)	8.2	(38.2)	0.3	(1.5)	0.2	(0.8)	0.0	(0.1)	2.3	(11.2)
*Republic of Korea, Daegu	0.6	(2.7)	0.3	(1.3)	9.4	(42.2)	7.4	(37.8)	0.2	(1.0)	0.5	(2.7)	0.0	(0.0)	2.3	(12.3)
*Republic of Korea, Daejeon	0.6	(2.8)	0.4	(1.6)	10.6	(41.5)	9.3	(39.7)	0.1	(0.6)	0.4	(1.9)	0.0	(0.1)	2.6	(11.8)
*Republic of Korea, Gwangju	0.9	(3.8)	0.3	(1.3)	10.5	(42.9)	8.9	(40.2)	0.3	(1.2)	0.2	(0.9)	0.1	(0.3)	1.8	(9.4)
Republic of Korea, Incheon	0.5	(2.7)	0.1	(0.6)	8.5	(41.8)	7.6	(40.6)	0.3	(1.4)	0.4	(1.8)	0.0	(0.0)	2.0	(11.0)
Republic of Korea, Jeju	0.4	(2.3)	0.1	(0.4)	8.4	(38.7)	5.5	(32.1)	0.1	(0.4)	0.2	(1.2)	0.0	(0.2)	4.0	(24.8)
Republic of Korea, Seoul	0.6	(3.3)	0.2	(1.0)	8.9	(43.3)	6.7	(36.2)	0.2	(0.9)	0.5	(2.9)	0.0	(0.2)	2.2	(12.1)
Republic of Korea, Ulsan	0.9	(4.0)	0.2	(1.0)	9.8	(43.7)	8.9	(40.5)	0.2	(0.9)	0.2	(0.9)	0.0	(0.1)	1.9	(8.8)
Singapore	0.5	(8.7)	0.2	(3.9)	0.4	(6.2)	1.4	(26.2)	0.3	(4.7)	0.6	(10.2)	0.5	(7.5)	2.0	(32.6)
Singapore: Chinese	0.5	(8.4)	0.2	(3.8)	0.4	(5.6)	1.6	(27.0)	0.3	(5.1)	0.7	(10.0)	0.5	(7.1)	2.2	(33.1)
Singapore: Indian	0.3	(9.3)	0.1	(2.3)	0.7	(18.6)	0.6	(14.0)	—	—	0.2	(7.0)	0.7	(18.6)	1.2	(30.2)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
Singapore: Malay	0.5	(17.6)	0.2	(5.9)	0.3	(9.8)	0.3	(13.7)	0.1	(3.9)	0.5	(15.7)	0.3	(9.8)	0.6	(23.5)
Thailand, Bangkok	0.2	(7.0)	0.0	(0.4)	0.1	(5.8)	0.1	(6.8)	0.0	(1.0)	0.0	(0.4)	0.0	(0.8)	1.7	(77.6)
*Thailand, Chiang Mai	0.2	(4.0)	0.0	(0.7)	0.2	(3.7)	0.8	(16.7)	0.0	(0.3)	0.1	(2.3)	—	—	3.2	(72.2)
*Thailand, Khon Kaen	0.1	(6.4)	—	—	0.1	(2.1)	0.3	(11.4)	0.0	(0.7)	—	—	—	—	1.7	(79.3)
Thailand, Lampang	0.1	(2.3)	—	—	0.1	(1.5)	0.3	(9.2)	0.0	(0.8)	0.1	(1.5)	—	—	3.3	(84.6)
Thailand, Lopburi Province	0.2	(6.0)	0.0	(1.0)	0.1	(3.0)	0.2	(6.0)	—	—	0.0	(1.0)	0.0	(1.0)	3.0	(82.0)
*Thailand, Songkhla	0.1	(10.0)	0.0	(2.5)	0.1	(8.8)	0.0	(2.5)	—	—	0.0	(1.2)	0.0	(1.2)	1.2	(73.8)
Turkey, Antalya	0.6	(12.1)	0.2	(3.6)	0.9	(17.8)	1.4	(27.1)	0.1	(2.5)	0.5	(9.0)	0.2	(3.6)	1.3	(24.4)
Turkey, Bursa	1.3	(17.2)	0.0	(0.6)	0.7	(9.2)	1.3	(18.0)	0.2	(2.5)	0.5	(7.3)	0.1	(1.8)	3.2	(43.5)
*Turkey, Edirne	1.1	(15.5)	—	—	1.0	(15.5)	1.0	(17.2)	0.2	(2.6)	0.5	(6.9)	0.2	(1.7)	2.7	(40.5)
*Turkey, Erzurum	8.2	(46.1)	—	—	1.9	(10.4)	1.8	(9.7)	0.1	(0.8)	0.9	(5.1)	0.1	(0.5)	4.9	(27.5)
Turkey, Eskişehir	0.7	(11.8)	0.1	(2.2)	1.2	(20.2)	1.3	(21.9)	0.1	(1.7)	0.4	(6.7)	0.1	(2.8)	1.9	(32.6)
Turkey, Gaziantep	0.4	(6.6)	0.1	(1.9)	1.0	(19.4)	1.0	(19.4)	0.3	(5.7)	0.5	(10.4)	0.2	(3.8)	1.7	(32.7)
*Turkey, Izmir	0.8	(13.0)	0.1	(2.2)	1.1	(16.9)	1.1	(17.5)	0.2	(2.5)	0.4	(5.8)	0.1	(1.8)	2.5	(40.4)
Turkey, Malatya	0.5	(8.7)	0.1	(2.4)	0.5	(11.0)	1.3	(29.1)	0.3	(6.3)	0.7	(13.4)	0.0	(0.8)	1.2	(28.3)
Turkey, Samsun	0.7	(10.7)	0.1	(1.2)	1.1	(15.3)	2.0	(32.8)	0.1	(1.5)	0.6	(8.0)	0.2	(2.1)	1.8	(28.2)
Turkey, Trabzon	1.2	(13.3)	0.2	(1.3)	1.3	(13.0)	3.8	(43.2)	0.2	(2.7)	0.1	(1.3)	—	—	2.2	(25.2)
Europe																
Austria	0.5	(10.6)	0.0	(0.8)	0.3	(5.5)	0.3	(7.2)	0.0	(0.7)	0.0	(0.7)	0.0	(0.4)	3.3	(74.1)
Austria, Carinthia	0.6	(11.6)	0.0	(1.6)	1.0	(12.9)	0.6	(11.6)	0.1	(1.2)	0.1	(1.2)	0.0	(0.4)	3.6	(59.4)
Austria, Tyrol	0.7	(12.8)	0.1	(1.7)	0.8	(13.7)	1.0	(20.9)	0.0	(0.4)	0.1	(2.1)	0.1	(1.3)	2.4	(47.0)
Austria, Vorarlberg	0.6	(15.1)	—	—	0.8	(16.0)	0.7	(12.3)	—	—	—	—	0.1	(0.9)	2.5	(55.7)
Belarus	0.5	(5.5)	0.2	(1.5)	4.2	(37.8)	1.9	(19.1)	0.2	(2.4)	0.0	(0.1)	0.0	(0.2)	3.6	(33.4)
*Belgium	0.8	(19.5)	0.4	(9.0)	0.4	(8.5)	0.6	(18.4)	0.1	(1.7)	0.2	(5.7)	0.1	(3.1)	1.5	(34.1)
Croatia	0.5	(8.3)	0.1	(1.3)	0.7	(10.7)	0.6	(10.0)	0.1	(2.2)	0.2	(2.7)	0.1	(1.2)	4.0	(63.5)
Cyprus	0.4	(10.9)	0.1	(1.8)	0.3	(6.1)	0.2	(5.5)	0.0	(0.6)	0.1	(1.8)	—	—	2.9	(73.3)
*Czech Republic	0.5	(10.4)	0.2	(3.4)	0.9	(19.9)	0.7	(16.0)	0.2	(5.1)	0.2	(4.5)	0.2	(3.1)	1.7	(37.7)
Denmark	0.9	(30.5)	0.1	(3.9)	0.6	(16.1)	0.3	(9.3)	0.1	(2.4)	—	—	—	—	1.2	(37.7)
Estonia	0.9	(9.7)	0.1	(0.9)	4.3	(41.7)	2.1	(21.7)	0.1	(1.3)	0.1	(0.8)	0.0	(0.2)	2.6	(23.8)
Finland	0.5	(13.0)	0.0	(0.9)	0.7	(19.2)	0.5	(14.3)	0.1	(2.3)	0.0	(0.9)	0.0	(0.4)	1.8	(49.1)
*France, Bas-Rhin	0.7	(18.9)	0.5	(12.2)	0.1	(1.7)	0.7	(25.0)	0.1	(2.8)	0.2	(6.1)	0.2	(6.1)	1.1	(27.2)
*France, Calvados	0.3	(11.7)	0.2	(7.5)	0.4	(11.7)	0.6	(29.2)	0.1	(5.8)	0.3	(12.5)	0.2	(5.0)	0.4	(16.7)
*France, Doubs	0.6	(15.4)	0.4	(11.5)	0.3	(10.6)	0.7	(25.0)	0.1	(4.8)	0.1	(6.7)	0.3	(8.7)	0.6	(17.3)
*France, Gironde	0.5	(21.7)	0.3	(10.9)	0.1	(4.8)	0.6	(29.6)	0.0	(3.5)	0.1	(5.7)	0.1	(2.2)	0.5	(21.7)
*France, Haut-Rhin	0.6	(17.4)	0.5	(13.8)	0.1	(2.4)	0.8	(25.1)	0.1	(7.2)	0.1	(5.4)	0.0	(1.8)	1.0	(26.9)
*France, Hérault	0.3	(11.5)	0.6	(12.3)	0.1	(4.5)	0.6	(18.9)	0.1	(2.0)	0.2	(5.3)	0.2	(4.9)	1.4	(40.6)
*France, Isère	0.5	(16.5)	0.5	(12.6)	0.0	(1.3)	0.9	(30.9)	0.1	(3.5)	0.2	(6.1)	0.3	(7.0)	0.8	(22.2)
*France, Lille-Métropole	0.4	(16.0)	0.4	(14.3)	0.0	(0.8)	1.1	(35.3)	0.0	(1.7)	0.2	(5.9)	0.1	(1.7)	0.9	(24.4)
*France, Limousin	0.3	(17.5)	0.1	(6.3)	0.0	(1.6)	0.6	(27.0)	0.1	(6.3)	0.2	(14.3)	0.0	(1.6)	0.7	(25.4)
*France, Loire-Atlantique	0.5	(15.2)	0.6	(16.9)	0.1	(2.9)	0.9	(31.3)	0.1	(2.9)	0.2	(7.8)	0.0	(1.2)	0.6	(21.8)
*France, Manche	0.4	(12.4)	0.7	(17.9)	0.3	(7.6)	0.6	(37.9)	0.1	(4.1)	0.1	(1.4)	0.1	(1.4)	0.7	(17.2)
*France, Poitou-Charentes	0.4	(19.5)	0.3	(11.5)	0.2	(4.8)	0.6	(31.0)	0.1	(2.6)	0.3	(12.5)	0.1	(6.1)	0.3	(12.1)
*France, Somme	0.8	(24.8)	0.3	(7.6)	—	—	0.6	(29.5)	0.0	(2.9)	0.2	(6.7)	0.0	(1.0)	0.9	(27.6)
*France, Tarn	0.5	(18.2)	0.4	(10.4)	0.2	(5.2)	0.7	(29.9)	0.1	(3.9)	0.2	(6.5)	0.0	(1.3)	0.6	(24.7)
*France, Territoire de Belfort	0.7	(14.3)	0.3	(9.5)	—	—	0.6	(33.3)	0.0	(4.8)	0.5	(14.3)	0.0	(4.8)	0.6	(19.0)
*France, Vendée	0.5	(19.2)	0.5	(13.8)	0.1	(4.6)	0.5	(23.8)	0.2	(6.2)	0.2	(6.9)	0.0	(0.8)	0.6	(24.6)
Germany, Baden-Württemberg	0.9	(17.0)	0.1	(2.6)	1.3	(23.6)	0.9	(20.2)	0.1	(1.4)	0.1	(2.6)	0.0	(0.8)	1.5	(31.8)
Germany, Bavaria	0.8	(13.1)	0.1	(2.4)	1.3	(20.5)	1.2	(22.9)	0.1	(1.7)	0.1	(1.2)	0.0	(0.5)	1.8	(37.7)
Germany, Bremen	0.9	(16.3)	0.1	(1.6)	1.4	(21.5)	1.1	(19.5)	0.1	(2.4)	0.1	(3.6)	0.0	(1.2)	1.5	(33.9)
Germany, Hamburg	1.1	(19.6)	0.1	(1.2)	1.2	(21.0)	0.7	(15.0)	0.1	(1.7)	0.1	(2.4)	0.1	(1.0)	1.9	(38.0)
Germany, Lower Saxony	1.0	(16.9)	0.1	(1.8)	0.9	(15.9)	0.8	(15.5)	0.1	(1.3)	0.1	(0.9)	0.0	(0.6)	2.2	(46.9)
Germany, North Rhine-Westphalia	0.9	(16.1)	0.1	(2.5)	1.3	(21.8)	1.0	(20.1)	0.1	(2.1)	0.1	(1.6)	0.1	(0.8)	1.7	(35.0)
Germany, Rhineland-Palatinate	0.9	(15.9)	0.1	(2.2)	1.0	(18.8)	0.9	(19.1)	0.1	(2.0)	0.2	(2.5)	0.0	(0.8)	1.7	(38.6)
Germany, Saarland	0.8	(16.0)	0.2	(2.9)	0.8	(17.8)	0.9	(21.0)	0.1	(1.3)	0.1	(2.1)	0.0	(0.8)	1.9	(38.0)
Germany, Schleswig-Holstein	1.1	(18.7)	0.1	(2.7)	1.4	(23.4)	1.0	(19.8)	0.1	(2.2)	0.1	(2.3)	0.1	(1.0)	1.5	(29.9)
Iceland	0.5	(11.9)	—	—	0.3	(8.5)	0.3	(11.9)	—	—	0.1	(1.7)	—	—	2.2	(66.1)
Ireland	1.3	(28.6)	0.3	(6.9)	0.4	(7.6)	0.6	(14.3)	0.2	(4.7)	0.4	(7.2)	0.2	(3.6)	1.2	(27.0)
*Italy, Aosta Valley	0.4	(4.0)	1.2	(12.0)	0.7	(16.0)	0.7	(12.0)	—	—	0.3	(2.0)	0.1	(2.0)	3.3	(52.0)
*Italy, Avellino	0.2	(5.1)	0.6	(9.1)	0.6	(10.1)	1.5	(29.3)	0.1	(1.0)	0.3	(7.1)	0.1	(2.0)	1.7	(36.4)
Italy, Basilicata	0.4	(5.5)	0.1	(2.0)	0.8	(11.3)	2.3	(38.2)	0.2	(3.1)	0.8	(9.6)	0.1	(1.7)	1.7	(28.7)
*Italy, Benevento	0.4	(8.2)	0.1	(2.7)	0.6	(10.0)	1.6	(24.5)	0.4	(4.5)	0.7	(10.0)	0.5	(6.4)	1.8	(33.6)
Italy, Bergamo	0.4	(5.2)	0.3	(2.6)	1.7	(18.4)	2.8	(36.3)	0.3	(3.8)	0.1	(1.1)	0.1	(1.4)	2.5	(31.3)
*Italy, Brescia	0.5	(5.3)	0.2	(1.6)	1.1	(13.6)	1.4	(20.4)	0.1	(1.6)	0.4	(5.2)	0.1	(0.7)	3.7	(51.6)
Italy, Brianza (Lecco and Monza e Brianza)	0.4	(6.1)	0.3	(3.9)	1.0	(16.3)	2.2	(35.3)	0.1	(1.6)	0.7	(8.4)	0.2	(2.9)	1.7	(25.5)
Italy, Calabria	0.2	(3.2)	0.3	(4.6)	1.3	(20.5)	1.1	(21.9)	0.1	(1.8)	0.2	(3.7)	0.0	(0.5)	2.7	(43.8)
*Italy, Caserta	0.6	(7.2)	0.3	(5.1)	1.0	(14.0)	1.4	(22.3)	0.2	(2.7)	0.4	(6.2)	0.1	(1.7)	2.8	(40.8)
*Italy, Catania, Messina, and Enna	0.3	(6.6)	0.2	(4.1)	0.8	(16.1)	1.0	(18.8)	0.1	(1.7)	0.2	(4.9)	0.1	(2.0)	2.1	(45.7)
Italy, Emilia-Romagna	0.5	(7.0)	0.5	(7.8)	1.4	(18.8)	1.8	(31.5)	0.1	(2.5)	0.4	(6.5)	0.1	(2.0)	1.4	(24.0)
Italy, Friuli-Venezia Giulia	0.3	(5.9)	0.1	(2.3)	0.8	(11.5)	0.7	(14.3)	0.2	(3.4)	0.1	(2.1)	0.0	(1.5)	3.1	(59.0)
Italy, Genova	0.3	(8.6)	0.2	(3.6)	0.8	(17.5)	0.9	(27.5)	0.0	(1.1)	0.2	(6.8)	0.1	(2.9)	1.1	(32.1)
*Italy, Lombardy, South, Pavia	0.6	(7.6)	0.1	(2.3)	1.2	(17.2)	1.7	(27.7)	0.1	(2.0)	0.5	(6.3)	0.1	(1.0)	2.1	(36.0)
Italy, Mantova and Cremona	0.5	(6.1)	0.5	(5.1)	1.1	(12.3)	2.1	(28.8)	0.1	(1.0)	0.1	(1.2)	—	—	3.2	(45.5)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
Italy, Marche	0.4	(5.6)	0.3	(3.1)	1.1	(12.4)	1.9	(24.1)	0.1	(1.2)	0.4	(4.6)	0.2	(1.9)	3.7	(47.2)
Italy, Milan	0.5	(6.9)	0.3	(4.7)	1.2	(20.5)	1.3	(27.0)	0.1	(1.7)	0.2	(4.7)	0.0	(0.8)	1.8	(33.7)
Italy, Molise	0.1	(3.7)	0.3	(2.8)	1.2	(16.5)	1.8	(23.9)	0.2	(2.8)	0.3	(5.5)	0.1	(1.8)	3.5	(43.1)
*Italy, Naples Centre	0.4	(5.9)	0.3	(5.4)	1.0	(14.5)	1.4	(22.2)	0.1	(3.2)	0.3	(4.5)	0.2	(3.2)	2.1	(41.2)
*Italy, Naples North	0.3	(3.2)	0.5	(6.7)	1.3	(17.7)	1.9	(26.2)	0.2	(2.8)	0.3	(4.3)	0.3	(3.5)	2.6	(35.5)
*Italy, Naples South	0.4	(6.3)	0.3	(4.1)	0.8	(10.7)	1.4	(22.2)	0.2	(3.3)	0.5	(8.2)	0.2	(3.3)	2.2	(41.9)
*Italy, Nuoro	0.9	(11.6)	0.0	(1.4)	1.2	(21.7)	2.0	(29.0)	0.0	(1.4)	0.1	(2.9)	0.0	(1.4)	2.0	(30.4)
*Italy, Palermo	0.4	(9.9)	0.3	(6.2)	0.4	(10.5)	1.0	(22.5)	0.1	(2.8)	0.2	(4.6)	0.1	(1.2)	1.8	(42.3)
Italy, Puglia	0.4	(8.2)	0.3	(5.2)	0.8	(15.0)	1.4	(30.1)	0.1	(2.3)	0.3	(6.0)	0.2	(2.4)	1.4	(30.8)
*Italy, Ragusa and Caltanissetta	0.3	(7.4)	0.1	(1.9)	0.4	(6.2)	1.0	(22.2)	0.1	(3.1)	0.3	(6.2)	0.0	(0.6)	2.0	(52.5)
*Italy, Salerno	0.4	(7.3)	0.2	(3.7)	0.9	(14.3)	1.1	(19.6)	0.0	(0.7)	0.4	(6.6)	0.2	(3.7)	2.3	(44.2)
Italy, Sassari	0.4	(8.6)	0.2	(5.2)	0.5	(12.1)	0.9	(24.1)	0.3	(6.9)	0.5	(8.6)	–	–	1.7	(34.5)
*Italy, Sondrio	0.7	(7.8)	0.2	(2.0)	1.7	(17.0)	2.3	(26.1)	0.3	(2.6)	1.0	(11.8)	0.1	(0.7)	2.6	(32.0)
Italy, South Tyrol	0.6	(8.6)	0.4	(6.4)	1.8	(30.9)	2.1	(42.7)	0.0	(1.4)	0.1	(1.4)	0.1	(1.4)	0.4	(7.3)
*Italy, Syracuse	0.3	(6.1)	0.2	(4.0)	0.4	(11.1)	0.9	(26.3)	0.1	(3.0)	0.2	(4.0)	0.0	(1.0)	1.4	(44.4)
Italy, Trento	0.4	(7.2)	0.4	(5.6)	1.5	(22.9)	2.4	(41.4)	0.1	(3.2)	0.2	(4.0)	0.0	(0.8)	0.7	(14.9)
Italy, Turin	0.2	(3.3)	0.7	(15.5)	0.2	(4.3)	0.3	(7.2)	0.0	(0.6)	0.0	(0.4)	0.1	(0.8)	3.2	(67.9)
*Italy, Tuscany	0.5	(5.6)	0.1	(1.3)	0.4	(5.8)	1.0	(15.6)	0.1	(1.0)	0.2	(2.8)	0.1	(1.0)	4.7	(66.9)
Italy, Umbria	0.7	(9.2)	0.1	(0.9)	0.7	(9.7)	1.5	(19.1)	0.2	(1.5)	0.8	(8.1)	0.2	(1.5)	3.8	(50.0)
Italy, Varese	0.3	(6.2)	0.3	(4.9)	1.0	(18.2)	1.7	(35.1)	0.0	(0.9)	0.2	(4.9)	–	–	1.5	(29.8)
Italy, Veneto	0.3	(6.5)	0.1	(1.8)	0.5	(9.3)	0.6	(14.5)	0.1	(1.5)	0.1	(2.6)	0.0	(0.4)	2.9	(63.5)
Latvia	0.5	(6.2)	0.1	(1.2)	1.0	(12.4)	0.8	(9.8)	0.2	(2.8)	0.1	(0.9)	0.0	(0.6)	6.0	(66.1)
*Liechtenstein	–	–	0.2	(20.0)	1.0	(40.0)	1.5	(40.0)	–	–	–	–	–	–	–	–
*Lithuania	0.4	(4.2)	0.1	(1.1)	1.5	(17.0)	0.6	(8.5)	0.1	(2.5)	0.1	(0.9)	0.0	(0.3)	5.5	(65.6)
Malta	0.5	(15.5)	0.0	(1.0)	0.4	(8.7)	0.5	(15.5)	0.1	(6.8)	0.1	(3.9)	–	–	1.8	(48.5)
*The Netherlands	0.6	(17.2)	0.2	(4.5)	0.7	(19.9)	0.7	(22.7)	0.1	(4.4)	0.1	(2.7)	0.1	(1.7)	0.9	(26.8)
Norway	0.6	(17.4)	0.1	(3.9)	0.6	(20.4)	0.5	(18.0)	0.2	(6.8)	0.1	(2.6)	0.0	(0.8)	0.9	(30.0)
Poland, Kielce	0.5	(12.4)	0.1	(1.8)	0.6	(12.6)	0.0	(2.4)	0.2	(4.7)	0.1	(1.5)	0.0	(1.5)	2.8	(63.2)
*Portugal, Azores	0.5	(6.2)	0.4	(3.8)	1.1	(12.5)	2.5	(27.5)	–	–	0.5	(7.5)	0.0	(1.2)	3.4	(41.2)
Russian Federation, Arkhangelsk	0.8	(6.9)	0.1	(0.7)	5.3	(34.7)	2.0	(13.8)	0.4	(3.1)	0.1	(0.6)	–	–	5.7	(40.3)
Russian Federation, Kaliningrad	0.5	(4.5)	0.1	(0.8)	2.2	(22.5)	0.6	(6.8)	0.1	(1.4)	–	–	0.0	(0.2)	5.9	(64.0)
Russian Federation, Karelia	1.1	(9.8)	0.2	(1.6)	6.1	(42.7)	1.7	(11.0)	1.0	(8.8)	0.1	(0.6)	0.0	(0.4)	2.9	(25.1)
*Russian Federation, Komi Republic	1.8	(14.4)	0.5	(4.0)	3.4	(27.6)	0.4	(2.9)	1.1	(8.0)	0.1	(0.6)	0.0	(0.4)	4.9	(42.1)
Russian Federation, Murmansk	1.8	(14.8)	0.0	(0.4)	5.1	(38.1)	3.3	(25.1)	0.3	(2.4)	0.1	(1.4)	0.0	(0.2)	2.4	(17.6)
*Russian Federation, Orenburg	1.6	(15.4)	0.1	(1.4)	2.0	(15.9)	0.8	(6.5)	0.3	(2.2)	0.2	(2.1)	0.0	(0.2)	6.2	(56.3)
Russian Federation, Pskov	3.7	(32.3)	0.2	(2.1)	2.3	(22.4)	0.4	(3.3)	0.6	(5.0)	0.0	(0.4)	–	–	3.6	(34.6)
*Russian Federation, Samara	0.7	(7.7)	0.1	(1.0)	5.0	(50.7)	1.2	(13.3)	0.3	(3.8)	0.1	(1.4)	0.1	(0.7)	2.1	(21.4)
Russian Federation, Vologda Region	3.7	(34.5)	0.2	(1.4)	1.9	(15.8)	1.0	(8.3)	1.0	(8.2)	0.2	(2.1)	0.0	(0.1)	3.2	(29.6)
Slovenia	0.8	(11.4)	0.1	(0.9)	1.1	(14.9)	1.5	(25.5)	0.1	(1.5)	0.5	(8.1)	0.1	(1.7)	2.1	(35.9)
Spain, Asturias	0.7	(11.5)	0.1	(2.1)	0.6	(11.1)	1.0	(25.4)	0.0	(1.0)	0.2	(4.5)	0.1	(1.7)	2.4	(42.5)
Spain, Basque Country	0.5	(7.1)	0.2	(4.0)	0.8	(13.9)	1.7	(31.9)	0.1	(1.8)	0.5	(8.9)	0.2	(2.9)	1.8	(29.4)
Spain, Canary Islands	0.4	(10.1)	0.2	(6.3)	0.6	(13.0)	0.8	(22.5)	0.0	(1.6)	0.2	(4.4)	0.1	(1.3)	1.9	(40.8)
Spain, Castellón	0.3	(7.5)	0.2	(6.0)	0.3	(9.8)	0.7	(22.6)	0.1	(3.8)	0.2	(4.5)	0.0	(2.3)	1.7	(43.6)
Spain, Girona	0.3	(5.4)	0.1	(1.3)	0.8	(14.8)	0.7	(17.5)	0.1	(2.7)	0.1	(3.1)	0.0	(0.9)	2.8	(54.3)
Spain, Granada	0.3	(5.4)	0.4	(9.2)	1.2	(21.3)	1.3	(31.8)	0.1	(2.5)	0.2	(5.0)	0.1	(1.3)	0.9	(23.4)
Spain, La Rioja	0.2	(5.7)	0.2	(4.1)	0.8	(11.5)	1.2	(31.1)	0.0	(2.5)	0.7	(7.4)	0.2	(3.3)	1.7	(34.4)
Spain, Murcia	0.4	(7.8)	0.1	(3.4)	0.7	(13.3)	1.1	(23.2)	0.1	(1.3)	0.3	(5.7)	0.1	(1.8)	2.3	(43.5)
Spain, Navarra	0.4	(9.0)	0.1	(1.5)	1.3	(21.5)	1.5	(32.5)	0.1	(1.5)	0.5	(6.5)	0.1	(2.0)	1.8	(25.5)
Spain, Salamanca	0.4	(7.6)	0.3	(4.3)	0.9	(11.4)	1.4	(31.9)	0.1	(1.6)	0.1	(3.2)	0.3	(2.7)	2.3	(37.3)
Spain, Tarragona	0.6	(12.4)	0.1	(2.2)	0.4	(9.0)	0.9	(26.4)	0.1	(3.4)	0.2	(3.4)	0.1	(2.2)	1.5	(41.0)
*Sweden	0.5	(19.7)	0.1	(5.6)	0.5	(17.7)	0.4	(16.6)	0.1	(4.9)	0.1	(3.2)	0.0	(2.0)	0.9	(30.5)
Switzerland, Aargau	0.5	(16.8)	0.0	(1.0)	0.5	(17.8)	0.5	(15.8)	0.0	(1.0)	0.2	(5.9)	0.1	(2.0)	1.1	(39.6)
Switzerland, Basel	1.1	(25.5)	0.2	(3.4)	0.8	(16.6)	1.0	(22.8)	0.2	(2.8)	0.1	(2.1)	–	–	1.2	(26.9)
Switzerland, Berne Solothurn	0.8	(20.9)	0.2	(7.1)	0.4	(12.6)	0.6	(17.6)	0.2	(5.5)	0.3	(7.7)	0.1	(2.7)	0.8	(25.8)
Switzerland, East	0.8	(24.8)	0.1	(5.9)	0.5	(11.8)	0.5	(19.6)	0.1	(3.3)	0.3	(7.2)	0.2	(3.9)	0.6	(23.5)
*Switzerland, Fribourg	0.9	(28.9)	0.3	(6.7)	0.2	(4.4)	0.6	(22.2)	0.1	(2.2)	0.1	(2.2)	0.0	(2.2)	0.7	(31.1)
Switzerland, Geneva	0.7	(20.4)	0.3	(7.1)	0.1	(5.1)	0.8	(20.4)	0.1	(2.0)	0.2	(9.2)	0.1	(4.1)	1.3	(31.6)
*Switzerland, Graubünden and Glarus	0.6	(25.4)	0.0	(1.7)	0.9	(18.6)	0.7	(23.7)	0.0	(1.7)	0.0	(3.4)	0.0	(1.7)	0.8	(23.7)
*Switzerland, Lucerne	0.7	(20.6)	0.1	(2.1)	0.6	(13.4)	0.5	(15.5)	0.0	(3.1)	0.3	(9.3)	0.0	(1.0)	1.0	(35.1)
*Switzerland, Neuchâtel and Jura	0.4	(13.5)	0.4	(9.6)	0.6	(13.5)	0.6	(15.4)	0.3	(9.6)	0.1	(7.7)	0.1	(3.8)	0.8	(26.9)
Switzerland, Ticino	0.2	(4.7)	0.1	(3.1)	0.6	(17.2)	2.0	(35.9)	0.1	(2.3)	–	–	0.1	(0.8)	1.8	(35.9)
Switzerland, Valais	0.7	(14.4)	0.1	(3.3)	0.4	(15.6)	1.4	(30.0)	0.1	(3.3)	0.8	(15.6)	–	–	0.8	(17.8)
Switzerland, Vaud	0.6	(16.9)	0.2	(4.6)	0.4	(10.0)	0.6	(18.5)	0.1	(5.4)	0.3	(11.5)	0.2	(4.6)	0.9	(28.5)
Switzerland, Zurich and Zug	0.7	(25.8)	0.1	(3.4)	0.5	(17.0)	0.5	(17.4)	0.1	(2.3)	0.1	(3.8)	0.0	(0.8)	0.9	(29.5)
Ukraine	0.7	(8.4)	0.0	(0.3)	2.4	(29.0)	1.4	(18.2)	0.3	(3.8)	0.0	(0.4)	0.0	(0.5)	3.1	(39.5)
UK, England	0.6	(20.5)	0.1	(4.4)	0.3	(11.8)	0.3	(10.6)	0.2	(6.2)	0.2	(6.0)	0.1			

Age-standardized (world) incidence rates (per 100 000)
Percentage distribution of the number of cases

Stomach (C16) - Female (Contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8–9	
	Cardia		Fundus		Body		Pyloric antrum		Pylorus		Lesser curvature		Greater curvature		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Oceania (contd)																
*Australia, Northern Territory: Non-Indigenous	<i>0.4</i>	<i>(40.0)</i>	—	—	—	—	<i>0.2</i>	<i>(20.0)</i>	—	—	<i>0.2</i>	<i>(20.0)</i>	—	—	<i>0.2</i>	<i>(20.0)</i>
*Australia, Northern Territory: Indigenous	<i>1.6</i>	<i>(33.3)</i>	—	—	<i>1.6</i>	<i>(33.3)</i>	<i>0.5</i>	<i>(16.7)</i>	—	—	—	—	—	—	<i>0.8</i>	<i>(16.7)</i>
*Australia, Queensland	0.7	(17.8)	0.2	(6.0)	0.6	(13.7)	0.5	(12.9)	0.2	(4.4)	0.2	(6.3)	0.1	(3.6)	1.4	(35.4)
Australia, South Australia	0.7	(21.0)	<i>0.1</i>	<i>(3.1)</i>	<i>0.1</i>	<i>(2.7)</i>	0.2	(8.5)	<i>0.1</i>	<i>(2.7)</i>	0.2	(6.1)	<i>0.0</i>	<i>(1.4)</i>	1.6	(54.6)
Australia, Tasmania	0.6	(19.6)	<i>0.2</i>	<i>(5.4)</i>	<i>0.1</i>	<i>(3.3)</i>	<i>0.1</i>	<i>(4.3)</i>	—	—	<i>0.2</i>	<i>(5.4)</i>	<i>0.2</i>	<i>(6.5)</i>	1.9	(55.4)
*Australia, Victoria	0.8	(21.9)	0.1	(4.2)	0.4	(10.1)	0.4	(14.5)	0.1	(4.9)	0.3	(9.6)	0.2	(5.1)	1.0	(29.8)
*Australia, Western Australia	0.5	(18.8)	0.2	(6.9)	0.1	(5.0)	0.3	(11.3)	<i>0.0</i>	<i>(1.6)</i>	<i>0.1</i>	<i>(2.2)</i>	<i>0.0</i>	<i>(0.6)</i>	1.4	(53.6)
*France, New Caledonia	<i>0.3</i>	<i>(6.0)</i>	<i>0.5</i>	<i>(8.0)</i>	—	—	2.9	(54.0)	<i>0.6</i>	<i>(10.0)</i>	<i>0.1</i>	<i>(2.0)</i>	—	—	1.1	(20.0)
New Zealand	0.7	(21.2)	0.1	(3.1)	0.4	(10.7)	0.5	(15.7)	0.2	(5.4)	0.2	(6.5)	0.1	(3.5)	1.1	(34.0)
*New Zealand: Maori	0.6	(7.4)	<i>0.4</i>	<i>(4.7)</i>	0.8	(9.5)	1.1	(13.5)	0.8	(9.5)	0.7	(8.1)	<i>0.5</i>	<i>(6.1)</i>	3.3	(41.2)
*New Zealand: Pacific peoples	<i>0.8</i>	<i>(7.0)</i>	<i>0.3</i>	<i>(2.3)</i>	<i>0.9</i>	<i>(7.0)</i>	3.3	(27.9)	<i>1.2</i>	<i>(9.3)</i>	1.4	(11.6)	<i>0.7</i>	<i>(5.8)</i>	3.3	(29.1)
*New Zealand: Other	0.7	(31.6)	0.1	(2.9)	0.2	(9.7)	0.2	(12.9)	0.1	(3.2)	0.1	(4.9)	<i>0.1</i>	<i>(1.9)</i>	0.7	(32.8)
USA, Hawaii	0.4	(10.5)	<i>0.1</i>	<i>(2.9)</i>	0.4	(11.1)	1.0	(27.7)	<i>0.1</i>	<i>(1.9)</i>	0.4	(12.4)	0.2	(4.8)	1.1	(28.7)
USA, Hawaii: White	<i>0.2</i>	<i>(13.2)</i>	<i>0.1</i>	<i>(2.6)</i>	<i>0.4</i>	<i>(21.1)</i>	<i>0.4</i>	<i>(18.4)</i>	—	—	<i>0.1</i>	<i>(7.9)</i>	<i>0.1</i>	<i>(7.9)</i>	0.6	(28.9)
*USA, Hawaii: Japanese	<i>0.4</i>	<i>(6.0)</i>	<i>0.0</i>	<i>(0.9)</i>	<i>0.2</i>	<i>(7.8)</i>	1.3	(32.8)	<i>0.1</i>	<i>(3.4)</i>	0.5	(13.8)	<i>0.3</i>	<i>(5.2)</i>	1.6	(30.2)
*USA, Hawaii: Chinese	<i>0.7</i>	<i>(23.8)</i>	<i>0.1</i>	<i>(4.8)</i>	<i>0.5</i>	<i>(9.5)</i>	<i>1.4</i>	<i>(28.6)</i>	—	—	<i>0.8</i>	<i>(14.3)</i>	—	—	<i>0.7</i>	<i>(19.0)</i>
*USA, Hawaii: Hawaiian	<i>0.8</i>	<i>(18.6)</i>	<i>0.2</i>	<i>(4.7)</i>	<i>0.7</i>	<i>(16.3)</i>	1.0	(27.9)	—	—	<i>0.3</i>	<i>(7.0)</i>	<i>0.1</i>	<i>(2.3)</i>	1.0	(23.3)
*USA, Hawaii: Filipino	<i>0.2</i>	<i>(7.1)</i>	<i>0.0</i>	<i>(2.4)</i>	<i>0.3</i>	<i>(9.5)</i>	<i>0.6</i>	<i>(21.4)</i>	<i>0.1</i>	<i>(2.4)</i>	<i>0.4</i>	<i>(14.3)</i>	<i>0.2</i>	<i>(9.5)</i>	0.8	(33.3)

Rates based on less than 10 cases are in italics

*Important. See note on population page.