

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa												
*Algeria, Batna	–	–	–	–	–	–	0.1	(50.0)	0.2	(50.0)	–	–
*Algeria, Tizi Ouzou	0.1	(9.1)	–	–	0.2	(27.3)	–	–	0.2	(27.3)	0.3	(36.4)
*Benin, Cotonou	0.6	(44.4)	0.4	(33.3)	–	–	0.3	(11.1)	0.3	(11.1)	–	–
*France, La Réunion	0.1	(40.0)	–	–	–	–	–	–	0.1	(60.0)	–	–
*Kenya, Eldoret	0.1	(25.0)	0.1	(8.3)	0.1	(16.7)	0.0	(8.3)	–	–	0.3	(41.7)
*Kenya, Nairobi	0.2	(23.1)	0.2	(53.8)	0.1	(3.8)	0.0	(3.8)	0.1	(11.5)	0.0	(3.8)
Mauritius	0.1	(11.1)	0.1	(11.1)	0.1	(5.6)	–	–	–	–	0.8	(72.2)
*Morocco, Casablanca	0.0	(3.0)	0.1	(20.9)	0.1	(13.4)	0.0	(6.0)	0.1	(9.0)	0.3	(47.8)
*Seychelles	–	–	–	–	–	–	–	–	0.3	(50.0)	0.3	(50.0)
*South Africa, Eastern Cape	–	–	–	–	–	–	–	–	–	–	0.0	(100.0)
*Uganda, Kyadondo County	0.1	(28.6)	0.1	(21.4)	–	–	0.0	(7.1)	0.0	(7.1)	0.2	(35.7)
*Uganda, Gulu	–	–	–	–	–	–	0.2	(100.0)	–	–	–	–
*Zimbabwe, Bulawayo : African	0.1	(8.3)	0.1	(8.3)	0.3	(16.7)	–	–	–	–	0.5	(66.7)
*Zimbabwe, Harare : African	0.1	(6.2)	0.9	(50.0)	0.4	(12.5)	–	–	0.1	(6.2)	0.4	(25.0)
America, Central and South, and Caribbean												
*Argentina, Entre Ríos Province	0.0	(9.1)	–	–	0.1	(18.2)	–	–	–	–	0.3	(72.7)
*Argentina, Mendoza	0.2	(22.9)	0.0	(5.7)	0.1	(14.3)	0.0	(5.7)	0.2	(25.7)	0.2	(25.7)
Brazil, Aracaju	0.1	(50.0)	0.1	(50.0)	–	–	–	–	–	–	–	–
*Brazil, Barretos	0.1	(20.0)	–	–	0.2	(40.0)	–	–	0.1	(20.0)	0.1	(20.0)
Brazil, Belo Horizonte	0.1	(6.4)	0.0	(4.3)	0.2	(23.4)	0.0	(2.1)	0.1	(17.0)	0.4	(46.8)
*Brazil, Campinas	0.1	(12.5)	0.0	(6.2)	0.0	(6.2)	0.1	(18.8)	0.1	(12.5)	0.3	(43.8)
*Brazil, Curitiba	0.1	(17.4)	0.0	(4.3)	0.1	(17.4)	0.1	(4.3)	0.1	(17.4)	0.2	(39.1)
Brazil, Goiânia	0.1	(13.3)	0.0	(6.7)	0.1	(20.0)	0.1	(13.3)	0.2	(33.3)	0.1	(13.3)
*Brazil, Jaú	–	–	–	–	–	–	–	–	–	–	0.4	(100.0)
Brazil, João Pessoa	0.3	(42.9)	0.1	(14.3)	0.1	(14.3)	–	–	0.1	(14.3)	0.1	(14.3)
Brazil, Recife	0.1	(11.1)	–	–	0.3	(38.9)	–	–	0.1	(11.1)	0.3	(38.9)
Chile, Region of Antofagasta	–	–	0.1	(25.0)	0.1	(25.0)	–	–	0.1	(25.0)	0.1	(25.0)
Chile, Valdivia	–	–	–	–	–	–	–	–	0.2	(66.7)	0.1	(33.3)
Colombia, Bucaramanga	0.1	(8.7)	–	–	0.1	(17.4)	–	–	0.3	(43.5)	0.2	(30.4)
Colombia, Cali	0.1	(11.1)	0.1	(9.3)	0.1	(9.3)	0.1	(7.4)	0.2	(22.2)	0.4	(40.7)
Colombia, Manizales	0.2	(14.3)	0.1	(7.1)	0.2	(21.4)	–	–	0.4	(21.4)	0.3	(35.7)
Colombia, Pasto	–	–	–	–	0.1	(50.0)	–	–	–	–	0.1	(50.0)
Costa Rica	0.1	(12.2)	0.0	(4.9)	0.1	(17.1)	0.1	(19.5)	0.1	(29.3)	0.1	(17.1)
Ecuador, Guayaquil	0.1	(13.0)	0.0	(8.7)	0.0	(8.7)	0.0	(4.3)	0.2	(39.1)	0.1	(26.1)
Ecuador, Manabí	0.1	(13.3)	–	–	0.1	(20.0)	0.1	(26.7)	–	–	0.1	(40.0)
Ecuador, Quito	0.1	(12.5)	0.0	(6.2)	0.1	(12.5)	0.1	(9.4)	0.2	(34.4)	0.2	(25.0)
*France, Guadeloupe	–	–	–	–	–	–	–	–	–	–	0.0	(100.0)
*France, Martinique	–	–	–	–	–	–	–	–	–	–	–	–
*Peru, Lima	0.0	(13.0)	0.0	(15.2)	0.1	(17.4)	0.0	(13.0)	0.0	(15.2)	0.1	(26.1)
*Trinidad and Tobago	0.1	(12.5)	0.2	(25.0)	0.1	(18.8)	–	–	0.1	(6.2)	0.3	(37.5)
USA, Puerto Rico	0.0	(4.8)	0.0	(11.1)	0.0	(6.3)	0.1	(9.5)	0.2	(27.0)	0.2	(41.3)
*Uruguay	0.1	(16.9)	0.1	(7.7)	0.1	(13.8)	0.1	(15.4)	0.2	(32.3)	0.1	(13.8)
America, North												
Canada, Alberta	0.0	(7.8)	0.0	(6.2)	0.1	(21.9)	0.1	(15.6)	0.2	(29.7)	0.1	(18.8)
Canada, British Columbia	0.1	(15.0)	0.0	(5.0)	0.1	(14.0)	0.1	(13.0)	0.2	(29.0)	0.1	(24.0)
*Canada, Manitoba	0.1	(20.8)	0.0	(4.2)	0.1	(12.5)	0.2	(20.8)	0.1	(16.7)	0.2	(25.0)
*Canada, New Brunswick	0.0	(15.4)	–	–	0.2	(23.1)	0.0	(7.7)	0.2	(38.5)	0.1	(15.4)
*Canada, Newfoundland	0.1	(8.3)	–	–	0.1	(16.7)	0.3	(33.3)	0.1	(8.3)	0.2	(33.3)
Canada, Ontario	0.1	(15.7)	0.0	(8.0)	0.1	(17.3)	0.1	(12.5)	0.2	(24.3)	0.2	(22.4)
*Canada, Prince Edward Island	–	–	–	–	0.1	(33.3)	0.1	(33.3)	0.2	(33.3)	–	–
Canada, Quebec	0.1	(12.9)	0.1	(12.9)	0.1	(10.5)	0.1	(15.3)	0.2	(24.4)	0.2	(23.9)
Canada, Saskatchewan	0.0	(4.5)	–	–	0.1	(9.1)	0.1	(18.2)	0.3	(50.0)	0.1	(18.2)
*Canada, Yukon	–	–	–	–	–	–	0.6	(100.0)	–	–	–	–
USA	0.1	(14.8)	0.1	(8.6)	0.1	(12.1)	0.1	(11.8)	0.2	(25.6)	0.2	(27.2)
USA : White	0.1	(14.2)	0.0	(7.5)	0.1	(12.6)	0.1	(12.4)	0.2	(26.0)	0.2	(27.3)
USA : Black	0.1	(15.0)	0.1	(17.3)	0.0	(7.7)	0.0	(7.5)	0.1	(22.7)	0.1	(29.7)
USA, NPCR	0.1	(14.8)	0.1	(8.7)	0.1	(12.1)	0.1	(11.7)	0.2	(25.5)	0.2	(27.2)
USA, NPCR : White	0.1	(14.2)	0.0	(7.5)	0.1	(12.6)	0.1	(12.3)	0.2	(26.0)	0.2	(27.4)
USA, NPCR : Black	0.1	(15.2)	0.1	(17.5)	0.0	(7.8)	0.0	(7.6)	0.1	(22.4)	0.1	(29.5)
USA, NPCR : Asian and Pacific Islander	0.1	(27.2)	0.1	(11.0)	0.1	(12.6)	0.0	(6.5)	0.1	(24.4)	0.1	(18.3)
USA, NPCR : American Indian	0.1	(16.2)	0.0	(2.7)	0.0	(10.8)	0.1	(21.6)	0.1	(18.9)	0.1	(29.7)
*USA, SEER (18 registries)	0.1	(15.0)	0.0	(7.5)	0.1	(12.2)	0.1	(10.4)	0.2	(27.8)	0.2	(27.2)
*USA, SEER (18 registries) : White	0.1	(13.8)	0.0	(6.0)	0.1	(12.9)	0.1	(10.9)	0.2	(28.1)	0.2	(28.3)
*USA, SEER (18 registries) : Non-Hispanic White	0.1	(12.6)	0.0	(5.7)	0.1	(13.5)	0.1	(11.0)	0.2	(27.8)	0.2	(29.3)
*USA, SEER (18 registries) : Hispanic White	0.1	(17.9)	0.0	(6.9)	0.1	(11.0)	0.1	(10.3)	0.2	(29.0)	0.2	(24.8)
*USA, SEER (18 registries) : Black	0.0	(10.0)	0.1	(17.7)	0.0	(4.6)	0.0	(9.2)	0.1	(30.0)	0.1	(28.5)
*USA, SEER (18 registries) : Asian and Pacific Islander	0.2	(33.3)	0.0	(11.6)	0.1	(11.6)	0.0	(6.2)	0.1	(24.0)	0.1	(13.2)
*USA, SEER (9 registries)	0.1	(16.6)	0.0	(6.5)	0.1	(10.3)	0.1	(13.0)	0.2	(28.2)	0.1	(25.3)
*USA, SEER (9 registries) : White	0.1	(15.6)	0.0	(5.7)	0.1	(11.5)	0.1	(14.3)	0.2	(28.1)	0.2	(24.9)
*USA, SEER (9 registries) : Black	0.0	(9.8)	0.1	(15.7)	–	–	0.0	(7.8)	0.2	(35.3)	0.2	(31.4)
USA, Alabama	0.1	(10.3)	0.1	(17.2)	0.1	(8.6)	0.0	(1.7)	0.2	(21.6)	0.3	(40.5)
USA, Alabama : White	0.1	(10.1)	0.1	(11.2)	0.0	(6.7)	0.0	(1.1)	0.3	(27.0)	0.3	(43.8)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)												
USA, Michigan	0.1	(13.2)	0.1	(12.6)	0.0	(8.4)	0.1	(11.6)	0.2	(27.9)	0.2	(26.3)
USA, Michigan : White	0.1	(13.2)	0.1	(11.3)	0.0	(10.1)	0.1	(13.8)	0.2	(28.3)	0.1	(23.3)
USA, Michigan : Black	<i>0.1</i>	<i>(13.6)</i>	<i>0.1</i>	<i>(18.2)</i>	–	–	–	–	<i>0.2</i>	<i>(27.3)</i>	<i>0.2</i>	<i>(40.9)</i>
USA, Michigan : Asian and Pacific Islander	<i>0.1</i>	<i>(12.5)</i>	<i>0.1</i>	<i>(12.5)</i>	–	–	–	–	<i>0.3</i>	<i>(25.0)</i>	<i>0.5</i>	<i>(50.0)</i>
*USA, Michigan, Detroit	0.1	(16.5)	0.1	(11.8)	0.0	(3.5)	0.1	(9.4)	0.2	(34.1)	0.2	(24.7)
*USA, Michigan, Detroit : White	0.1	(17.7)	0.1	(9.7)	0.0	(4.8)	0.1	(12.9)	0.2	(33.9)	0.1	(21.0)
*USA, Michigan, Detroit : Black	<i>0.1</i>	<i>(15.8)</i>	<i>0.1</i>	<i>(15.8)</i>	–	–	–	–	<i>0.2</i>	<i>(31.6)</i>	<i>0.2</i>	<i>(36.8)</i>
USA, Minnesota	0.1	(12.5)	0.0	(6.2)	0.1	(15.2)	0.1	(10.7)	0.2	(33.9)	0.1	(21.4)
USA, Minnesota : White	0.1	(12.3)	0.0	(5.7)	0.1	(15.1)	0.1	(11.3)	0.3	(34.0)	0.1	(21.7)
USA, Minnesota : Black	–	–	0.1	(25.0)	0.1	(25.0)	–	–	0.1	(25.0)	0.2	(25.0)
*USA, Minnesota : Asian and Pacific Islander	<i>0.1</i>	<i>(100.0)</i>	–	–	–	–	–	–	–	–	–	–
USA, Mississippi	0.2	(23.6)	0.0	(5.5)	0.1	(12.7)	0.1	(16.4)	0.1	(20.0)	0.1	(21.8)
USA, Missouri	0.1	(17.0)	0.0	(2.8)	0.0	(8.5)	0.0	(6.6)	0.2	(35.8)	0.2	(29.2)
USA, Missouri : White	0.1	(17.5)	0.0	(3.1)	0.0	(9.3)	0.0	(7.2)	0.2	(36.1)	0.2	(26.8)
USA, Missouri : Black	<i>0.0</i>	<i>(14.3)</i>	–	–	–	–	–	–	<i>0.1</i>	<i>(14.3)</i>	<i>0.2</i>	<i>(71.4)</i>
USA, Montana	0.0	(7.7)	0.0	(7.7)	0.1	(15.4)	0.0	(7.7)	0.2	(26.9)	0.3	(34.6)
*USA, Montana : American Indian	–	–	–	–	–	–	–	–	–	–	–	–
USA, Nebraska	0.1	(12.1)	0.1	(9.1)	0.1	(12.1)	0.1	(12.1)	0.2	(33.3)	0.1	(21.2)
USA, Nebraska : White	0.1	(13.3)	0.0	(6.7)	0.0	(10.0)	0.1	(13.3)	0.2	(33.3)	0.1	(23.3)
*USA, Nebraska : Black	–	–	0.4	(50.0)	–	–	–	–	0.3	(50.0)	–	–
USA, Nevada	0.1	(11.5)	0.1	(19.7)	0.1	(11.5)	0.1	(16.4)	0.2	(26.2)	0.1	(14.8)
USA, Nevada : White	0.1	(9.8)	0.1	(17.6)	0.1	(9.8)	0.1	(17.6)	0.2	(31.4)	0.1	(13.7)
USA, Nevada : Black	0.1	(20.0)	–	–	0.2	(40.0)	–	–	–	–	0.2	(40.0)
*USA, Nevada : Asian and Pacific Islander	–	–	0.2	(66.7)	–	–	0.1	(33.3)	–	–	–	–
USA, New Jersey	0.1	(13.4)	0.0	(8.1)	0.1	(14.8)	0.1	(10.7)	0.1	(26.2)	0.1	(26.8)
USA, New Jersey : White	0.1	(14.6)	0.0	(4.9)	0.1	(15.4)	0.1	(10.6)	0.2	(26.8)	0.1	(27.6)
USA, New Jersey : Black	–	–	0.1	(30.8)	0.1	(15.4)	–	–	0.1	(15.4)	0.1	(38.5)
USA, New Mexico	0.1	(14.3)	0.1	(11.9)	0.1	(19.0)	0.1	(11.9)	0.1	(16.7)	0.2	(26.2)
USA, New Mexico : White	0.1	(15.4)	0.1	(12.8)	0.1	(17.9)	0.1	(12.8)	0.1	(17.9)	0.2	(23.1)
USA, New Mexico : Non-Hispanic White	0.2	(14.3)	0.0	(4.8)	0.1	(19.0)	0.0	(14.3)	0.1	(19.0)	0.2	(28.6)
USA, New Mexico : Hispanic White	0.1	(16.7)	0.2	(22.2)	0.1	(16.7)	0.1	(11.1)	0.1	(16.7)	0.1	(16.7)
*USA, New Mexico : American Indian	–	–	–	–	0.2	(33.3)	–	–	–	–	0.3	(66.7)
USA, New York State	0.1	(15.2)	0.1	(7.8)	0.1	(12.5)	0.1	(11.2)	0.2	(28.1)	0.2	(25.2)
USA, New York State : White	0.1	(13.4)	0.1	(7.3)	0.1	(13.1)	0.1	(12.2)	0.2	(28.3)	0.2	(25.8)
USA, New York State : Black	0.1	(19.2)	0.1	(13.5)	0.0	(5.8)	0.0	(7.7)	0.1	(26.9)	0.1	(26.9)
USA, New York State : Asian and Pacific Islander	0.2	(32.0)	–	–	0.1	(16.0)	0.0	(8.0)	0.2	(28.0)	0.1	(16.0)
USA, North Carolina	0.1	(14.3)	0.0	(8.7)	0.0	(8.1)	0.1	(11.2)	0.1	(29.2)	0.2	(28.6)
USA, North Carolina : White	0.1	(13.2)	0.0	(7.0)	0.0	(9.3)	0.1	(13.2)	0.2	(29.5)	0.2	(27.9)
USA, North Carolina : Black	0.1	(15.4)	0.1	(19.2)	0.0	(3.8)	–	–	0.1	(23.1)	0.2	(38.5)
USA, North Carolina : Asian and Pacific Islander	–	–	–	–	–	–	–	–	0.2	(100.0)	–	–
*USA, North Carolina : American Indian	0.2	(50.0)	–	–	–	–	–	–	0.2	(50.0)	–	–
USA, North Dakota	0.2	(36.4)	–	–	–	–	0.0	(9.1)	–	–	0.3	(54.5)
USA, Ohio	0.1	(15.1)	0.0	(6.6)	0.1	(11.3)	0.1	(16.5)	0.1	(23.1)	0.2	(27.4)
USA, Ohio : White	0.1	(16.1)	0.0	(5.4)	0.1	(11.8)	0.1	(18.3)	0.1	(22.6)	0.2	(25.8)
USA, Ohio : Black	0.1	(9.1)	0.1	(13.6)	0.0	(4.5)	0.0	(4.5)	0.2	(31.8)	0.2	(36.4)
*USA, Ohio : Asian and Pacific Islander	–	–	–	–	0.2	(50.0)	–	–	–	–	0.1	(50.0)
USA, Oklahoma	0.0	(5.2)	0.1	(9.1)	0.1	(19.5)	0.1	(9.1)	0.1	(23.4)	0.2	(33.8)
USA, Oklahoma : White	0.0	(4.8)	0.1	(11.3)	0.1	(21.0)	0.1	(6.5)	0.1	(24.2)	0.2	(32.3)
USA, Oklahoma : Black	–	–	–	–	–	–	0.1	(20.0)	0.2	(40.0)	0.2	(40.0)
USA, Oklahoma : American Indian	0.1	(12.5)	–	–	0.2	(25.0)	0.2	(25.0)	–	–	0.3	(37.5)
USA, Oregon	0.1	(14.3)	0.0	(5.7)	0.1	(14.3)	0.1	(12.9)	0.2	(27.1)	0.1	(25.7)
USA, Oregon : White	0.1	(16.1)	0.0	(4.8)	0.1	(14.5)	0.1	(12.9)	0.2	(24.2)	0.1	(27.4)
*USA, Oregon : Black	–	–	–	–	–	–	–	–	1.0	(75.0)	0.3	(25.0)
*USA, Oregon : Asian and Pacific Islander	–	–	0.2	(50.0)	0.2	(50.0)	–	–	–	–	–	–
USA, Rhode Island	0.2	(13.6)	0.1	(13.6)	0.1	(9.1)	0.2	(22.7)	0.1	(9.1)	0.2	(31.8)
USA, Rhode Island : White	0.1	(10.0)	0.1	(15.0)	0.1	(10.0)	0.1	(20.0)	0.1	(10.0)	0.3	(35.0)
*USA, Rhode Island : Black	0.6	(50.0)	–	–	–	–	0.4	(50.0)	–	–	–	–
USA, South Carolina	0.1	(18.4)	0.1	(10.2)	0.1	(11.2)	0.1	(14.3)	0.1	(23.5)	0.1	(22.4)
USA, South Carolina : White	0.1	(16.9)	0.1	(8.4)	0.1	(12.0)	0.1	(14.5)	0.2	(25.3)	0.2	(22.9)
USA, South Carolina : Black	0.1	(33.3)	0.1	(16.7)	–	–	0.0	(8.3)	0.0	(16.7)	0.1	(25.0)
USA, South Dakota	0.1	(20.0)	–	–	0.0	(20.0)	–	–	0.1	(30.0)	0.1	(30.0)
USA, Tennessee	0.1	(12.7)	0.0	(10.0)	0.0	(10.0)	0.1	(17.3)	0.1	(20.9)	0.2	(29.1)
USA, Tennessee : White	0.1	(10.4)	0.0	(9.4)	0.0	(9.4)	0.1	(18.8)	0.1	(20.8)	0.2	(31.2)
USA, Tennessee : Black	0.1	(25.0)	0.1	(16.7)	0.1	(16.7)	–	–	0.1	(25.0)	0.1	(16.7)
USA, Texas	0.1	(13.6)	0.0	(7.6)	0.1	(15.4)	0.1	(11.1)	0.1	(22.8)	0.2	(29.6)
USA, Texas : White	0.1	(13.5)	0.0	(6.7)	0.1	(16.2)	0.1	(11.9)	0.1	(23.8)	0.2	(28.0)
USA, Texas : Black	0.0	(12.8)	0.1	(15.4)	0.0	(10.3)	0.0	(2.6)	0.0	(10.3)	0.2	(48.7)
USA, Texas : Asian and Pacific Islander	0.1	(17.4)	0.1	(13.0)	0.1	(13.0)	0.0	(4.3)	0.2	(26.1)	0.2	(26.1)
USA, Utah	0.2	(25.9)	0.0	(5.2)	0.0	(6.9)	0.1	(20.7)	0.2	(22.4)	0.1	(19.0)
USA, Vermont	0.1	(14.3)	–	–	0.1	(14.3)	0.0	(7.1)	0.2	(35.7)	0.2	(28.6)
USA, Washington State	0.1	(15.6)	0.0	(6.1)	0.1	(10.9)	0.1	(11.6)	0.2	(26.5)	0.2	(29.3)
*USA, Washington, Seattle	0.1	(15.1)	0.0	(3.2)	0.1	(12.9)	0.1	(14.0)	0.2	(28.0)	0.2	(26.9)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)												
USA, West Virginia	0.2	(28.1)	0.1	(12.5)	0.0	(6.2)	0.1	(15.6)	0.1	(21.9)	0.1	(15.6)
USA, Wyoming	0.1	(14.3)	0.1	(14.3)	0.1	(14.3)	0.1	(7.1)	0.2	(14.3)	0.3	(35.7)
Asia												
Bahrain : Bahrainis	–	–	0.2	(18.2)	–	–	0.2	(27.3)	0.3	(36.4)	0.2	(18.2)
Brunei Darussalam	–	–	0.2	(60.0)	–	–	–	–	–	–	0.2	(40.0)
*China, Anfu County	0.4	(20.0)	0.1	(10.0)	0.3	(20.0)	0.3	(30.0)	–	–	0.2	(20.0)
*China, Anguo City	–	–	–	–	–	–	–	–	–	–	0.5	(100.0)
*China, Anshan City	0.1	(2.3)	–	–	0.3	(23.0)	0.0	(2.3)	0.1	(3.4)	0.7	(69.0)
*China, Aohan District, Chifeng City	–	–	–	–	–	–	0.0	(3.8)	0.1	(3.8)	1.2	(92.3)
*China, Arun District	–	–	–	–	0.1	(7.7)	–	–	–	–	1.4	(92.3)
*China, Baoding City	0.1	(5.6)	0.1	(11.1)	0.1	(5.6)	0.0	(2.8)	–	–	0.8	(75.0)
*China, Beijing City	0.1	(11.1)	0.1	(18.8)	0.1	(17.3)	0.1	(9.1)	0.1	(17.3)	0.1	(26.4)
*China, Binhai County	0.0	(1.6)	0.0	(1.6)	0.3	(19.4)	0.0	(3.2)	0.1	(6.5)	1.0	(67.7)
*China, Cangzhou City	0.1	(20.0)	0.1	(10.0)	–	–	–	–	0.0	(10.0)	0.4	(60.0)
China, Changfeng County	0.1	(7.7)	–	–	0.2	(23.1)	–	–	0.1	(7.7)	0.5	(61.5)
China, Changzhou City	0.1	(4.8)	0.0	(4.8)	0.0	(6.5)	–	–	0.0	(8.1)	0.6	(75.8)
China, Ci Xian County	0.1	(12.5)	–	–	0.1	(6.2)	–	–	0.1	(6.2)	0.7	(75.0)
China, Cixi City	0.0	(10.0)	0.1	(10.0)	0.1	(5.0)	0.1	(10.0)	0.1	(15.0)	0.2	(50.0)
*China, Dafeng District, Yancheng City	–	–	0.0	(1.9)	0.5	(33.3)	0.1	(1.9)	0.0	(3.7)	0.9	(59.3)
China, Dalian City	0.0	(6.0)	0.1	(12.0)	0.1	(18.0)	0.1	(10.0)	0.1	(10.0)	0.2	(44.0)
*China, Dancheng County	0.1	(13.8)	0.1	(17.2)	0.1	(10.3)	–	–	0.1	(6.9)	0.5	(51.7)
China, Dangtu County	–	–	0.2	(22.2)	0.1	(11.1)	–	–	–	–	0.8	(66.7)
*China, Danyang City	0.0	(6.1)	0.0	(3.0)	0.2	(15.2)	–	–	0.1	(12.1)	0.6	(63.6)
*China, Dawukou District, Shizuishan City	–	–	–	–	–	–	–	–	0.2	(40.0)	0.3	(60.0)
*China, Dehui City	0.0	(2.4)	–	–	0.0	(2.4)	–	–	0.0	(2.4)	1.4	(92.9)
*China, Donggang City	–	–	0.0	(4.8)	0.1	(4.8)	–	–	–	–	1.5	(90.5)
*China, Dongguan City	0.0	(4.3)	0.1	(17.4)	0.1	(17.4)	0.0	(8.7)	0.2	(26.1)	0.2	(26.1)
China, Donghai County	0.1	(2.8)	0.1	(5.6)	0.1	(7.0)	0.1	(4.2)	0.1	(2.8)	1.3	(77.5)
*China, Dongtai City	0.0	(1.0)	0.1	(2.9)	0.1	(4.8)	0.0	(1.9)	0.1	(2.9)	1.7	(86.7)
China, Duanzhou District, Zhaoqing City	–	–	–	–	0.2	(18.2)	–	–	0.2	(18.2)	0.8	(63.6)
*China, Ewenkizu Zizhiqi	–	–	0.3	(25.0)	–	–	–	–	1.2	(75.0)	–	–
*China, Faku County	–	–	–	–	0.3	(17.9)	–	–	0.1	(3.6)	1.2	(78.6)
*China, Fangcheng County	0.0	(3.1)	0.2	(12.5)	0.2	(12.5)	0.0	(3.1)	0.1	(9.4)	0.9	(59.4)
*China, Feicheng County	0.0	(6.1)	–	–	0.1	(15.2)	0.1	(15.2)	0.0	(3.0)	0.6	(60.6)
China, Feixi County	0.1	(2.6)	0.1	(6.4)	0.1	(6.4)	0.0	(1.3)	0.2	(7.7)	1.7	(75.6)
China, Fuqing City	–	–	0.0	(3.0)	0.3	(21.2)	0.1	(6.1)	0.1	(9.1)	0.8	(60.6)
*China, Ganyu District, Lianyungang City	0.0	(1.8)	0.1	(3.6)	0.1	(7.1)	0.0	(3.6)	0.0	(1.8)	1.2	(82.1)
*China, Ganzhou District, Zhangye City	0.2	(12.5)	–	–	0.3	(12.5)	0.1	(6.2)	0.2	(12.5)	1.0	(56.2)
*China, Gaocheng City	0.1	(13.3)	0.1	(6.7)	0.1	(20.0)	0.0	(6.7)	0.2	(20.0)	0.2	(33.3)
China, Gaomi City	0.0	(3.1)	0.0	(3.1)	0.0	(3.1)	0.0	(3.1)	0.0	(3.1)	0.9	(84.4)
China, Gong'an County	0.1	(4.3)	0.0	(4.3)	0.1	(13.0)	0.1	(8.7)	0.2	(21.7)	0.3	(47.8)
*China, Guang'an District, Guang'an City	–	–	–	–	0.1	(11.8)	0.0	(5.9)	–	–	0.7	(82.4)
China, Guanghan City	–	–	–	–	0.5	(38.5)	0.2	(23.1)	0.1	(15.4)	0.2	(23.1)
China, Guangzhou City	0.1	(12.0)	0.0	(8.4)	0.1	(25.7)	0.0	(7.2)	0.1	(20.4)	0.1	(26.3)
*China, Guanyun County	0.0	(2.9)	0.0	(2.9)	0.2	(17.1)	0.1	(5.7)	0.1	(5.7)	0.7	(65.7)
China, Guilin City	0.3	(16.7)	–	–	0.1	(10.0)	0.1	(6.7)	0.1	(10.0)	0.8	(56.7)
*China, Hai'an City	–	–	0.0	(3.0)	0.1	(12.1)	0.0	(6.1)	0.1	(9.1)	0.5	(69.7)
China, Hailar District, Hulun Buir City	–	–	–	–	0.1	(16.7)	0.1	(16.7)	–	–	0.7	(66.7)
China, Haimen City	0.0	(3.1)	0.0	(6.2)	0.1	(28.1)	0.1	(18.8)	0.0	(6.2)	0.3	(37.5)
China, Haining City	0.0	(12.5)	0.1	(12.5)	0.1	(25.0)	0.0	(12.5)	0.1	(25.0)	0.0	(12.5)
China, Hangzhou City	0.1	(12.3)	0.0	(5.0)	0.2	(27.9)	0.1	(10.6)	0.1	(15.1)	0.2	(29.1)
China, Hebi City	0.1	(8.3)	–	–	0.1	(8.3)	0.1	(8.3)	0.1	(16.7)	0.6	(58.3)
China, Hefei City	0.1	(10.8)	0.0	(3.2)	0.1	(11.8)	0.1	(5.4)	0.0	(5.4)	0.8	(63.4)
China, Hengdong	0.2	(13.3)	–	–	0.1	(6.7)	–	–	–	–	0.7	(80.0)
*China, Hengfeng County	0.2	(33.3)	–	–	–	–	–	–	–	–	0.3	(66.7)
*China, Hepu County	0.1	(5.4)	0.1	(3.6)	0.2	(10.7)	0.1	(5.4)	0.0	(1.8)	1.2	(73.2)
China, Honghu City	0.1	(3.4)	–	–	0.2	(20.7)	0.0	(3.4)	0.2	(17.2)	0.6	(55.2)
China, Hongshan District, Chifeng City	–	–	–	–	0.1	(25.0)	–	–	–	–	0.3	(75.0)
*China, Hongta District, Yuxi City	0.2	(13.3)	0.1	(13.3)	0.1	(13.3)	–	–	0.2	(20.0)	0.4	(40.0)
*China, Huaiyin District, Huai'an City	0.0	(4.8)	0.0	(4.8)	0.1	(14.3)	0.0	(4.8)	0.0	(4.8)	0.4	(66.7)
*China, Yinzhou District, Ningbo City	–	–	0.1	(33.3)	0.1	(33.3)	–	–	–	–	0.1	(33.3)
*China, Jiange County	–	–	–	–	0.1	(16.7)	–	–	–	–	0.6	(83.3)
China, Jiangmen City	0.0	(12.5)	0.0	(12.5)	0.2	(50.0)	–	–	–	–	0.1	(25.0)
*China, Jiangyin City	0.0	(6.1)	0.0	(6.1)	0.2	(30.3)	0.0	(12.1)	0.0	(6.1)	0.2	(39.4)
*China, Jiashan County	0.1	(6.7)	0.1	(6.7)	0.5	(46.7)	–	–	0.2	(26.7)	0.1	(13.3)
China, Jiaxing City	0.0	(14.3)	–	–	0.1	(57.1)	0.0	(14.3)	0.0	(14.3)	–	–
China, Jiayu County	0.1	(9.1)	0.3	(18.2)	–	–	0.4	(27.3)	–	–	0.6	(45.5)
*China, Jinan City	0.0	(8.5)	0.0	(6.4)	0.1	(19.1)	–	–	0.0	(8.5)	0.3	(57.4)
*China, Jingtai County	–	–	–	–	0.2	(20.0)	–	–	0.4	(30.0)	0.7	(50.0)
*China, Jingxian	0.1	(4.8)	–	–	0.1	(9.5)	–	–	–	–	1.5	(85.7)
*China, Jintan District, Changzhou City	0.3	(28.6)	0.0	(4.8)	0.1	(19.0)	0.0	(4.8)	–	–	0.3	(42.9)
*China, Jiulongpo District, Chongqing City	–	–	–	–	–	–	0.0	(100.0)	–	–	–	–

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)												
*China, Jiyuan City	–	–	0.2	(11.5)	0.2	(11.5)	0.2	(11.5)	0.2	(15.4)	0.9	(50.0)
China, Kaihua County	–	–	0.1	(12.5)	0.3	(37.5)	0.1	(12.5)	–	–	0.3	(37.5)
China, Kunshan City	–	–	0.0	(3.0)	0.2	(9.1)	0.1	(12.1)	0.0	(3.0)	0.7	(72.7)
China, Langzhong City	0.0	(6.7)	–	–	0.2	(26.7)	0.1	(13.3)	0.1	(6.7)	0.3	(46.7)
*China, Liangshan County	0.1	(9.1)	–	–	0.2	(18.2)	0.1	(4.5)	0.1	(9.1)	0.5	(59.1)
*China, Lianshui County	–	–	0.1	(5.3)	0.1	(13.2)	0.1	(7.9)	0.2	(15.8)	0.5	(57.9)
China, Lianyungang City	0.1	(10.3)	0.1	(6.9)	0.1	(13.8)	–	–	0.1	(6.9)	0.5	(62.1)
China, Linhe District, Bayannur City	0.1	(4.8)	–	–	0.1	(4.8)	0.2	(9.5)	–	–	1.4	(81.0)
China, Linqu County	–	–	0.0	(7.1)	0.1	(35.7)	0.0	(7.1)	–	–	0.2	(50.0)
*China, Linzhou City	0.2	(11.9)	0.0	(2.4)	0.4	(31.0)	0.2	(11.9)	0.0	(2.4)	0.5	(40.5)
China, Liuzhou City	–	–	–	–	0.2	(26.1)	0.1	(8.7)	0.0	(4.3)	0.4	(60.9)
China, Liyang City	0.2	(15.0)	–	–	0.1	(25.0)	0.1	(15.0)	0.1	(5.0)	0.2	(40.0)
*China, Longquan City	–	–	–	–	0.2	(100.0)	–	–	–	–	–	–
China, Lucheng District, Wenzhou City	0.1	(15.4)	–	–	0.1	(23.1)	0.1	(7.7)	0.3	(38.5)	0.1	(15.4)
China, Luoding City	–	–	0.0	(11.1)	0.1	(22.2)	–	–	0.1	(11.1)	0.2	(55.6)
*China, Luohe City	0.0	(3.2)	0.1	(6.5)	0.3	(32.3)	0.1	(6.5)	0.1	(9.7)	0.3	(41.9)
*China, Luoyang City	0.1	(23.5)	–	–	0.0	(5.9)	0.0	(5.9)	0.0	(5.9)	0.3	(58.8)
*China, Luquan City	–	–	0.3	(66.7)	–	–	–	–	–	–	0.2	(33.3)
China, Ma'an Shan City	–	–	0.0	(6.7)	–	–	–	–	–	–	0.7	(93.3)
*China, Macheng City	–	–	0.0	(3.2)	0.1	(9.7)	0.0	(3.2)	0.1	(9.7)	1.1	(74.2)
China, Meihekou City	0.2	(50.0)	–	–	–	–	–	–	0.1	(12.5)	0.1	(37.5)
*China, Mengjin County	0.1	(5.6)	0.3	(16.7)	0.5	(27.8)	–	–	0.1	(5.6)	0.8	(44.4)
China, Nangang District, Harbin City	0.1	(20.0)	0.2	(16.0)	0.1	(16.0)	0.0	(4.0)	0.1	(8.0)	0.2	(36.0)
*China, Nanhai District, Foshan City	0.1	(7.4)	0.2	(18.5)	0.4	(44.4)	0.1	(7.4)	0.1	(11.1)	0.1	(11.1)
*China, Nantong City	0.0	(7.9)	–	–	0.1	(10.5)	0.1	(10.5)	0.0	(2.6)	0.4	(68.4)
*China, Nanxiong City	–	–	0.1	(9.1)	0.1	(9.1)	–	–	0.3	(36.4)	0.5	(45.5)
China, Neixiang County	–	–	0.0	(6.2)	0.2	(18.8)	0.1	(12.5)	0.1	(18.8)	0.3	(43.8)
*China, Qianxi County	–	–	–	–	–	–	–	–	–	–	1.7	(100.0)
China, Qidong County	–	–	0.0	(2.2)	0.1	(11.1)	0.1	(11.1)	0.0	(4.4)	0.8	(71.1)
China, Qingyang District, Chengdu City	0.2	(20.6)	–	–	0.2	(20.6)	0.0	(2.9)	0.1	(8.8)	0.4	(47.1)
China, Qingzhou City	–	–	0.0	(10.0)	0.1	(20.0)	0.0	(10.0)	–	–	0.3	(60.0)
*China, Rudong County	–	–	0.0	(9.1)	0.1	(45.5)	–	–	0.1	(27.3)	0.0	(18.2)
*China, Rugao City	0.0	(2.1)	0.0	(4.3)	0.1	(10.6)	–	–	0.1	(6.4)	0.6	(76.6)
*China, Rural areas of Shanghai City	0.1	(9.9)	0.0	(4.6)	0.1	(21.0)	0.1	(10.7)	0.1	(15.6)	0.2	(38.2)
China, Ruyang County	0.1	(7.1)	–	–	0.1	(14.3)	0.1	(7.1)	–	–	0.9	(71.4)
*China, Shan County	0.0	(4.0)	–	–	0.0	(4.0)	0.1	(4.0)	0.1	(12.0)	0.8	(76.0)
China, Shanghai City	0.1	(5.9)	0.0	(8.2)	0.2	(27.7)	0.1	(5.5)	0.2	(20.5)	0.2	(32.3)
China, Shangyu District, Shaoxing City	0.0	(3.7)	0.1	(7.4)	0.3	(33.3)	0.0	(3.7)	0.1	(11.1)	0.3	(40.7)
*China, Shapingba District, Chongqing City	0.0	(5.3)	0.1	(10.5)	0.1	(15.8)	–	–	0.0	(10.5)	0.5	(57.9)
China, She Xian County	0.2	(16.7)	–	–	0.1	(8.3)	–	–	–	–	0.8	(75.0)
China, Sheyang County	0.1	(4.8)	0.0	(4.8)	0.3	(28.6)	–	–	0.4	(28.6)	0.4	(33.3)
*China, Shijiazhuang City	0.1	(12.1)	0.0	(3.0)	0.0	(6.1)	0.0	(3.0)	0.1	(18.2)	0.3	(57.6)
China, Shunde District, Foshan City	0.1	(12.5)	0.1	(9.4)	0.1	(9.4)	0.1	(12.5)	0.1	(6.2)	0.5	(50.0)
*China, Song County	–	–	–	–	0.1	(14.3)	0.1	(14.3)	–	–	0.4	(71.4)
China, Suzhou City	0.1	(5.7)	0.1	(5.1)	0.2	(20.4)	0.1	(5.1)	0.1	(8.9)	0.5	(54.8)
*China, Tengzhou City	0.1	(8.3)	0.1	(6.2)	0.2	(20.8)	0.1	(8.3)	0.0	(4.2)	0.5	(52.1)
*China, Wangdu County	–	–	–	–	–	–	0.1	(16.7)	0.1	(16.7)	0.6	(66.7)
*China, Wanzai County	–	–	0.1	(14.3)	–	–	–	–	–	–	0.5	(85.7)
*China, Wu'an City	–	–	–	–	–	–	–	–	–	–	0.6	(100.0)
China, Wuhan City	0.0	(7.9)	0.0	(4.4)	0.1	(21.9)	0.1	(7.0)	0.1	(23.7)	0.2	(35.1)
*China, Wuhu City	0.1	(21.1)	0.1	(15.8)	0.1	(15.8)	0.2	(13.2)	0.0	(5.3)	0.3	(28.9)
China, Wuxi City	–	–	0.0	(3.4)	0.1	(22.4)	0.1	(12.1)	0.1	(13.8)	0.2	(48.3)
China, Wuzhou City	0.1	(6.2)	–	–	0.0	(6.2)	0.1	(6.2)	–	–	0.7	(81.2)
China, Xiangfu District, Kaifeng City	0.1	(3.1)	0.1	(1.5)	0.4	(9.2)	0.2	(4.6)	1.4	(38.5)	1.6	(43.1)
China, Xianju County	0.1	(12.5)	–	–	0.1	(25.0)	0.1	(25.0)	0.2	(25.0)	0.1	(12.5)
*China, Xin'an County	–	–	–	–	0.2	(7.7)	–	–	0.2	(15.4)	1.0	(76.9)
*China, Xining City	0.1	(10.0)	0.1	(3.3)	0.2	(16.7)	0.2	(23.3)	–	–	0.6	(46.7)
*China, Xinji City	–	–	0.0	(11.1)	0.1	(33.3)	0.1	(11.1)	0.2	(33.3)	0.0	(11.1)
*China, Xinluo District, Longyan City	–	–	0.1	(10.0)	0.2	(20.0)	0.1	(10.0)	–	–	0.5	(60.0)
*China, Xinzhou District, Shangrao City	–	–	–	–	0.2	(42.9)	–	–	0.1	(14.3)	0.3	(42.9)
China, Xiping County	0.1	(5.0)	0.0	(2.5)	0.2	(17.5)	–	–	–	–	1.2	(75.0)
*China, Xishan District, Kunming City	0.1	(6.7)	–	–	0.2	(26.7)	–	–	–	–	0.7	(66.7)
*China, Xuyi County	0.1	(6.5)	–	–	0.3	(22.6)	0.0	(3.2)	–	–	0.8	(67.7)
*China, Ya'an City	0.1	(7.3)	0.1	(7.3)	0.3	(36.6)	0.1	(12.2)	0.1	(12.2)	0.2	(24.4)
*China, Yakeshi City	0.2	(4.5)	0.1	(4.5)	0.1	(9.1)	0.0	(4.5)	0.4	(27.3)	0.8	(50.0)
China, Yancheng	0.1	(2.3)	0.1	(2.3)	0.2	(8.4)	–	–	0.0	(0.8)	2.1	(86.3)
*China, Yangquan City	0.0	(1.6)	0.1	(3.3)	–	–	–	–	0.0	(1.6)	2.8	(93.4)
*China, Yangzhong City	–	–	–	–	–	–	–	–	–	–	1.0	(100.0)
*China, Yanji City	–	–	0.0	(7.7)	0.1	(15.4)	0.0	(7.7)	–	–	0.8	(69.2)
*China, Yanshi City	0.1	(12.5)	0.1	(8.3)	0.2	(20.8)	–	–	0.0	(4.2)	0.8	(54.2)
China, Yanting County	0.1	(2.6)	0.2	(7.9)	0.1	(5.3)	0.2	(7.9)	0.1	(2.6)	1.5	(73.7)
*China, Yi'an District, Tongling City	–	–	–	–	0.1	(8.3)	–	–	0.1	(8.3)	1.0	(83.3)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)												
Singapore : Malay	–	–	–	–	–	–	–	–	0.1	(66.7)	0.0	(33.3)
Thailand, Bangkok	0.1	(19.3)	0.0	(10.5)	0.0	(10.5)	0.0	(7.0)	0.1	(15.8)	0.1	(36.8)
*Thailand, Chiang Mai	0.0	(6.7)	0.0	(13.3)	0.1	(20.0)	0.0	(6.7)	0.1	(20.0)	0.1	(33.3)
*Thailand, Khon Kaen	0.0	(12.5)	0.0	(6.2)	0.0	(12.5)	0.0	(6.2)	0.1	(37.5)	0.1	(25.0)
Thailand, Lampang	0.0	(12.5)	0.0	(12.5)	–	–	0.0	(12.5)	0.0	(12.5)	0.2	(50.0)
Thailand, Lopburi Province	1.2	(70.3)	0.1	(5.4)	–	–	0.0	(2.7)	0.1	(5.4)	0.3	(16.2)
*Thailand, Songkhla	0.1	(18.8)	0.0	(6.2)	–	–	0.1	(12.5)	0.0	(12.5)	0.2	(50.0)
Türkiye, Antalya	0.0	(14.3)	0.0	(4.8)	0.0	(9.5)	0.0	(14.3)	0.1	(42.9)	0.1	(14.3)
Türkiye, Bursa	0.0	(18.2)	0.0	(9.1)	0.0	(4.5)	0.0	(4.5)	0.1	(22.7)	0.1	(40.9)
*Türkiye, Edirne	–	–	–	–	–	–	–	–	0.1	(20.0)	0.4	(80.0)
*Türkiye, Erzurum	0.2	(16.7)	0.1	(5.6)	0.3	(33.3)	0.1	(16.7)	0.0	(5.6)	0.2	(22.2)
Türkiye, Eskişehir	0.1	(6.2)	0.0	(6.2)	0.2	(18.8)	0.2	(25.0)	0.1	(12.5)	0.2	(31.2)
Türkiye, Gaziantep	0.1	(6.2)	0.1	(9.4)	0.1	(6.2)	0.0	(6.2)	0.3	(37.5)	0.2	(34.4)
*Türkiye, Izmir	0.1	(18.2)	0.0	(1.8)	0.1	(10.9)	0.1	(25.5)	0.1	(23.6)	0.1	(20.0)
Türkiye, Malatya	–	–	0.1	(7.7)	0.3	(38.5)	0.2	(30.8)	0.1	(15.4)	0.0	(7.7)
Türkiye, Samsun	0.0	(11.1)	0.1	(11.1)	0.0	(5.6)	0.0	(5.6)	0.1	(22.2)	0.3	(44.4)
Türkiye, Trabzon	0.1	(12.5)	–	–	0.0	(12.5)	0.1	(25.0)	0.2	(37.5)	0.0	(12.5)
Europe												
Austria	0.1	(10.6)	0.1	(5.8)	0.0	(5.8)	0.1	(7.2)	0.1	(11.1)	0.6	(59.4)
Austria, Carinthia	0.2	(40.0)	–	–	0.0	(20.0)	0.1	(20.0)	–	–	0.1	(20.0)
Austria, Tyrol	0.1	(14.3)	–	–	0.1	(7.1)	0.1	(7.1)	0.3	(42.9)	0.2	(28.6)
Austria, Vorarlberg	0.2	(10.0)	–	–	0.2	(10.0)	0.1	(20.0)	0.2	(20.0)	0.5	(40.0)
Belarus	0.1	(20.0)	0.0	(4.8)	0.1	(12.4)	0.1	(16.2)	0.1	(35.2)	0.1	(11.4)
*Belgium	0.1	(17.9)	0.0	(4.2)	0.1	(10.0)	0.1	(18.9)	0.2	(32.6)	0.1	(16.3)
Croatia	0.1	(15.8)	0.0	(6.9)	0.1	(12.9)	0.1	(16.8)	0.2	(20.8)	0.2	(26.7)
Cyprus	0.1	(16.7)	0.0	(5.6)	0.2	(16.7)	0.1	(11.1)	0.0	(5.6)	0.3	(44.4)
*Czech Republic	0.0	(7.9)	0.0	(5.3)	0.1	(21.1)	0.1	(13.7)	0.1	(18.9)	0.2	(33.2)
Denmark	0.1	(30.0)	–	–	0.0	(10.0)	0.1	(40.0)	0.0	(20.0)	–	–
Estonia	0.0	(5.0)	0.0	(5.0)	0.1	(15.0)	0.1	(20.0)	0.1	(25.0)	0.1	(30.0)
Finland	0.1	(10.8)	0.0	(2.4)	0.0	(9.6)	0.1	(14.5)	0.1	(33.7)	0.1	(28.9)
*France, Bas-Rhin	–	–	–	–	0.3	(43.8)	0.2	(31.2)	0.1	(12.5)	0.1	(12.5)
*France, Calvados	0.1	(16.7)	–	–	0.1	(16.7)	0.1	(8.3)	0.3	(58.3)	–	–
*France, Doubs	0.0	(7.7)	0.1	(15.4)	–	–	0.1	(15.4)	0.5	(46.2)	0.1	(15.4)
*France, Gironde	0.2	(25.9)	0.0	(3.7)	0.1	(11.1)	0.0	(3.7)	0.2	(37.0)	0.1	(18.5)
*France, Haut-Rhin	0.1	(11.1)	0.1	(5.6)	0.1	(11.1)	0.3	(27.8)	0.3	(38.9)	0.0	(5.6)
*France, Hérault	0.1	(5.3)	0.0	(5.3)	–	–	0.2	(31.6)	0.3	(42.1)	0.1	(15.8)
*France, Isère	0.1	(14.8)	0.0	(7.4)	0.1	(11.1)	0.1	(14.8)	0.2	(33.3)	0.1	(18.5)
*France, Lille-Métropole	0.1	(16.7)	–	–	0.1	(8.3)	0.1	(16.7)	0.1	(25.0)	0.2	(33.3)
*France, Limousin	–	–	–	–	0.5	(37.5)	–	–	0.1	(37.5)	0.1	(25.0)
*France, Loire-Atlantique	0.0	(8.7)	0.0	(4.3)	0.1	(17.4)	0.1	(8.7)	0.2	(26.1)	0.1	(34.8)
*France, Manche	0.1	(28.6)	–	–	0.0	(14.3)	0.2	(42.9)	0.1	(14.3)	–	–
*France, Poitou-Charentes	0.1	(8.1)	0.1	(8.1)	0.1	(10.8)	0.1	(18.9)	0.2	(32.4)	0.1	(21.6)
*France, Somme	0.0	(5.3)	–	–	0.1	(10.5)	0.2	(15.8)	0.5	(42.1)	0.4	(26.3)
*France, Tarn	0.2	(40.0)	0.2	(40.0)	0.1	(20.0)	–	–	–	–	–	–
*France, Territoire de Belfort	0.2	(50.0)	–	–	0.3	(50.0)	–	–	–	–	–	–
*France, Vendée	0.1	(7.1)	0.0	(7.1)	0.2	(28.6)	0.2	(21.4)	0.1	(14.3)	0.1	(21.4)
Germany, Baden-Württemberg	0.1	(12.9)	0.0	(2.9)	0.0	(9.4)	0.1	(8.8)	0.1	(19.9)	0.3	(46.2)
Germany, Bavaria	0.1	(16.2)	0.0	(2.7)	0.1	(12.6)	0.1	(14.0)	0.2	(27.5)	0.1	(27.0)
Germany, Bremen	0.1	(14.3)	–	–	0.2	(21.4)	0.1	(21.4)	0.1	(14.3)	0.3	(28.6)
Germany, Hamburg	0.0	(2.8)	0.0	(5.6)	0.1	(22.2)	0.0	(5.6)	0.2	(19.4)	0.3	(44.4)
Germany, Lower Saxony	0.1	(9.7)	0.0	(5.4)	0.1	(16.8)	0.1	(12.4)	0.2	(22.7)	0.2	(33.0)
Germany, North Rhine-Westphalia	0.1	(10.9)	0.0	(4.2)	0.1	(12.7)	0.1	(10.9)	0.2	(26.6)	0.2	(34.7)
Germany, Rhineland-Palatinate	0.1	(11.0)	0.0	(4.4)	0.1	(13.2)	0.0	(5.5)	0.2	(30.8)	0.3	(35.2)
Germany, Saarland	0.1	(13.0)	0.0	(4.3)	0.0	(13.0)	0.1	(17.4)	0.2	(26.1)	0.3	(26.1)
Germany, Schleswig-Holstein	0.0	(9.3)	0.0	(9.3)	0.1	(14.0)	0.0	(9.3)	0.1	(23.3)	0.1	(34.9)
Iceland	–	–	–	–	–	–	–	–	0.2	(33.3)	0.3	(66.7)
Ireland	0.1	(16.3)	0.0	(5.8)	0.1	(14.0)	0.1	(9.3)	0.1	(22.1)	0.2	(32.6)
*Italy, Aosta Valley	–	–	–	–	0.5	(50.0)	0.2	(25.0)	–	–	0.2	(25.0)
*Italy, Avellino	0.3	(33.3)	–	–	–	–	–	–	0.4	(50.0)	0.1	(16.7)
Italy, Basilicata	–	–	0.2	(20.0)	0.1	(10.0)	0.2	(30.0)	0.1	(20.0)	0.1	(20.0)
*Italy, Benevento	0.3	(25.0)	–	–	–	–	0.2	(25.0)	0.1	(25.0)	0.0	(25.0)
Italy, Bergamo	0.1	(17.6)	–	–	0.1	(17.6)	0.1	(17.6)	0.1	(17.6)	0.2	(29.4)
*Italy, Brescia	0.1	(26.7)	0.0	(13.3)	–	–	0.0	(13.3)	0.2	(26.7)	0.1	(20.0)
Italy, Brianza (Lecco + Monza e Brianza)	0.1	(5.6)	–	–	0.2	(22.2)	–	–	0.6	(55.6)	0.2	(16.7)
Italy, Calabria	0.0	(8.3)	0.1	(16.7)	0.2	(25.0)	0.0	(8.3)	0.2	(16.7)	0.1	(25.0)
*Italy, Caserta	0.1	(8.3)	–	–	0.0	(8.3)	–	–	0.0	(8.3)	0.5	(75.0)
*Italy, Catania, Messina and Enna	0.1	(12.5)	0.0	(5.0)	0.1	(20.0)	0.1	(17.5)	0.0	(7.5)	0.3	(37.5)
Italy, Emilia-Romagna	0.1	(14.1)	0.0	(4.7)	0.1	(14.1)	0.1	(16.5)	0.2	(28.2)	0.2	(22.4)
Italy, Friuli-Venezia Giulia	0.0	(11.8)	–	–	0.0	(5.9)	0.1	(29.4)	0.2	(17.6)	0.1	(35.3)
Italy, Genova	0.0	(5.3)	0.0	(5.3)	0.2	(42.1)	–	–	0.4	(26.3)	0.1	(21.1)
*Italy, Lombardy, South, Pavia	–	–	0.0	(20.0)	–	–	0.0	(20.0)	0.1	(60.0)	–	–
Italy, Mantova and Cremona	0.0	(9.1)	–	–	0.1	(18.2)	0.2	(18.2)	–	–	0.3	(54.5)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Male (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Oceania (contd)												
*Australia, Northern Territory : Non-Indigenous	<i>0.4</i>	<i>(40.0)</i>	<i>0.2</i>	<i>(20.0)</i>	–	–	–	–	<i>0.4</i>	<i>(40.0)</i>	–	–
*Australia, Northern Territory : Indigenous	–	–	–	–	–	–	–	–	–	–	–	–
*Australia, Queensland	0.1	(17.6)	<i>0.0</i>	<i>(4.1)</i>	0.1	(13.5)	0.1	(13.5)	0.2	(40.5)	<i>0.0</i>	<i>(10.8)</i>
Australia, South Australia	<i>0.1</i>	<i>(12.5)</i>	<i>0.0</i>	<i>(6.2)</i>	<i>0.0</i>	<i>(6.2)</i>	<i>0.1</i>	<i>(18.8)</i>	0.3	(40.6)	<i>0.1</i>	<i>(15.6)</i>
Australia, Tasmania	<i>0.0</i>	<i>(9.1)</i>	<i>0.1</i>	<i>(18.2)</i>	<i>0.1</i>	<i>(18.2)</i>	<i>0.2</i>	<i>(18.2)</i>	<i>0.2</i>	<i>(27.3)</i>	<i>0.1</i>	<i>(9.1)</i>
*Australia, Victoria	0.1	(12.3)	<i>0.0</i>	<i>(5.7)</i>	0.1	(9.0)	0.2	(22.1)	0.2	(36.9)	0.1	(13.9)
*Australia, Western Australia	<i>0.0</i>	<i>(7.5)</i>	<i>0.0</i>	<i>(2.5)</i>	<i>0.0</i>	<i>(2.5)</i>	<i>0.1</i>	<i>(20.0)</i>	0.2	(42.5)	0.1	(25.0)
*New Caledonia	–	–	–	–	<i>0.1</i>	<i>(20.0)</i>	–	–	<i>0.1</i>	<i>(20.0)</i>	<i>0.4</i>	<i>(60.0)</i>
New Zealand	0.1	(15.4)	<i>0.0</i>	<i>(2.6)</i>	<i>0.0</i>	<i>(6.4)</i>	<i>0.1</i>	<i>(9.0)</i>	0.2	(37.2)	0.2	(29.5)
*New Zealand : Maori	<i>0.1</i>	<i>(8.3)</i>	–	–	–	–	–	–	<i>0.3</i>	<i>(33.3)</i>	<i>0.4</i>	<i>(58.3)</i>
*New Zealand : Pacific peoples	<i>0.4</i>	<i>(30.0)</i>	–	–	<i>0.1</i>	<i>(10.0)</i>	–	–	<i>0.4</i>	<i>(30.0)</i>	<i>0.4</i>	<i>(30.0)</i>
*New Zealand : Other	<i>0.1</i>	<i>(13.5)</i>	<i>0.0</i>	<i>(3.8)</i>	<i>0.0</i>	<i>(7.7)</i>	<i>0.1</i>	<i>(13.5)</i>	0.2	(38.5)	0.2	(23.1)
USA, Hawaii	<i>0.2</i>	<i>(30.0)</i>	–	–	<i>0.1</i>	<i>(10.0)</i>	<i>0.0</i>	<i>(5.0)</i>	<i>0.2</i>	<i>(45.0)</i>	<i>0.1</i>	<i>(10.0)</i>
USA, Hawaii : White	<i>0.2</i>	<i>(20.0)</i>	–	–	<i>0.0</i>	<i>(10.0)</i>	<i>0.0</i>	<i>(10.0)</i>	<i>0.3</i>	<i>(50.0)</i>	<i>0.0</i>	<i>(10.0)</i>
*USA, Hawaii : Japanese	<i>0.5</i>	<i>(50.0)</i>	–	–	–	–	–	–	<i>0.1</i>	<i>(50.0)</i>	–	–
*USA, Hawaii : Chinese	–	–	–	–	–	–	–	–	–	–	–	–
*USA, Hawaii : Hawaiian	<i>0.2</i>	<i>(50.0)</i>	–	–	<i>0.1</i>	<i>(25.0)</i>	–	–	–	–	<i>0.1</i>	<i>(25.0)</i>
*USA, Hawaii : Filipino	<i>0.1</i>	<i>(50.0)</i>	–	–	–	–	–	–	<i>0.1</i>	<i>(50.0)</i>	–	–

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Female

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa												
*Algeria, Batna	–	–	–	–	–	–	–	–	0.3	(75.0)	0.1	(25.0)
*Algeria, Tizi Ouzou	–	–	–	–	–	–	0.0	(7.7)	0.2	(23.1)	0.5	(69.2)
*Benin, Cotonou	0.7	(33.3)	0.6	(33.3)	–	–	0.2	(13.3)	0.2	(6.7)	0.1	(13.3)
*France, La Réunion	0.0	(9.1)	–	–	0.2	(27.3)	–	–	0.4	(63.6)	–	–
*Kenya, Eldoret	–	–	0.0	(14.3)	–	–	–	–	–	–	0.3	(85.7)
*Kenya, Nairobi	0.3	(25.9)	0.4	(37.0)	0.0	(3.7)	–	–	0.1	(11.1)	0.1	(22.2)
Mauritius	0.0	(4.8)	0.1	(19.0)	0.1	(14.3)	0.1	(9.5)	–	–	0.3	(52.4)
*Morocco, Casablanca	0.0	(3.9)	0.0	(7.8)	0.1	(17.6)	0.0	(7.8)	0.1	(19.6)	0.2	(43.1)
*Seychelles	–	–	–	–	–	–	–	–	–	–	1.0	(100.0)
*South Africa, Eastern Cape	0.1	(20.0)	–	–	–	–	–	–	–	–	0.3	(80.0)
*Uganda, Kyadondo County	0.0	(20.0)	0.0	(40.0)	–	–	–	–	–	–	0.0	(40.0)
*Uganda, Gulu	–	–	–	–	–	–	–	–	–	–	–	–
*Zimbabwe, Bulawayo : African	–	–	0.1	(12.5)	0.1	(6.2)	–	–	–	–	0.9	(81.2)
*Zimbabwe, Harare : African	0.2	(14.8)	0.4	(51.9)	–	–	–	–	0.0	(3.7)	0.2	(29.6)
America, Central and South, and Caribbean												
*Argentina, Entre Ríos Province	–	–	–	–	0.1	(18.2)	–	–	0.1	(27.3)	0.2	(54.5)
*Argentina, Mendoza	0.0	(7.7)	0.0	(5.1)	0.1	(23.1)	0.1	(10.3)	0.2	(20.5)	0.3	(33.3)
Brazil, Aracaju	0.1	(33.3)	–	–	–	–	–	–	–	–	0.1	(66.7)
*Brazil, Barretos	–	–	–	–	0.1	(16.7)	–	–	0.1	(16.7)	0.3	(66.7)
Brazil, Belo Horizonte	0.0	(9.3)	0.0	(9.3)	0.1	(20.9)	0.0	(7.0)	0.1	(20.9)	0.1	(32.6)
*Brazil, Campinas	0.0	(6.2)	0.1	(12.5)	0.1	(12.5)	0.1	(12.5)	0.1	(18.8)	0.2	(37.5)
*Brazil, Curitiba	0.1	(8.0)	0.1	(12.0)	0.1	(16.0)	0.0	(12.0)	0.2	(28.0)	0.1	(24.0)
Brazil, Goiânia	0.0	(16.7)	–	–	0.1	(16.7)	0.1	(8.3)	0.1	(25.0)	0.1	(33.3)
*Brazil, Jaú	–	–	–	–	–	–	–	–	–	–	–	–
Brazil, João Pessoa	0.1	(14.3)	–	–	0.2	(21.4)	–	–	0.4	(28.6)	0.3	(35.7)
Brazil, Recife	0.0	(6.7)	0.1	(13.3)	0.0	(6.7)	0.0	(6.7)	0.2	(40.0)	0.1	(26.7)
Chile, Region of Antofagasta	0.3	(28.6)	–	–	–	–	0.1	(14.3)	0.1	(14.3)	0.3	(42.9)
Chile, Valdivia	0.2	(20.0)	0.1	(20.0)	0.1	(20.0)	0.2	(20.0)	–	–	0.1	(20.0)
Colombia, Bucaramanga	–	–	0.0	(9.1)	0.1	(27.3)	–	–	0.1	(27.3)	0.1	(36.4)
Colombia, Cali	0.1	(12.5)	0.0	(6.2)	0.1	(10.4)	0.0	(2.1)	0.2	(22.9)	0.3	(45.8)
Colombia, Manizales	0.1	(25.0)	–	–	–	–	–	–	0.1	(12.5)	0.5	(62.5)
Colombia, Pasto	–	–	–	–	0.1	(40.0)	0.1	(20.0)	0.1	(40.0)	–	–
Costa Rica	0.0	(14.8)	0.1	(22.2)	0.1	(22.2)	0.0	(14.8)	0.1	(22.2)	0.0	(3.7)
Ecuador, Guayaquil	0.1	(15.9)	0.1	(6.8)	0.1	(13.6)	0.1	(11.4)	0.2	(27.3)	0.2	(25.0)
Ecuador, Manabí	0.1	(20.0)	0.0	(10.0)	0.1	(20.0)	–	–	0.1	(20.0)	0.1	(30.0)
Ecuador, Quito	0.1	(20.0)	–	–	0.1	(20.0)	0.0	(5.0)	0.1	(30.0)	0.1	(25.0)
*France, Guadeloupe	–	–	–	–	–	–	–	–	–	–	–	–
*France, Martinique	–	–	–	–	–	–	–	–	–	–	0.0	(100.0)
*Peru, Lima	0.1	(16.7)	0.0	(3.7)	0.1	(16.7)	0.0	(7.4)	0.1	(16.7)	0.1	(38.9)
*Trinidad and Tobago	0.1	(18.8)	0.0	(6.2)	0.1	(12.5)	0.0	(6.2)	0.0	(6.2)	0.3	(50.0)
USA, Puerto Rico	0.0	(7.0)	0.1	(20.9)	0.0	(14.0)	0.0	(11.6)	0.1	(14.0)	0.1	(32.6)
*Uruguay	0.1	(19.0)	0.0	(4.8)	0.0	(9.5)	0.0	(4.8)	0.1	(16.7)	0.2	(45.2)
America, North												
Canada, Alberta	0.1	(18.2)	0.0	(4.5)	0.1	(11.4)	0.1	(15.9)	0.1	(22.7)	0.1	(27.3)
Canada, British Columbia	0.1	(21.2)	0.0	(10.0)	0.0	(8.8)	0.1	(11.2)	0.1	(25.0)	0.1	(23.8)
*Canada, Manitoba	0.1	(33.3)	0.0	(5.6)	–	–	0.0	(11.1)	0.2	(38.9)	0.1	(11.1)
*Canada, New Brunswick	0.0	(12.5)	–	–	0.1	(37.5)	–	–	0.1	(37.5)	0.1	(12.5)
*Canada, Newfoundland	0.1	(33.3)	–	–	–	–	–	–	–	–	0.1	(66.7)
Canada, Ontario	0.1	(21.2)	0.1	(10.2)	0.1	(13.3)	0.1	(9.8)	0.1	(21.2)	0.2	(24.2)
*Canada, Prince Edward Island	0.4	(50.0)	–	–	–	–	–	–	–	–	0.1	(50.0)
Canada, Quebec	0.1	(17.2)	0.1	(14.8)	0.1	(11.8)	0.1	(10.1)	0.1	(21.9)	0.1	(24.3)
Canada, Saskatchewan	0.1	(25.0)	0.0	(8.3)	0.0	(16.7)	0.0	(16.7)	0.1	(25.0)	0.0	(8.3)
*Canada, Yukon	–	–	–	–	–	–	–	–	–	–	–	–
USA	0.1	(18.4)	0.0	(8.9)	0.1	(10.7)	0.1	(10.1)	0.1	(23.9)	0.1	(27.9)
USA : White	0.1	(18.3)	0.0	(8.0)	0.1	(11.3)	0.1	(10.4)	0.1	(24.1)	0.1	(27.8)
USA : Black	0.1	(17.3)	0.1	(14.7)	0.0	(5.6)	0.0	(8.2)	0.1	(23.9)	0.1	(30.3)
USA, NPCR	0.1	(18.5)	0.0	(9.0)	0.1	(10.7)	0.1	(10.0)	0.1	(24.1)	0.1	(27.7)
USA, NPCR : White	0.1	(18.3)	0.0	(8.1)	0.1	(11.4)	0.1	(10.3)	0.1	(24.3)	0.1	(27.6)
USA, NPCR : Black	0.1	(17.5)	0.1	(14.7)	0.0	(5.6)	0.0	(8.2)	0.1	(23.9)	0.1	(30.1)
USA, NPCR : Asian and Pacific Islander	0.1	(21.7)	0.0	(7.6)	0.0	(11.1)	0.0	(8.6)	0.1	(24.7)	0.1	(26.3)
USA, NPCR : American Indian	0.1	(20.6)	0.0	(14.7)	0.0	(2.9)	0.1	(17.6)	0.0	(17.6)	0.1	(26.5)
*USA, SEER (18 registries)	0.1	(18.6)	0.0	(8.5)	0.0	(11.2)	0.1	(10.5)	0.1	(25.3)	0.1	(26.0)
*USA, SEER (18 registries) : White	0.1	(18.0)	0.0	(7.6)	0.1	(11.8)	0.1	(11.1)	0.1	(25.4)	0.1	(26.0)
*USA, SEER (18 registries) : Non-Hispanic White	0.1	(16.7)	0.0	(7.3)	0.1	(12.2)	0.1	(12.2)	0.1	(25.8)	0.1	(25.9)
*USA, SEER (18 registries) : Hispanic White	0.1	(22.3)	0.0	(8.7)	0.1	(10.7)	0.0	(7.4)	0.1	(24.4)	0.1	(26.4)
*USA, SEER (18 registries) : Black	0.1	(23.8)	0.0	(13.1)	0.0	(4.9)	0.0	(7.4)	0.1	(25.4)	0.1	(25.4)
*USA, SEER (18 registries) : Asian and Pacific Islander	0.1	(17.9)	0.0	(7.5)	0.0	(14.2)	0.0	(6.6)	0.1	(24.5)	0.1	(29.2)
*USA, SEER (9 registries)	0.1	(20.1)	0.0	(7.3)	0.0	(11.4)	0.1	(13.1)	0.1	(23.5)	0.1	(24.7)
*USA, SEER (9 registries) : White	0.1	(19.8)	0.0	(5.8)	0.1	(13.1)	0.1	(13.1)	0.1	(24.3)	0.1	(24.0)
*USA, SEER (9 registries) : Black	0.1	(23.8)	0.0	(11.9)	0.0	(4.8)	0.0	(9.5)	0.1	(23.8)	0.1	(26.2)
USA, Alabama	0.1	(11.9)	0.1	(17.8)	0.0	(3.0)	0.0	(5.0)	0.1	(17.8)	0.3	(44.6)
USA, Alabama : White	0.1	(11.8)	0.1	(13.2)	0.1	(2.9)	0.1	(7.4)	0.1	(19.1)	0.3	(45.6)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Female (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)												
USA, Michigan	0.1	(16.4)	0.0	(10.4)	0.0	(6.0)	0.1	(12.7)	0.1	(21.6)	0.1	(32.8)
USA, Michigan : White	0.1	(15.6)	0.0	(9.8)	0.0	(6.6)	0.1	(13.1)	0.1	(23.0)	0.1	(32.0)
USA, Michigan : Black	0.0	(12.5)	0.0	(12.5)	–	–	0.0	(12.5)	0.0	(12.5)	0.1	(50.0)
USA, Michigan : Asian and Pacific Islander	0.2	(66.7)	–	–	–	–	–	–	–	–	0.1	(33.3)
*USA, Michigan, Detroit	0.1	(15.7)	0.1	(9.8)	0.0	(3.9)	0.1	(11.8)	0.1	(21.6)	0.1	(37.3)
*USA, Michigan, Detroit : White	0.1	(15.0)	0.0	(7.5)	0.0	(5.0)	0.1	(12.5)	0.1	(25.0)	0.2	(35.0)
*USA, Michigan, Detroit : Black	0.0	(12.5)	0.1	(12.5)	–	–	0.0	(12.5)	0.0	(12.5)	0.1	(50.0)
USA, Minnesota	0.1	(16.9)	0.0	(6.2)	0.1	(12.3)	0.0	(9.2)	0.1	(26.2)	0.1	(29.2)
USA, Minnesota : White	0.1	(17.7)	0.0	(6.5)	0.1	(12.9)	0.1	(9.7)	0.1	(25.8)	0.1	(27.4)
USA, Minnesota : Black	–	–	–	–	–	–	–	–	0.1	(100.0)	–	–
*USA, Minnesota : Asian and Pacific Islander	–	–	–	–	–	–	–	–	–	–	0.2	(100.0)
USA, Mississippi	0.1	(22.2)	0.0	(5.6)	0.0	(8.3)	0.0	(5.6)	0.1	(19.4)	0.1	(38.9)
USA, Missouri	0.0	(11.3)	0.0	(10.3)	0.0	(9.3)	0.1	(8.2)	0.1	(28.9)	0.2	(32.0)
USA, Missouri : White	0.0	(10.8)	0.0	(10.8)	0.0	(10.8)	0.0	(7.2)	0.2	(30.1)	0.1	(30.1)
USA, Missouri : Black	0.1	(15.4)	0.0	(7.7)	–	–	0.1	(7.7)	0.1	(23.1)	0.3	(46.2)
USA, Montana	0.1	(22.7)	0.0	(9.1)	0.1	(4.5)	0.2	(18.2)	0.1	(13.6)	0.1	(31.8)
*USA, Montana : American Indian	0.6	(100.0)	–	–	–	–	–	–	–	–	–	–
USA, Nebraska	0.0	(3.6)	0.0	(10.7)	0.1	(14.3)	0.0	(3.6)	0.2	(35.7)	0.1	(32.1)
USA, Nebraska : White	0.0	(4.0)	0.1	(12.0)	0.1	(16.0)	0.0	(4.0)	0.2	(36.0)	0.1	(28.0)
*USA, Nebraska : Black	–	–	–	–	–	–	–	–	–	–	0.5	(100.0)
USA, Nevada	0.1	(10.9)	0.1	(19.6)	0.1	(8.7)	0.1	(15.2)	0.0	(4.3)	0.2	(41.3)
USA, Nevada : White	0.1	(10.0)	0.1	(20.0)	0.1	(10.0)	0.1	(12.5)	0.1	(5.0)	0.2	(42.5)
USA, Nevada : Black	–	–	0.1	(50.0)	–	–	–	–	–	–	0.1	(50.0)
*USA, Nevada : Asian and Pacific Islander	0.1	(33.3)	–	–	–	–	0.1	(33.3)	–	–	0.1	(33.3)
USA, New Jersey	0.1	(22.1)	0.1	(9.7)	0.0	(9.7)	0.0	(8.3)	0.1	(26.2)	0.1	(24.1)
USA, New Jersey : White	0.1	(22.1)	0.0	(5.3)	0.1	(10.6)	0.1	(10.6)	0.1	(27.4)	0.1	(23.9)
USA, New Jersey : Black	0.1	(26.3)	0.1	(26.3)	0.0	(10.5)	–	–	0.1	(15.8)	0.1	(21.1)
USA, New Mexico	0.1	(17.6)	0.0	(8.8)	0.0	(8.8)	0.0	(8.8)	0.1	(17.6)	0.2	(38.2)
USA, New Mexico : White	0.1	(13.3)	0.0	(6.7)	0.0	(10.0)	0.1	(10.0)	0.1	(16.7)	0.2	(43.3)
USA, New Mexico : Non-Hispanic White	–	–	0.0	(15.4)	0.0	(7.7)	0.0	(15.4)	0.0	(15.4)	0.3	(46.2)
USA, New Mexico : Hispanic White	0.2	(23.5)	–	–	0.1	(11.8)	0.0	(5.9)	0.1	(17.6)	0.2	(41.2)
*USA, New Mexico : American Indian	0.3	(66.7)	0.2	(33.3)	–	–	–	–	–	–	–	–
USA, New York State	0.1	(18.6)	0.0	(9.6)	0.1	(10.8)	0.1	(11.7)	0.1	(22.2)	0.1	(27.0)
USA, New York State : White	0.1	(17.9)	0.0	(8.1)	0.1	(11.4)	0.1	(13.4)	0.1	(22.8)	0.1	(26.4)
USA, New York State : Black	0.1	(17.5)	0.1	(14.0)	0.1	(8.8)	0.0	(8.8)	0.1	(21.1)	0.1	(29.8)
USA, New York State : Asian and Pacific Islander	0.1	(18.5)	0.1	(14.8)	0.1	(11.1)	0.0	(3.7)	0.1	(22.2)	0.2	(29.6)
USA, North Carolina	0.1	(20.3)	0.0	(8.3)	0.0	(8.3)	0.0	(12.8)	0.1	(26.3)	0.1	(24.1)
USA, North Carolina : White	0.1	(20.6)	0.0	(6.5)	0.0	(9.3)	0.1	(12.1)	0.1	(27.1)	0.1	(24.3)
USA, North Carolina : Black	0.1	(23.8)	0.0	(19.0)	–	–	0.0	(9.5)	0.1	(23.8)	0.1	(23.8)
USA, North Carolina : Asian and Pacific Islander	–	–	–	–	–	–	0.1	(50.0)	–	–	0.1	(50.0)
*USA, North Carolina : American Indian	–	–	–	–	–	–	0.2	(100.0)	–	–	–	–
USA, North Dakota	–	–	0.1	(12.5)	–	–	0.1	(25.0)	0.1	(25.0)	0.1	(37.5)
USA, Ohio	0.1	(17.4)	0.0	(4.8)	0.1	(13.8)	0.0	(7.8)	0.1	(27.5)	0.1	(28.7)
USA, Ohio : White	0.1	(17.2)	0.0	(5.3)	0.1	(14.6)	0.0	(7.3)	0.1	(26.5)	0.1	(29.1)
USA, Ohio : Black	0.0	(8.3)	–	–	–	–	0.0	(16.7)	0.1	(41.7)	0.1	(33.3)
*USA, Ohio : Asian and Pacific Islander	0.3	(50.0)	–	–	0.1	(25.0)	–	–	0.1	(25.0)	–	–
USA, Oklahoma	0.1	(11.9)	0.0	(7.5)	0.1	(14.9)	0.0	(4.5)	0.1	(19.4)	0.2	(41.8)
USA, Oklahoma : White	0.1	(12.5)	0.0	(6.2)	0.1	(20.8)	0.0	(4.2)	0.1	(16.7)	0.2	(39.6)
USA, Oklahoma : Black	0.1	(14.3)	–	–	–	–	–	–	0.3	(42.9)	0.3	(42.9)
USA, Oklahoma : American Indian	–	–	–	–	–	–	0.1	(14.3)	0.1	(28.6)	0.3	(57.1)
USA, Oregon	0.1	(20.8)	0.0	(2.1)	0.1	(14.6)	0.1	(18.8)	0.1	(18.8)	0.1	(25.0)
USA, Oregon : White	0.1	(21.7)	0.0	(2.2)	0.1	(15.2)	0.1	(17.4)	0.1	(19.6)	0.1	(23.9)
*USA, Oregon : Black	–	–	–	–	–	–	–	–	–	–	–	–
*USA, Oregon : Asian and Pacific Islander	–	–	–	–	–	–	–	–	–	–	0.2	(100.0)
USA, Rhode Island	0.1	(19.0)	0.0	(4.8)	0.1	(14.3)	0.1	(23.8)	0.1	(23.8)	0.0	(14.3)
USA, Rhode Island : White	0.1	(20.0)	0.0	(5.0)	0.1	(15.0)	0.1	(25.0)	0.1	(20.0)	0.1	(15.0)
*USA, Rhode Island : Black	–	–	–	–	–	–	–	–	–	–	–	–
USA, South Carolina	0.1	(19.5)	0.0	(6.5)	0.0	(7.8)	0.1	(11.7)	0.1	(24.7)	0.1	(29.9)
USA, South Carolina : White	0.1	(22.4)	0.0	(3.4)	0.0	(10.3)	0.1	(12.1)	0.2	(27.6)	0.1	(24.1)
USA, South Carolina : Black	0.1	(11.8)	0.1	(17.6)	–	–	0.0	(11.8)	0.1	(11.8)	0.2	(47.1)
USA, South Dakota	0.1	(12.5)	–	–	–	–	–	–	0.0	(12.5)	0.3	(75.0)
USA, Tennessee	0.1	(14.9)	0.0	(11.7)	0.0	(7.4)	0.0	(10.6)	0.1	(31.9)	0.1	(23.4)
USA, Tennessee : White	0.1	(17.1)	0.0	(9.8)	0.0	(8.5)	0.0	(9.8)	0.2	(32.9)	0.1	(22.0)
USA, Tennessee : Black	–	–	0.1	(25.0)	–	–	0.1	(16.7)	0.1	(25.0)	0.1	(33.3)
USA, Texas	0.1	(18.4)	0.0	(9.6)	0.0	(9.3)	0.0	(6.9)	0.1	(24.8)	0.1	(30.9)
USA, Texas : White	0.1	(18.4)	0.0	(8.2)	0.0	(9.2)	0.0	(6.6)	0.1	(25.3)	0.2	(32.3)
USA, Texas : Black	0.1	(17.1)	0.1	(14.6)	0.0	(9.8)	0.0	(7.3)	0.1	(24.4)	0.1	(26.8)
USA, Texas : Asian and Pacific Islander	0.1	(20.0)	0.1	(20.0)	0.1	(13.3)	0.1	(13.3)	0.1	(20.0)	0.1	(13.3)
USA, Utah	0.2	(27.3)	0.0	(4.5)	0.0	(9.1)	0.1	(18.2)	0.2	(31.8)	0.0	(9.1)
USA, Vermont	0.1	(14.3)	–	–	0.1	(14.3)	0.1	(21.4)	0.3	(28.6)	0.2	(21.4)
USA, Washington State	0.1	(23.6)	0.0	(3.8)	0.1	(10.4)	0.0	(10.4)	0.2	(32.1)	0.1	(19.8)
*USA, Washington, Seattle	0.1	(26.5)	0.0	(2.9)	0.0	(10.3)	0.0	(10.3)	0.1	(32.4)	0.1	(17.6)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Female (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)												
*China, Jiyuan City	–	–	0.1	(3.2)	0.2	(9.7)	0.4	(19.4)	0.2	(9.7)	1.0	(58.1)
China, Kaihua County	0.1	(22.2)	–	–	0.2	(33.3)	0.2	(11.1)	0.1	(11.1)	0.1	(22.2)
China, Kunshan City	0.1	(5.3)	0.0	(10.5)	0.1	(21.1)	–	–	0.0	(5.3)	0.3	(57.9)
China, Langzhong City	–	–	–	–	0.1	(14.3)	–	–	0.1	(7.1)	0.6	(78.6)
*China, Liangshan County	–	–	–	–	–	–	–	–	0.0	(14.3)	0.3	(85.7)
*China, Lianshui County	0.0	(7.1)	–	–	0.1	(17.9)	0.1	(10.7)	0.1	(14.3)	0.4	(50.0)
China, Lianyungang City	0.1	(12.5)	–	–	0.1	(31.2)	0.0	(6.2)	0.0	(6.2)	0.2	(43.8)
China, Linhe District, Bayannur City	0.1	(14.3)	–	–	–	–	–	–	0.1	(14.3)	0.4	(71.4)
China, Linqu County	0.0	(6.7)	–	–	0.1	(20.0)	0.0	(6.7)	0.0	(13.3)	0.2	(53.3)
*China, Linzhou City	0.1	(4.8)	0.1	(9.5)	0.1	(7.1)	0.1	(7.1)	0.2	(16.7)	0.6	(54.8)
China, Liuzhou City	0.1	(13.3)	0.0	(6.7)	0.0	(6.7)	–	–	0.1	(13.3)	0.2	(60.0)
China, Liyang City	0.2	(13.3)	–	–	0.1	(40.0)	0.0	(6.7)	–	–	0.1	(40.0)
*China, Longquan City	–	–	–	–	–	–	–	–	–	–	–	–
China, Lucheng District, Wenzhou City	–	–	–	–	0.1	(40.0)	–	–	0.2	(20.0)	0.1	(40.0)
China, Luoding City	0.1	(15.4)	0.1	(15.4)	0.1	(23.1)	–	–	0.2	(23.1)	0.1	(23.1)
*China, Luohe City	0.1	(12.5)	0.0	(4.2)	0.1	(16.7)	0.0	(8.3)	0.1	(20.8)	0.2	(37.5)
*China, Luoyang City	–	–	0.1	(15.0)	0.0	(10.0)	0.1	(10.0)	0.1	(15.0)	0.2	(50.0)
*China, Luquan City	–	–	–	–	0.1	(16.7)	–	–	–	–	0.3	(83.3)
China, Ma'an Shan City	0.1	(15.4)	0.1	(23.1)	0.1	(15.4)	–	–	0.1	(15.4)	0.2	(30.8)
*China, Macheng City	0.0	(7.7)	0.1	(7.7)	0.1	(30.8)	0.0	(7.7)	0.1	(23.1)	0.1	(23.1)
China, Meihkekou City	0.5	(44.4)	–	–	–	–	0.0	(11.1)	–	–	0.2	(44.4)
*China, Mengjin County	0.3	(18.2)	–	–	0.1	(9.1)	0.1	(9.1)	–	–	0.6	(63.6)
China, Nangang District, Harbin City	0.1	(15.4)	–	–	0.2	(15.4)	0.0	(7.7)	0.1	(11.5)	0.2	(50.0)
*China, Nanhai District, Foshan City	0.1	(22.2)	0.0	(5.6)	0.3	(50.0)	0.0	(5.6)	0.1	(16.7)	–	–
*China, Nantong City	0.1	(9.4)	0.0	(3.1)	0.2	(43.8)	0.0	(6.2)	0.1	(9.4)	0.2	(28.1)
*China, Nanxiong City	–	–	–	–	0.2	(37.5)	–	–	0.2	(37.5)	0.1	(25.0)
China, Neixiang County	0.1	(6.7)	0.2	(26.7)	0.2	(26.7)	–	–	0.1	(13.3)	0.1	(26.7)
*China, Qianxi County	–	–	0.1	(5.0)	–	–	–	–	0.1	(5.0)	1.1	(90.0)
China, Qidong County	–	–	0.0	(9.1)	0.1	(18.2)	0.0	(6.1)	0.1	(15.2)	0.4	(51.5)
China, Qingyang District, Chengdu City	0.1	(21.7)	0.0	(4.3)	0.1	(17.4)	0.1	(13.0)	0.1	(13.0)	0.2	(30.4)
China, Qingzhou City	0.1	(22.2)	0.0	(11.1)	0.1	(22.2)	–	–	0.2	(33.3)	0.0	(11.1)
*China, Rudong County	–	–	–	–	0.1	(62.5)	–	–	0.0	(37.5)	–	–
*China, Rugao City	–	–	–	–	0.0	(4.1)	0.1	(10.2)	0.1	(16.3)	0.6	(69.4)
*China, Rural areas of Shanghai City	0.1	(8.7)	0.0	(5.6)	0.2	(27.2)	0.1	(6.7)	0.1	(18.5)	0.1	(33.3)
China, Ruyang County	0.1	(7.1)	–	–	0.4	(21.4)	–	–	0.1	(7.1)	0.9	(64.3)
*China, Shan County	0.1	(13.3)	0.1	(13.3)	–	–	0.1	(20.0)	0.0	(6.7)	0.3	(46.7)
China, Shanghai City	0.1	(11.5)	0.1	(9.9)	0.1	(20.9)	0.0	(4.7)	0.1	(13.6)	0.2	(39.3)
China, Shangyu District, Shaoxing City	0.0	(14.3)	–	–	0.0	(14.3)	–	–	0.1	(28.6)	0.2	(42.9)
*China, Shapingba District, Chongqing City	–	–	0.0	(6.2)	0.0	(12.5)	0.1	(12.5)	0.1	(18.8)	0.2	(50.0)
China, She Xian County	0.4	(38.5)	–	–	–	–	–	–	–	–	0.5	(61.5)
China, Sheyang County	0.0	(4.5)	0.0	(4.5)	0.1	(11.4)	0.1	(4.5)	0.3	(25.0)	0.8	(50.0)
*China, Shijiazhuang City	0.1	(21.4)	0.1	(14.3)	0.0	(3.6)	0.0	(3.6)	0.0	(7.1)	0.3	(50.0)
China, Shunde District, Foshan City	0.1	(8.3)	0.1	(8.3)	0.2	(33.3)	–	–	0.1	(20.8)	0.2	(29.2)
*China, Song County	–	–	–	–	–	–	0.0	(9.1)	–	–	0.7	(90.9)
China, Suzhou City	0.1	(8.9)	0.0	(1.8)	0.1	(19.6)	0.0	(3.6)	0.1	(8.9)	0.3	(57.1)
*China, Tengzhou City	0.1	(12.1)	0.0	(3.0)	0.0	(6.1)	0.0	(3.0)	0.1	(9.1)	0.3	(66.7)
*China, Wangdu County	–	–	–	–	–	–	–	–	0.2	(100.0)	–	–
*China, Wanzai County	0.1	(12.5)	0.1	(12.5)	–	–	–	–	–	–	0.7	(75.0)
*China, Wu'an City	–	–	0.1	(6.2)	0.1	(6.2)	0.1	(6.2)	0.0	(6.2)	0.5	(75.0)
China, Wuhan City	0.1	(9.6)	0.0	(2.4)	0.1	(22.4)	0.0	(4.8)	0.1	(24.0)	0.2	(36.8)
*China, Wuhu City	0.1	(27.3)	0.0	(9.1)	0.1	(18.2)	–	–	–	–	0.2	(45.5)
China, Wuxi City	0.0	(4.7)	0.0	(2.3)	0.0	(11.6)	0.1	(16.3)	0.0	(14.0)	0.1	(51.2)
China, Wuzhou City	0.1	(8.3)	–	–	0.1	(25.0)	0.1	(16.7)	–	–	0.2	(50.0)
China, Xiangfu District, Kaifeng City	–	–	0.1	(6.5)	0.4	(22.6)	0.1	(3.2)	0.4	(25.8)	0.7	(41.9)
China, Xianju County	–	–	0.1	(11.1)	0.2	(44.4)	0.0	(11.1)	–	–	0.1	(33.3)
*China, Xin'an County	–	–	–	–	0.1	(11.1)	–	–	–	–	0.8	(88.9)
*China, Xining City	0.3	(20.0)	–	–	0.3	(20.0)	0.2	(13.3)	0.1	(6.7)	0.6	(40.0)
*China, Xinji City	0.1	(37.5)	0.0	(12.5)	0.1	(37.5)	0.0	(12.5)	–	–	–	–
*China, Xinluo District, Longyan City	–	–	–	–	0.2	(50.0)	–	–	–	–	0.1	(50.0)
*China, Xinzhou District, Shangrao City	–	–	–	–	0.2	(15.4)	0.1	(7.7)	0.2	(23.1)	0.5	(53.8)
China, Xiping County	0.1	(7.7)	0.0	(2.6)	0.3	(23.1)	–	–	0.1	(7.7)	0.9	(59.0)
*China, Xishan District, Kunming City	–	–	–	–	–	–	0.1	(11.1)	0.1	(22.2)	0.5	(66.7)
*China, Xuyi County	0.1	(11.8)	–	–	0.1	(17.6)	–	–	0.3	(41.2)	0.2	(29.4)
*China, Ya'an City	0.1	(18.2)	0.0	(3.0)	0.2	(30.3)	0.1	(9.1)	0.0	(6.1)	0.2	(33.3)
*China, Yakeshi City	0.3	(42.9)	–	–	0.1	(7.1)	0.0	(7.1)	0.0	(7.1)	0.5	(35.7)
China, Yancheng	0.0	(2.3)	–	–	0.1	(9.2)	–	–	0.2	(5.7)	1.2	(82.8)
*China, Yangquan City	0.1	(2.5)	–	–	0.1	(2.5)	0.0	(2.5)	0.0	(2.5)	1.6	(90.0)
*China, Yangzhong City	–	–	–	–	0.1	(25.0)	–	–	–	–	0.1	(75.0)
*China, Yanji City	–	–	–	–	–	–	–	–	0.1	(15.4)	1.0	(84.6)
*China, Yanshi City	0.0	(4.5)	–	–	0.3	(31.8)	–	–	0.1	(13.6)	0.4	(50.0)
China, Yanting County	0.1	(8.7)	0.0	(4.3)	–	–	0.1	(4.3)	0.1	(4.3)	0.9	(78.3)
*China, Yi'an District, Tongling City	–	–	–	–	–	–	0.1	(20.0)	0.1	(20.0)	0.3	(60.0)

Rates based on less than 10 cases are in italics

*Important. See note on population page.

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Other bones (C41) - Female (Contd)

	C41.0		C41.1		C41.2		C41.3		C41.4		C41.8-9	
	Skull & face		Mandible		Vertebral column		Ribs etc.		Pelvic bones		Other & unspec.	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Oceania (contd)												
*Australia, Northern Territory : Non-Indigenous	–	–	–	–	–	–	–	–	0.2	(100.0)	–	–
*Australia, Northern Territory : Indigenous	–	–	–	–	–	–	–	–	–	–	–	–
*Australia, Queensland	0.1	(20.8)	0.0	(7.5)	0.0	(5.7)	0.1	(28.3)	0.1	(24.5)	0.0	(13.2)
Australia, South Australia	0.1	(17.4)	0.0	(8.7)	0.1	(21.7)	0.0	(4.3)	0.2	(34.8)	0.1	(13.0)
Australia, Tasmania	0.2	(28.6)	0.0	(14.3)	–	–	0.0	(14.3)	0.3	(42.9)	–	–
*Australia, Victoria	0.1	(24.7)	0.0	(9.6)	0.1	(12.3)	0.1	(15.1)	0.1	(26.0)	0.0	(12.3)
*Australia, Western Australia	0.1	(12.1)	0.1	(15.2)	0.0	(9.1)	0.1	(9.1)	0.1	(30.3)	0.1	(24.2)
*New Caledonia	0.1	(14.3)	–	–	0.1	(14.3)	0.3	(28.6)	0.4	(42.9)	–	–
New Zealand	0.1	(14.1)	0.0	(5.6)	0.1	(15.5)	0.1	(11.3)	0.1	(16.9)	0.2	(36.6)
*New Zealand : Maori	–	–	0.1	(5.9)	0.2	(23.5)	0.1	(5.9)	0.2	(23.5)	0.4	(41.2)
*New Zealand : Pacific peoples	–	–	–	–	0.1	(12.5)	0.3	(25.0)	–	–	0.6	(62.5)
*New Zealand : Other	0.1	(19.0)	0.0	(4.8)	0.1	(14.3)	0.1	(11.9)	0.1	(19.0)	0.1	(31.0)
USA, Hawaii	0.1	(17.4)	0.1	(13.0)	0.0	(13.0)	0.1	(13.0)	0.0	(4.3)	0.3	(39.1)
USA, Hawaii : White	0.1	(14.3)	0.1	(14.3)	–	–	0.1	(14.3)	–	–	0.5	(57.1)
*USA, Hawaii : Japanese	0.1	(33.3)	–	–	0.0	(33.3)	–	–	0.0	(33.3)	–	–
*USA, Hawaii : Chinese	–	–	–	–	0.1	(50.0)	0.3	(50.0)	–	–	–	–
*USA, Hawaii : Hawaiian	–	–	–	–	0.1	(33.3)	–	–	–	–	0.3	(66.7)
*USA, Hawaii : Filipino	0.2	(28.6)	0.1	(14.3)	–	–	0.1	(14.3)	–	–	0.4	(42.9)

Rates based on less than 10 cases are in italics

*Important. See note on population page.